Slit Lamp

SL-1S

SL-2S



MAIN MEDITECH

www.mainmeditech.com

Slit Lamp SL-1S / SL-2S



SL-2S



5X

SL-1S



3X

MAIN MEDITECH

Slit Lamp SL-1S / SL-2S



Brand New Design

Every element of the slit lamp has been reimagined from the ground up. Redefines what a modern ophthalmic instrument should look and feel like.

Superior Optic Quality

Provides stereoscopic and comfortable view.
With broad beam, wild field and high depth of field.

Warm LED Illumination

Work 50 thousand hours, and suitable for human tissue
Better conformity, longer lifetime

Brightness Control Continuously

Allows fine-tune illumination intensity to the ideal level at any moment — **smoothly, instantly, and precisely.**



True quality lives in the details.

Technical Parameter

Model	SL-1S	SL-2S
Microscope Type	Galilean Type System	
Magnification	10X, 16X, 25X	6.3X, 10X, 16X, 25X, 40X
Eyepiece Magnification	12.5X	
Visual Angle of Eyepiece	13°	
PD Range	52mm-85mm	
Diopter	±8D	
Visual Field Diameter	10X(22mm), 16X(14mm), 25X(8.5mm)	6.3X(33mm), 10X(22mm), 16X(14mm), 25X(8.5mm), 40X(5.5mm)
Illumination Type	Tower Type	
Light Source	Warm LED	
Illuminance	≥ 600,000 Lux	
Brightness control	Continuously adjustable	
Illumination tilting	5°, 10°, 15°, 20°	
Slit Width	0mm-14mm continuously adjustable	
Slit Height	lmm-14mm continuously adjustable	
Slit Angle	0°~180°continuously adjustable	
Slit Aperture Size	Φ0.2, Φ1, Φ3, Φ5, Φ10, Φ14mm	
Filter	Heat Aborption, Grey, Redfree(Green), Cobalt Blue	
Motorized Chinrest Adjustment	Optional	
Voltage:100~240V 48~62Hz Compatible		

MAIN
MEDITECH

Email: info@mainmeditech.com

Tel: +86 2363732637

Supervisor Tel: +86 13618270311

Address: Unit 4-2, No. 56, HuJu Road, YuZhong District, Chongqing 400010, China

Main MediTech Co., Ltd

www.mainmeditech.com