PRODUCT CATALOGUE

YANGZHOU MEDITECH IMPORT AND EXPORT CO., LTD.

扬 州 美 迪 泰 进 出 口 有 限 公 司

■ w w w . y z m d t . c o m

Add:1904,1905,1906,Building 4, yufeng international mansion.
419 Middle Jiangyang road, Yangzhou, Jiangsu , China
Tel:+8651482173808;+8613511744429
Email:manager@medentalab.com

安全可靠 创新高效

Safety, reliability, Innovation and high efficiency





Yangzhou Meditech Import And Export Co., Ltd.

One of the largest suppliers of medical instruments in China. Locates in the beautiful historical city-Yangzhou,three hours away from Shanghai and one hour away from Nanjing Airport.

Yangzhou Meditech is a global innovative medical solutions provider experienced in Serving the medical and diagnostic Industry. Our buyers from over 40 countries and regions around the world. We provide our clients with single-use medical devices, components, surgical dressing, dental materials and instruments that protect people and contribute to improving their quality of life.

In case that you have any specific requirements, please feel free to contact our experienced sales team .We will work closely with you and supply you cost-effective top quality products !





PRODUCT CATALOGUE

01	Personal Protection	P4-P13	P73-P102	Examine system	09
02	breathing system	P14-P34	P103-P124	Surgical Instruments	10
03	Gastrointestinal system	P34-P39	P125-P169	Equipment	11
04	Blood system	P40-P42	P170-P178	Accessories	12
05	Urology system	P43-P45	P179-P205	Home medical system	13
06	Drainage system	P46-P49	P206-P217	Laboratory system	14
07	Puncture system	P49-P60	P218-P245	Dental system	15
08	Dressing system	P60-P73	P246-P309	Animal system	16

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Round nurse cap

- Material : PP/PE/SMS
- Gram: 9g/m²-150g/m²
- Color : blue, white, green, yellow, pink, red
- Size : 18 ", 19 ", 20 ", 21 ", 24 ", etc
- Packing : 100pcs/bag, 1000pcs/carton

MPP001



Clip cap

- Material : PP non woven
- Weight : 9g/m²-150g/m²
- Color : blue, white, green, yellow, pink, red
- Size : 18 ", 19 ", 20 ", 21 ", 24 ", etc
- Packing : 100pcs/bag, 1000pcs/carton

MPP002





MPP003

◆DOUBLE ELASTIC



MPP004

◆SINGLE ELASTIC







MPP005



Doctor cap with elastic

MPP006



Doctor cap with ties

MPP007



Invisible hair net

MPP008



Nylon hair net

MPP009



Shower cap

MPP010



Snood cap

MPP011



Space cap with ties

MPP012



Astro cap with face mask

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Masks Earloop

- Material : PP non woven+ meltblown non woven
- Gram： 20g/㎡+20g/㎡+25g/㎡
- Color : white , blue , green , yellow , pink
- Size : 17.5*9.5cm,14.5*9cm,12.5*9cm,12*7cm
- Packing : 50pcs/box, 40boxes/ctn





MPP013

Masks Earloop

- Material : PP non woven+ meltblown non woven
- Gram： 20g/㎡+20g/㎡+25g/㎡
- Color : white , blue , green , yellow , pink
- Size : 17.5*9.5cm,14.5*9cm,12.5*9cm,12*7cm
- Packing : 50pcs/box, 40boxes/ctn







Mask with print



◆ Adult



◆ children

N95 Mask

MPP014



◆ Folding type

MPP015



◆ With breather valve

MPP016



◆ Cup type



◆ Fish type

MPP017



◆ Kn95 Mask

MPP018

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Visor Shield Mask

MPP019



Reusable Mask



MPP020

◆ Self-suction filtering



MPP021

◆ Electric air supply



MPP022

◆ Silica gel

Other Mask

MPP023



◆ washable

MPP024



◆ FFP2

MPP025



◆ Noish

Medical Protective Full-Face Mask

- The surface: smooth, waterproof, non-toxic and soft
- Full face protection: anti-splash, good sealing and less pressure injury of air cushion seal
- Easy replacement of filter device



MPP026

Medical Positive Pressure Protective Coverall

- The first in China
- Full body protection
- Continuous positive pressure, fresh air circulation
- Not easy to sweat, safe and comfortable
- Cost-effective>>The filter device can be replaced

Configuration	Size	Cat. No.
With air Supply Device	170	PP11170
	175	PP11175
Without air Supply Device	170	PP10070
	175	PP10075



MPP027

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Face Shield

◆ Adult MPP028














◆ children MPP029







Medical Protective Full-Face Mask



MPP030

- Ventilation valve can be adjusted by switch
- Double anti-fog treatment , better anti-fog effect

Surgical Gown & coverall




MPP031

- Material : PP / PP+PE / SMS
- Gram: 15gsm-65gsm
- Color : blue, white, green, yellow
- Size : S/M/L/XL/XXL/XXXL
- Packing : 10pcs/bag, 100pcs/carton









◆ PP ◆ PP+PE ◆ SMS

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

◆ collar





◆ belt






◆ cuff





◆ seam







MPP032

◆ Short sleeve



MPP033

◆ Enhanced gown



LAB GOWN



◆ Button

MPP034





◆ Zipper



MPP035

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Overall gown

- Material : PP /PP+PE/SMS
- Weight : 35gsm-60gsm
- Color : blue, white, green, yellow, pink, red
- Size : 18 ", 19 ", 20 ", 21 ", 24 ", etc
- Packing : 100pcs/bag, 1000pcs/carton


PP

PP+breathable film

SMS

MPP036




Stretch-knit cuffs


Elastics cuffs


zipper


Elastics


Blue stripes


With shoes


Without shoes


Without stripes

Other gown

MPP037



- Without sleeves

MPP038



- Scrub Suit

MPP039



- Cpe Suit

Doctor clothes



- Short sleeve

MPP040



- Elastics cuffs

MPP041



- Button

MPP042

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Wash hand clothes



◆ Short sleeve
MPP043



◆ Stretch-knit cuffs
MPP044



◆ long gown
MPP045

Patient clothes



◆ Short sleeve
MPP046



◆ Long sleeve
MPP047

Other



◆ Workers suit
MPP048



◆ Nurse suit
MPP049



◆ nurse dress
MPP050



◆ Can put ice vest
MPP051



◆ Easy put and take suit
MPP052



◆ Can put urine bag underpants
MPP053

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Arm sleeve

- Thickness:0.02mm/0.018mm
- Size:20*40cm,22*40cm,22*46cm
- Color : blue, white, green
- Packing : 100pcs/bag, 2000pcs/carton



◆ Non-woven
MPP054



◆ PE
MPP055



◆ CPE
MPP056



◆ SF
MPP057

Shoes cover

- weight :3gsm/4gsm/5gsm etc
- Size:25-45.
- Color : blue, white, pink
- Packing : 100pcs/bag,



◆ Non-woven
MPP058



◆ Non-slip
MPP059



◆ PE
MPP060



◆ cpe
MPP061



◆ PP+CPE
MPP062



◆ SF
MPP063



◆ PE
MPP064

Sheet cover

MPP065

- Material : SS/SMS/PP+PE
- Color : blue, white, pink， purple
- Size:40*50,50*60,80*120,80*150,100*200,120*200, etc









other



◆ Pillow case
MPP066



◆ Drape
MPP067




◆ Quilt cover
MPP068

Personal Protection

Alcohol pad (70%)

- Material : non woven & IPA
- Packaging: 100pcs/box 100boxes/ctn






MPP069

Alcohol pad (75%)

- Material : non woven & ethly alcohol
- Packaging: 100pcs/box 100boxes/ctn





MPP070

Povidone-iodine pad

- Material : non woven & Povidone-iodine
- Packaging: 100pcs/box 100boxes/ctn



MPP071

Packing size	5*5cm	6.2*7cm	6.2*7cm	7.5*10cm
Tissue size	6*3cm 2ply	6*6cm 4ply	9*4.2cm 2ply	15*20cm 8ply



Alcohol+CHG pad

MPP072



BZK pad

MPP073



Soap pad

MPP074



Adhesive remover pad

MPP075



Alcohol pad

MPP076




Saline pad

MPP077



Sting relief pad

MPP078



Make-up remover pad

MPP079



Lens cleaning pad

MPP080



Skin Barrier pad

MPP081



Nail polish remover pad

MPP082

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Vinyl Gloves (Powdered / Powder Free)



MPP083

- Size: xs(palm width 75+/-5mm)
  S(palm width 85+/-5mm),
  m(palm width 95+/-5mm),
  l(palm width 105+/-5mm),
  xl(palm width 115+/-5mm);
- Length: 230mm(9inches);
- Standard: AQL4.0, aql2.5, aql1.5;
- Features: ambidextrous, beaded cuff;
- Color: natural white, blue, green, black;

Latex Examination Gloves (Powdered / Powder Free)


MPP086

- Size: s(palm width 85+/-5mm),
  m(palm width 95+/-5mm),
  l(palm width 105+/-5mm),
  xl(palm width 115+/-5mm);
- Length: >230mm(9inches);
- Standard: AQL2.5,
- Features: ambidextrous, beaded cuff;
- Color: natural white;

Stretchy Vinyl Gloves (Powdered / Powder Free)


MPP084

- Size: xs(palm width 75+/-5mm)
  S(palm width 85+/-5mm),
  m(palm width 95+/-5mm),
  l(palm width 105+/-5mm),
  xl(palm width 115+/-5mm);
- Length: 230mm(9inches);
- Standard: AQL4.0, aql2.5, aql1.5;
- Elongation at break: ≥300%;
- Color: natural white, blue;

Latex Surgical Gloves (Powdered / Powder Free)


MPP087

- Size: 6#, 6.5#, 7#, 7.5#, 8#, 8.5#, 9#;
- Length: 265-290mm(10.5-11.5inches);
- Standard: AQL1.5(medical grade);
- Sterilization by: gamma, ETO;
- Features: beaded cuff,
- Textured palm and fingers;
- Color: natural white;

Nitrile Gloves (Powdered / Powder Free)


MPP085

- Size: s(palm Width 85+/-5mm),
  m(palm Width 95+/-5mm),
  l(palm Width 105+/-5mm),
  xl(palm Width 115+/-5mm);
- Length: 230mm(9inches),
  240mm(9.5inches);
- Standard: AQL4.0, Aql2.5, Aql1.5;
- Features: Ambidextrous, Beaded Cuff,
- Textured Palm And Fingers;
- Color: Blue, Black, White;

PE Gloves (LDPE / HDPE)



MPP088

- Size: S, M, L, XL;
- Thickness: 0.015-0.035mm;
- Features: ambidextrous, embossed;
- Color: clear, blue;

Personal Protection

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司



Anesthesia Circuits



Coaxial Circuits



Duo Limbo Circuits



Breathing Circuits




Non-invasive Circuits



Circuit Accessories


Corrugated Circuits

- Good elasticity, flexibility and air tightness
- Can be sold as kit with anesthesia mask, breathing bag, HMEF, catheter mount, extra limb
- ISO standard interface




Extendable Circuits

- Lightweight, save storage space
- Low airflow resistance, good compliance
- High compression rate, adjustable length
- Can be sold as kit with anesthesia mask, breathing bag, HMEF, catheter mount, extra limb
- ISO standard interface




Smoothbore Circuits

- Smooth inner wall, water is not easy to accumulate, improve safety
- Unique spiral tube body design to prevent occlusion due to twisting
- Can be sold as kit with anesthesia mask, breathing bag, HMEF, catheter mount, extra limb
- ISO standard interface




Anesthesia Circuit




Corrugated	
Length	NO.
1.2m	B0001
1.5m	B0002
1.8m	B0003
2.0m	B0823

Anesthesia Circuit, Anesthesia mask



Corrugated	
Length	NO.
1.2m	B0041
1.5m	B0042
1.8m	B0043


Anesthesia Circuit, Anesthesia mask,Breathing bag



Corrugated	
Length	NO.
1.2m	B0041
1.5m	B0042
1.8m	B0043

Breathing System

Anesthesia circuit, Breathing bag



MBY013

Corrugated	
Length	NO.
1.2m	B0017
1.5m	B0018
1.8m	B0019
2.0m	B0020


Anesthesia Circuit (Extendible)



MBY016

Extendbile	
Length	NO.
1.2m	B0275
1.5m	B0276
1.8m	B0277
2.0m	B0278


Anesthesia circuit, Breathing bag, HMEF



MBY014

Corrugated	
Length	NO.
1.2m	B0021
1.5m	B0022
1.8m	B0023


Anesthesia Circuit, Anesthesia mask



MBY017

Extendbile	
Length	NO.
1.2m	B0315
1.5m	B0316
1.8m	B0317


Anesthesia Circuit,Breathing bag HMEF,Anesthesia mask



MBY015

Corrugated	
Length	NO.
1.2m	B0188
1.5m	B0189
1.8m	B0190

Anesthesia Circuit, Anesthesia mask, Breathing bag



MBY018

Extendbile	
Length	NO.
1.2m	B0366
1.5m	B0367
1.8m	B0368

Breathing System

Anesthesia Circuit (Smoothbore)



MBY019

Smoothbore	
Length	NO.
1.2m	B0549
1.5m	B0550
1.8m	B0551
2.0m	B0552


Anesthesia circuit, Breathing bag



MBY022

Smoothbore	
Length	NO.
1.2m	B0565
1.5m	B0566
1.8m	B0567
2.0m	B0568


Anesthesia Circuit, Anesthesia mask



MBY020

Smoothbore	
Length	NO.
1.2m	B0589
1.5m	B0590
1.8m	B0591


Anesthesia circuit, Breathing bag, HMEF



MBY023

Smoothbore	
Length	NO.
1.2m	B0688
1.5m	B0689
1.8m	B0690


Anesthesia Circuit, Anesthesia mask, Breathing bag



MBY021

Smoothbore	
Length	NO.
1.2m	B0640
1.5m	B0641
1.8m	B0642

Anesthesia Circuit, Breathing bag HMEF,Anesthesia mask



MBY024

Smoothbore	
Length	NO.
1.2m	B0736
1.5m	B0737
1.8m	B0738

Breathing System


Anesthesia circuit, Breathing bag



MBY025

Corrugated	
Length	NO.
1.2m	B0236
1.5m	B0237
1.8m	B0238


Anesthesia Circuit (Extendible)



MBY028

Extendible	
Length	NO.
1.2m	B0498
1.5m	B0499
1.8m	B0500


Anesthesia circuit, Breathing bag, HMEF



MBY026

Corrugated	
Length	NO.
1.2m	B0248
1.5m	B0249
1.8m	B0250


Anesthesia Circuit, Anesthesia mask



MBY029

Extendible	
Length	NO.
1.2m	B0525
1.5m	B0526
1.8m	B0527


Anesthesia Circuit, Breathing bag HMEF,Anesthesia mask



MBY027

Corrugated	
Length	NO.
1.2m	B0269
1.5m	B0270
1.8m	B0271

Anesthesia Circuit, Anesthesia mask, Breathing bag



MBY030

Extendible	
Length	NO.
1.2m	B0537
1.5m	B0538
1.8m	B0539

Breathing System


Anesthesia circuit, Breathing bag



MBY031

Extendible	
Length	NO.
1.2m	B0510
1.5m	B0511
1.8m	B0512


Anesthesia Circuit (Smoothbore)



MBY034

Smoothbore	
Length	NO.
1.2m	B0772
1.5m	B0773
1.8m	B0774


Anesthesia circuit, Breathing bag, HMEF



MBY032

Extendible	
Length	NO.
1.2m	B0522
1.5m	B0523
1.8m	B0524


Anesthesia Circuit, Anesthesia mask



MBY035

Extendible	
Length	NO.
1.2m	B0522
1.5m	B0523
1.8m	B0524


Anesthesia Circuit, Breathing bag HMEF,Anesthesia mask



MBY033

Extendible	
Length	NO.
1.2m	B0543
1.5m	B0544
1.8m	B0545

Anesthesia Circuit, Breathing bag HMEF,Anesthesia mask




MBY036

Extendible	
Length	NO.
1.2m	B0543
1.5m	B0544
1.8m	B0545

Breathing System


Anesthesia circuit, Breathing bag



MBY037

Smoothbore	
Length	NO.
1.2m	B0784
1.5m	B0785
1.8m	B0786


Anesthesia circuit, Breathing bag, HMEF



MBY038

Smoothbore	
Length	NO.
1.2m	B0796
1.5m	B0797
1.8m	B0798


Anesthesia Circuit, Breathing bag HMEF,Anesthesia mask



MBY039

Smoothbore	
Length	NO.
1.2m	B0817
1.5m	B0818
1.8m	B0819


Coaxial Circuit



MBY040

Coaxial Circuit	
Description	NO.
1.5m Coaxial Circuit	A20001-1
1.8m Coaxial Circuit	A20003-1

Adult Corrugated/Extendable Limb, Coaxial Circuit




MBY041

Corrugated Limb	
Description	NO.
1.5m circuit, 0.4m corrugated limb	A20001
1.8m circuit, 0.4m corrugated limb	A20003

Extendible Limb	
Description	NO.
1.5m circuit, 0.4m extendible limb	A20002
1.8m circuit, 0.4m extendible limb	A20004

Coaxial Circuit, 2L/3L Breathing bag, Adult Corrugated/Extendable Limb




MBY042

Corrugated Limb	
Description	NO.
1.5m Circuit, 2L Breathing bag, 0.4m Corrugated Limb	A20009
1.8m Circuit, 2L Breathing bag, 0.4m Corrugated Limb	A20011
1.5m Circuit, 3L Breathing bag, 0.4m Corrugated Limb	A20005
1.8m Circuit, 3L Breathing bag, 0.4m Corrugated Limb	A20007

Extendible Limb	
Description	NO.
1.5m Circuit, 2L Breathing bag, 0.4m Extendable Limb	A20010
1.5m Circuit, 2L Breathing bag, 0.4m Extendable Limb	A20012
1.8m Circuit, 3L Breathing bag, 0.4m Extendable Limb	A20006
1.8m Circuit, 3L Breathing bag, 0.4m Extendable Limb	A20008

Breathing System


Anesthesia circuit, Breathing bag



MBY043

Duo Limbo Circuits	
Description	NO.
1.5m Duo Limbo Circuits	A30002-1
1.8m Duo Limbo Circuits	A30004-1


Adult Breathing Circuit



MBY046

Corrugated	
Length	NO.
1.5m	A10001-1
1.8m	A10002-1

Adult Corrugated/Extendable Limb, Coaxial Circuit




MBY044

Corrugated Limb	
Description	NO.
1.5m circuit, 0.4m corrugated limb	A30002
1.8m circuit, 0.4m corrugated limb	A30004

Extendible Limb	
Description	NO.
1.5m circuit, 0.4m extendible limb	A30003
1.8m circuit, 0.4m extendible limb	A30005


Adult Corrugated/Extendable Limb, Coaxial Circuit



MBY047

Corrugated	
Length	NO.
1.5m	A10001
1.8m	A10002

Coaxial Circuit, 2L/3L Breathing bag, Adult Corrugated/Extendable Limb




MBY045

Corrugated Limb	
Description	NO.
1.5m circuit, 0.4m corrugated limb	A30002
1.8m circuit, 0.4m corrugated limb	A30004

Extendible Limb	
Description	NO.
1.5m circuit, 0.4m extendible limb	A30003
1.8m circuit, 0.4m extendible limb	A30005

Adult Breathing Gircuit 0.4m limb, GSL, clip, hook




MBY048

Corrugated	
Length	NO.
1.5m	A60001-1
1.8m	A60007-1

Breathing System

Pediatric Breathing Circuit


MBY049



Smoothbore	
Length	NO.
1.5m	A10011-1
1.8m	A10012-1

Pediatric Breathing Circuit, 0.4m limb


MBY050



Smoothbore	
Length	NO.
1.5m	A10011
1.8m	A10012


Pediatric Breathing Circuit.0.4m limb, GSL, clip, hook

MBY051



Smoothbore	
Length	NO.
1.5m	A70003-1
1.8m	A70010-1


Adult Breathing Circuit, Sampling Tube,Adult Water Traps, Clip, Adult HMEF,Catheter Mount, 0.4m Adult Limb



MBY052

Smoothbore	
Length	NO.
1.2m	A40003

Adult Breathing Circuit, Sampling Tube, Adult Water Traps, Clip




MBY053

Corrugated	
Length	NO.
1.5m	A40013
1.8m	A40009

Smoothbore	
Length	NO.
1.5m	A40006
1.8m	A40012

Adult Breathing Circuit, Adult Water Traps, Sampling Tube, Clip, Adult Limb(0.4m/0.8m)




MBY054

Corrugated	
Length	NO.
1.5m(0.4m Limb)	A40001
1.8m(0.4m Limb)	A40007
1.5m(0.4m Limb)	A40002
1.8m(0.4m Limb)	A40008

Smoothbore	
Length	NO.
1.5m(0.4m Limb)	A40004
1.8m(0.4m Limb)	A40010
1.5m(0.4m Limb)	A40005
1.8m(0.4m Limb)	A40011

Breathing System


Hyperbaric Oxygen Circuits



MBY055

Corrugated	
Length	NO.
1.5m	1400005
1.8m	1400005

Circuit Rolls




MBY056

Corrugated (Adult)	
Specification	NO.
22mm, 15cm Per Segment	1800001
22mm, 20cm Per Segment	1800000

Corrugated (Pediatric)	
Specification	NO.
15mm, 15cm Per Segment	1810001
15mm, 20cm Per Segment	1810000

Anesthesia Catheter Mounts



MBY057

Corrugated		Extendable		Smoothbore	
Description	NO.	Description	NO.	Description	NO.
0.10m Corrugated Catheter Mount	A50031	0.10m Extendable Catheter Mount	A50034	0.10m Smoothbore Catheter Mount	A50037
0.15m Corrugated Catheter Mount	A50032	0.15m Extendable Catheter Mount	A50035	0.15m Smoothbore Catheter Mount	A50038
0.20m Corrugated Catheter Mount	A50033	0.20m Extendable Catheter Mount	A50036	0.20m Smoothbore Catheter Mount	A50039

Limbs

MBY058



	Adult		Pediatric	
	Description	NO.	Description	NO.
Corrugated	0.4m Adult Corrugated Limb	A50001	0.4m Pediatric Corrugated Limb	A50016
	0.8m Adult Corrugated Limb	A50002	0.8m Pediatric Corrugated Limb	A50017
	1.2m Adult Corrugated Limb	A50003	1.2m Pediatric Corrugated Limb	A50018
	1.5m Adult Corrugated Limb	A50004	1.5m Pediatric Corrugated Limb	A50019
	1.8m Adult Corrugated Limb	A50005	1.8m Pediatric Corrugated Limb	A50020




	Adult		Pediatric	
	Description	NO.	Description	NO.
Extendable	0.4m Adult Extendable Limb	A50006	0.4m Pediatric Extendable Limb	A50021
	0.8m Adult Extendable Limb	A50007	0.8m Pediatric Extendable Limb	A50022
	1.2m Adult Extendable Limb	A50008	1.2m Pediatric Extendable Limb	A50023
	1.5m Adult Extendable Limb	A50009	1.5m Pediatric Extendable Limb	A50024
	1.8m Adult Extendable Limb	A50010	1.8m Pediatric Extendable Limb	A50025



	Adult		Pediatric	
	Description	NO.	Description	NO.
Smoothbore	0.4m Adult Smoothbore Limb	A50011	0.4m Pediatric Smoothbore Limb	A50026
	0.8m Adult Smoothbore Limb	A50012	0.8m Pediatric Smoothbore Limb	A50027
	1.2m Adult Smoothbore Limb	A50013	1.2m Pediatric Smoothbore Limb	A50028
	1.5m Adult Smoothbore Limb	A50014	1.5m Pediatric Smoothbore Limb	A50029
	1.8m Adult Smoothbore Limb	A50015	1.8m Pediatric Smoothbore Limb	A50030

Latex / Latex free Reservoir Bags




MBY059

Latex Reservoir Bags	
Description	NO.
0.5L Latex Reservoir Bag	6100005
1L Latex Resevoir Bag	6100001
2L Latex Resevoir Bag	6100002
3L Latex Resevoir Bag	6100003

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Anesthesia Mask A - Gas Valve Up


MBY060



NO.	A2000	A2001	A2002	A2003	A2004	A2005	A2006
Model	0#	1#	2#	3#	4#	5#	6#
Connector Size	15M	15M	15M	22F	22F	22F	22F
Retainer Ring				√	√	√	√
Color							

Anesthesia Mask B - Gas Valve Horizontal

MBY061



NO.	B2100	B2101	B2103	B2105	B2106	B2108
Model	0#	1#	2#	3#	4#	5#
Connector Size	15M	15M	22F	22F	22F	22F
Retainer Ring	√	√	√	√	√	√
Color						

CPR Masks

MBY062



CPR Mask	
Case Color	NO.
	2300002
	2301002
	2302002

Oxygen Masks

MBY063



Oxygen Mask	
Description	NO.
S, Adult, Medium Concentration Oxygen Mask, with 2m O_2 Tube	2110001
M, Adult, Medium Concentration Oxygen Mask, with 2m O_2 Tube	2110002
L, Adult, Medium Concentration Oxygen Mask, with 2m O_2 Tube	2110003
XL, Adult, Medium Concentration Oxygen Mask, with 2m O_2 Tube	2110004

Hyperbaric Oxygen Masks



MBY064

Hyperbaric Oxygen Mask	
Description	NO.
Hyperbaric Oxygen Mask	2400002

Breathing System

Non-Rebreathing Mask MBY065



- The anti-reflux design prevents the oxygen, flowing into the bag.
- Oxygen concentration up to 60%-80%.

Adjustable Concentration Mask MBY066



- Verturi princple provide accurate oxygen concentration .
- The green connector can set 24% 26% 28% and 30% oxygen concentration, the white connector can set 35% 40% and 50% oxygen concentration.

Venturi Mask MBY067



- Verturi princple provide accurate oxygen concentration.
- Oxygen concentration locker: seven color connectors can set seven different oxygen concentrations.

Nebulizer MBY068

- Universal connector is available.
- High potency with less drug , least side-effect.
- High volume and transparent design, convenient to observe.
- Various specification are available, convenient to operate.



Mask Type MBY069

TYPE	CAT.NO
Infant	NEM006
Child	NEM110
Adult	NEM220



Bite Type MBY070

Straight Bite		Curved Bite	
VOL	CAT.NO	VOL	CAT.NO
6	NEBS06	6	NEBC06
10	NEBS10	10	NEBC10
20	NEBS20	20	NEBC20



Adjustable Handholding Comprehensive Type MBY071

Child		Adult	
VOL	CAT.NO	VOL	CAT.NO
6	NEH106	6	NEH206
10	NEH110	10	NEH210
20	NEH120	20	NEH220

Breathing System

Cartoon Mask Type

MBY072





VOL	CAT.NO
6	NEC106
10	NEC110
20	NEC120

In china, we have worked with hospitals to set up many nebulizer rooms.





Disposable HMEFs

MBY073





NO.	F1(3019)	F3(3136)
Luer port	√	√
Filteration efficiency	>99.99%	>99.99%
Resistance at 30L/min (kPa)	0.09	0.08
Resistance at 60L/min (kPa)	0.19	0.2
Compressible volume (mL)	17.4	19.9
Weight (g)	32.8	30.3
Minimum tidal volume (mL)	100	100





NO.	I1(3321)	G3(3308)
Luer port	√	√
Filteration efficiency	>99.99%	>99.99%
Resistance at 30L/min (kPa)	0.05	0.05
Resistance at 60L/min (kPa)	0.11	0.11
Compressible volume (mL)	29	48.6
Weight (g)	24.5	25.1
Minimum tidal volume (mL)	75	100

Breathing System

Airway assist device/Choking rescue device

MBY074



Respiratory trainer

MBY075



- ADJUSTABLE RESISTANC

EIndependent adjustment of exhalation or inhalation resistance, wider adjustable range with with 6 inspiratory and 5 expiratory settings. It can perform exhalation training, inhalation training or a combination of both according to training needs, suitable for more people

- COMFORTABLE & SAFE

Medical-grade silicone mouthpiece, no odor, more comfortable

Airway assist device

MBY076





Respiratory trainer

MBY077





Easy to use

Provide a simple way to clear your airways, easy to use at home or on the go



Adjustable resistance suitable for more people

Use the different sized steel balls and adjust from minimal to maximum postive pressure

PVC Nasal Oxygen Cannula

MBY077



- Available with different length to suit all patients' requirement
- Available with a wide selection of prong types
- The soft curved prong can offer the best possible comfort to patient

Tracheostomy Mask

MBY078



- 360 degree swivel connector provides maximum patient comfort
- Offered with universal connector for suction and oxygen delivery

PVC Nebulizer with Mouth Piece Nebulizer Kit

MBY079



- Atomization rate is about 0.3ml/min
- Drive gas flow is about 4 to 8 L/min
- Atomization particle ≤ 5μm
- More choices of T piece and mouthpiece

PVC Nasal Oxygen Catheter with Fixed Compress or Plain Type

MBY080



- Suitable for easy and efficient administration of oxygen
- Soft and smooth open distal end facilitates non-traumatic insertion


PVC O2 + CO2 Sampling Nasal Oxygen Cannula

MBY081



- Available with two sizes
- Designed for oxygen supply and sampling of exhaled CO2 gas simultaneously
- Soft prongs minimize irritation


Disposable Laryngoscopes (LED)



MBY082

LED		
Description		NO.
LED	Curved 95mm	HJZA95
LED	Curved 120mm	HJZA120
LED	Curved 140mm	HJZA140
LED	Curved 160mm	HJZA160
LED	Straight 75mm	HJZB75
LED	Straight 100mm	HJZB100
LED	Straight 130mm	HJZB130
LED Handle		HJZ01

Disposable Laryngoscope (Fiber-optic)



MBY083


Fiber - optic		
Description		NO.
Fiber-optic	Curved 95mm	HJGA95
Fiber-optic	Curved 120mm	HJGA120
Fiber-optic	Curved 140mm	HJGA140
Fiber-optic	Curved 160mm	HJGA160
Fiber-optic	Straight 75mm	HJGB75
Fiber-optic	Straight 100mm	HJGB100
Fiber-optic	Straight 130mm	HJGBA130
Fiber-optic Handle		HJG01

Guedel Airways


MBY084

Description		NO.	color
4#	40mm	5000004	
5#	50mm	5000005	
6#	60mm	5000006	
7#	70mm	5000007	
8#	80mm	5000008	
9#	90mm	5000009	
10#	100mm	5000010	
11#	110mm	5000011	
12#	120mm	5000012	


Nasopharyngeal Airway



MBY085

- Slidable rings are designed to adjust depth of the tube for more comfort while also prevent tube from slipping into the nasal airway beyond the desired depth.
- Thickened flange and trumpet flange are designed to prevent tube slipping into the nasal airway.

Laryngeal Mask Airways


MBY086

Silicone Laryngeal Mask Airways		
Description	Standard NO.	Reinforced NO.
ID 1.0mm	5300010	5301010
ID 1.5mm	5300015	5301015
ID 2.0mm	5300020	5301020
ID 2.5mm	5300025	5301025
ID 3.0mm	5300030	5301030
ID 4.0mm	5300040	5301040
ID 5.0mm	5300050	5301050

PVC Laryngeal Mask Airways		
Description	Standard NO.	Reinforced NO.
ID 1.0mm	5310010	5311010
ID 1.5mm	5310015	5311015
ID 2.0mm	5310020	5311020
ID 2.5mm	5310025	5311025
ID 3.0mm	5310030	5311030
ID 4.0mm	5310040	5311040
ID 5.0mm	5310050	5311050

Endotracheal Tube Fixer


MBY087

Description	NO.
4.0mm	5100040

Breathing System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Endotracheal Tube


MBY088

- Available with cuff and without cuff.
- DEHP-free, high bio-safety.
- Cuffed tube with high volume and low pressure, less compression for airway.
- Standard outer conical joint.

Reinforced Endotracheal Tube


MBY089

- Built-in stainless steel spring with the feature of anti-kinking.
- The tube body more flexible, easy to be reshaped.DEHP-free, higher bio-safety.
- Cuffed tube with high volume and low pressure, less compression for airway.
- Black mark easy to operate.



Oral Endotracheal tube CUFF

SIZE	CAT. NO	CAT. NO (REINFORCED)	SIZE	CAT. NO	CAT. NO (REINFORCED)
2.0	-	-	6.5	OET0065	ORET0065
2.5	OET0025	ORET0025	7.0	OET0070	ORET0070
3.0	OET0030	ORET0030	7.5	OET0075	ORET0075
3.5	OET0035	ORET0035	8.0	OET0080	ORET0080
4.0	OET0040	ORET0040	8.5	OET0085	ORET0085
4.5	OET0045	ORET0045	9.0	OET0090	ORET0090
5.0	OET0050	ORET0050	9.5	-	-
5.5	OET0055	ORET0055	10.0	-	-
6.0	OET0060	ORET0060	10.5	-	-

Oral Endotracheal tube UNCUFF

SIZE	CAT. NO	CAT. NO (REINFORCED)	SIZE	CAT. NO	CAT. NO (REINFORCED)
2.0	-	-	6.5	OET1065	ORET1065
2.5	OET1025	ORET1025	7.0	OET1070	ORET1070
3.0	OET1030	ORET1030	7.5	OET1075	ORET1075
3.5	OET1035	ORET1035	8.0	OET1080	ORET1080
4.0	OET1040	ORET1040	8.5	OET1085	ORET1085
4.5	OET1045	ORET1045	9.0	OET1090	ORET1090
5.0	OET1050	ORET1050	9.5	-	-
5.5	OET1055	ORET1055	10.0	-	-
6.0	OET1060	ORET1060	10.5	-	-



Nasal Endotracheal tube CUFF

SIZE	CAT. NO	CAT. NO (REINFORCED)	SIZE	CAT. NO	CAT. NO (REINFORCED)
2.0	-	-	6.5	NET0065	NRET0065
2.5	NET0025	NRET0025	7.0	NET0070	NRET0070
3.0	NET0030	NRET0030	7.5	NET0075	NRET0075
3.5	NET0035	NRET0035	8.0	NET0080	NRET0080
4.0	NET0040	NRET0040	8.5	NET0085	NRET0085
4.5	NET0045	NRET0045	9.0	NET0090	NRET0090
5.0	NET0050	NRET0050	9.5	-	-
5.5	NET0055	NRET0055	10.0	-	-
6.0	NET0060	NRET0060	10.5	-	-

Nasal Endotracheal tube UNCUFF

SIZE	CAT. NO	CAT. NO (REINFORCED)	SIZE	CAT. NO	CAT. NO (REINFORCED)
2.0	-	-	6.5	NET1065	NRET1065
2.5	NET1025	NRET1025	7.0	NET1070	NRET1070
3.0	NET1030	NRET1030	7.5	NET1075	NRET1075
3.5	NET1035	NRET1035	8.0	NET1080	NRET1080
4.0	NET1040	NRET1040	8.5	NET1085	NRET1085
4.5	NET1045	NRET1045	9.0	NET1090	NRET1090
5.0	NET1050	NRET1050	9.5	-	-
5.5	NET1055	NRET1055	10.0	-	-
6.0	NET1060	NRET1060	10.5	-	-

Injectable Endotracheal Tube


MBY090

- Made of medical grade PVC and latex free.
- With injection port.

Injectable

SIZE	CAT. NO	SIZE	CAT. NO
6.0	IET060	7.5	IET075
6.5	IET065	8.0	IET080
7.0	IET070		


Supraglottic & Subglottic Injectable Endotracheal Tube


MBY091

- Two injectable devices on supraglottic and subglottic area. Different drugs could be injected and sprayed via four holes to reduce adverse reaction for patients.
- Unique designed injectable device makes the drug in the shape of mist to spray on the respiratory mucosa through the holes and makes the drug distribution wide, safe and effective.

Breathing System


Suction Endotracheal Tube



MBY092

- Can do suction of subglottic secretions in the case of continuous ventilation, reducing the effect of exogenous infection and incidence of VAP


Suction Endotracheal Tube



MBY094

- High success rate for blind endotracheal intubation.
- Special soft flexible tip combined with tracheal tube stylet can reduced tracheal wall trauma and subglottic mucosal lesion.
- The olive-shape cuff can reduce the tracheal tube trauma.

Adaptive-cuff Endotracheal Tube



MBY093

- The cuff can expand and shrink intermittently with the patient's respiratory frequency, avoiding damage caused by ischemia of airway mucosa.
- Eliminate complication caused by improper cuff pressure and solve the problem of air leakage.

Lubricious Coating Endotracheal Tube



MBY095

- Lubricious coating technology are used to form a lubricating film.
- It can reduce the friction damage to the airway mucosa during intubation and extubation.
- DEHP-free, higher bio-safety.

Intubating Stylet


MBY096



- Combined with endotracheal tube during operation.
- Endotracheal tube with stylet more easily to be shaped and aim at glottis accurately.

Bougie

MBY097



- Atraumatic tip to minimize damage.
- Used for the replacement between 2 endotracheal tubes and between endobronchial tube and endotracheal tube.

Endobronchial Tube - Double Lumen Endobronchial Tube


MBY098



- Build unilateral or bilateral artifical airway.
- Equipped with multi-function connector, convenient to manage ventilation.
- T-joint special for connector fixed type instead of the multifunction connector, makes it more convenient to manage unilateral pulmonary ventilation.

Single Lumen Endobronchial Tube

MBY099



- Its outside diameter is similar to ordinary ET tube, convenient to be placed, low damage.
- Adjust unilateral and bilateral pulmonary ventilation through cuff inflated and deflated.
- Drainage function can help the drainage, exhaust and restoration of the lung in the affected side.

Tracheotomy Tube

MBY100



- Available with cuff and without cuff.
- To establish artificial respiration channel.
- The curve of the tube conforms to anatomy.
- The patient-end of the stylet is bullet-shape, convenient for inserting into the incision.
- Movable connecting ring embedded for good compliance.

Reinforced Tracheotomy Tube

MBY101



- Available with cuff and without cuff.
- Built-in stainless steel spring with the feature of anti-kinking.
- To establish artificial respiration channel.
- The patient-end is soft and reduces the damage to the airway.

Breathing System

Double-cuff Tracheotomy Tube

MBY102



- Two cuffs can be used alternatively reduce the damage to the airway.
- DEHP-free, higher bio-safety.
- Cuff with high volume and low pressure has less compression for the airway.

Extended-length Tracheotomy Tube


MBY103



- Elongated tube body can be used in obese patient.
- It can be lengthened for 2-2.5cm longer tubes.

Tracheotomy Tube with Suction Lumen

MBY104



- The radian of the tube is highly coincide with human anatomical structure.
- Suck secretions while ventilation, which is simple, convenient and safe.
- Sustained by stainless spring to reduce the twist risk and resist kinking.

Percutaneous Dilation Tracheotomy Tube

MBY105



- Soft and transparent wings are comfortable to wear and easy to clean.
- Cuff with high volume and low pressure reduces the damage to airway mucosa.
- Hollow channel can match with guide wire, reducing the damage to airway and easy for insertion.

Tracheotomy Tube with Inner Cannula

- Made of medical thermal sensitive material.Soften when meeting heat, so patient has small foreign body sensation.
- Convenient to exchange and disinfect, reducing infection risk.
- Bullet-like patient end of the stylet makes it convenient to guide the tube into airway and avoid foreign body obstructing tube body.

MBY106



breathing system

Blockbuster Laryngeal Mask & ETT & Exchanger

MBY107



- Two cuffs can be used alternatively reduce the damage to the airway.
- DEHP-free, higher bio-safety.
- Cuff with high volume and low pressure has less compression for the airway.

Esophagus Drainage Type

MBY110



- Independent esophageal drainage cavity to reduce the risk of aspiration.
- Reinforced tube body with good flexibility and anti-kinking.
- Bite block prevents the tube from being bitten and keeps the ventilation of airway.
- Silicone material has good biocompatibility and protects the airway.

Laryngeal Mask

MBY108



- Muscle relaxant is not required.
- Reduce the complications during perioperative period.
- Silicone material has the feature of good biocompatibility and protects the airway.
- Aperture bars designed in case of the poor ventilation caused by epiglottis folding.
- Good compliance and special manufacturing process make it soft, smooth and flexible.
- Good sealability.

PVC Type Laryngeal Mask

MBY111



Reinforced Type



MBY109

- Reinforced tube body with the features of flexibility and antikinking.
- Eliminate the risk of airway tube occlusion.
- Reduce the complications during perioperative period.
- Silicone material has good biocompatibility and protects the irway.
- Good sealability.

PVC/ Silicone Manual Resuscitator

MBY112



- Suitable for cardiopulmonary resuscitation and first aid of artificial respiration.
- The pressure relief valve can reduce the damage of gas shock to the pulmonary of the patient.
- Complete configuration, the connector can be reused after high temperature or immersion disinfection.

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Nasopharyngeal airway MBY113



- Insert through nasal cavity and the insertion depth is adjustable.
- Relieve the obstruction of pharynx tissue or organs to glottis and assist in supplying oxygen.
- Assist in attracting the pharyngeal secretions and ensure the upper airway open.

Bite Block

MBY114



- Prevent the patient from biting the catheter in the mouth.
- Assist in attracting oropharyngeal secretions.
- Assist in inserting oropharyngeal or gastric catheter.
- Made of ABS material.


Catheter Mount

MBY115




NASOGASTRIC FEEDING TUBE

MBY116



- Disposable nasogastric feeding tube is a special tube that carries nutrition and medicine to the stomach through the nose.
- It is made of medical grade PU with excellent biocompatibility.



Prevention of Aspiration Type



MBY117


Stylet Type



MBY118

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Three Cavities Stomach Tube MBY119




- It is very soft and has a good biocompatibility.
- It can solve problem of blocking and reduce labor intensity of medical staffs.
- It can prevent the gastric mucosa from injuring.
- The X-ray can't penetrate the three-cavity stomach tube,and and the side of the gravity type can develop under the B-mode ultrasound.

Silicone Gastrostomy Tube MBY120



- Made of 100% medical grade silicone, the tube is soft and clear, as well as good biocompatibility.
- Ultra-short catheter design, the balloon can be close to the stomach wall, good elasticity, good flexibility, and reduce stomachd trauma.
- The multi-function connector can be used with a variety of connecting tubes to inject nutrients such as nutrient solution and diet, making the clinical treatment more easily and quickly.

Closed suction system MBY121



- Available for 24Hour and 72Hours for all sizes Patent control switch, a "click" sound when fully turn on and turn off the switch.
- Catheter with soft tip and side holes.
- Color depth indicator.
- Dual swivel connector.

Disposable Rotatable Biopsy Forceps MBY122




直径(mm) Diameter	长度(mm) Length	特征 Features
1.8	1000	不包塑 uncoated
1.8	1200	不包塑 uncoated
1.8	1200	包塑 coated
1.8	1600	包塑 coated
2.3	1600	不包塑 uncoated
2.3	1800	不包塑 uncoated
2.3	1800	包塑 coated
2.3	2300	包塑 coated

Gastrointestinal System


Hemoclips

MBY123




Intended use

The product is used to placing the clip in digestive tract with endoscope ,for the treatment of upper and down gastrointestinal bleeding which is caused by various reasons .



Synchronous rotation,
accurately focus of the infection



旋转 Rotate	长度(mm) Length	跨距(mm) Span	爪角（°） Claw angle
可旋转 Rotatable	1650	9	90
	1950	11	90
	2300	13	135
	2700	16	135
不可旋转 Non Rotatable	1650	9	90
	1950	11	90
	2300	13	135
	2700	16	135

Disposable endoscopic injection needle

MBY124



Intended use

The product is used in combination with endoscope for the injection of submucosa in digestive tract.

Product features

Unique cutting surface design of the needle, sharp point, easy to puncture.




外管直径(mm) Diameter of outer tube	针管直径(mm) Diameter of needle tube	针管有效长度(mm) Length of needle tube	外管有效长度（mm） Length of outer tube
2.3	0.8	4	1200
2.3	0.6	5	1600
2.3	0.5	6	1800
1.8	0.8	7	2000
1.8	0.6	7	2300
1.8	0.5	8	2500

Gastrointestinal System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable hot polyp snare MBY125



Intended use

Used for the resection of digestive tract polyp with endoscopic and high frequency electric generator.

Product features


Smooth clinical operation

The rap can be rotated synchronously to improve the operation efficiency.



Trap shape	Diameter of outer tube	Length	Loop opening
Ellipse	2.4	600	10
	2.4	700	15
	2.4	1000	20
	2.4	1200	25
	2.4	1600	30
Hexagon	1.8	1800	20
	1.8	2100	25
	1.8	2300	30
	1.8	2500	35
	1.8	3000	45

Hot biopsy forceps MBY126



Intended use

- Used in endoscopic surgery for routine cutting of human tissues and blood coagulation.


Produce features

- Coated with insulating material ,easy and smooth to pass through the endoscope channel.
- Can pass through a curved endoscope channel by the internal flexible connection.
- The bite of the jaws is firm and not easy to fall off.
- Good cutting performance

Gastrointestinal System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Stomach Tube


MBY127

- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with four alternating side holes with soft rounded edges;
- ntegrated stopper allows the tube to be closed tightly;
- Color coding system for size, X-ray line optional;Single-use, E.O. sterilized;
- Individual packaging: PE, Blister, Paper-foil;

Feeding Tube


MBY128

- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with two alternating side holes with soft rounded edges;
- Integrated stopper allows the tube to be closed tightly;
- Color coding system for size, X-ray line optional;
- Single-use, E.O. sterilized;Individual
- packaging: PE, Blister, Paper-foil;


Rectal Tube

MBY129



- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with two alternating side holes with soft rounded edges;
- Color coding system for size, X-ray line optional;
- Single-use, E.O. sterilized:Individual
- packaging: PE, Blister, Paper-foil;

Stomach Tube with Guide Wire


MBY130

- Made of medical grade polyurethane
- X-ray opaque line throughout the length
- With straight guide wire
- Open distal end with 2 side holes
- Closed distal end is available
- Available with different length

Silicone Stomach Tube

MBY131



- Made of 100% medical grade silicone
- X-ray opaque line throughout the length
- Open distal end with 4 side holes
- Markings from the distal end every 5 cm
- Available with different length
- Transparent cap-cone connector

Suction Toothbrush for oral Hygiene

MBY132




- is mainly designed for sputum suctioning and oral hygiene aid to the patients who are bed-ridden, in coma, abrosia, or suffering mechanical ventilation
- can lower the pulmonary infection and prevent ventilator-associated pneumonia (VAP) through effective oral hygiene and suction

Gastrointestinal System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Stomach Tube


MBY127

- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with four alternating side holes with soft rounded edges;
- ntegrated stopper allows the tube to be closed tightly;
- Color coding system for size, X-ray line optional;Single-use, E.O. sterilized;
- Individual packaging: PE, Blister, Paper-foil;

Feeding Tube


MBY128

- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with two alternating side holes with soft rounded edges;
- Integrated stopper allows the tube to be closed tightly;
- Color coding system for size, X-ray line optional;
- Single-use, E.O. sterilized;Individual
- packaging: PE, Blister, Paper-foil;


Rectal Tube

MBY129



- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with two alternating side holes with soft rounded edges;
- Color coding system for size, X-ray line optional;
- Single-use, E.O. sterilized:Individual
- packaging: PE, Blister, Paper-foil;

Stomach Tube with Guide Wire


MBY130

- Made of medical grade polyurethane
- X-ray opaque line throughout the length
- With straight guide wire
- Open distal end with 2 side holes
- Closed distal end is available
- Available with different length

Silicone Stomach Tube

MBY131



- Made of 100% medical grade silicone
- X-ray opaque line throughout the length
- Open distal end with 4 side holes
- Markings from the distal end every 5 cm
- Available with different length
- Transparent cap-cone connector

Suction Toothbrush for oral Hygiene

MBY132




- is mainly designed for sputum suctioning and oral hygiene aid to the patients who are bed-ridden, in coma, abrosia, or suffering mechanical ventilation
- can lower the pulmonary infection and prevent ventilator-associated pneumonia (VAP) through effective oral hygiene and suction

Gastrointestinal System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Stomach Tube


MBY127

- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with four alternating side holes with soft rounded edges;
- ntegrated stopper allows the tube to be closed tightly;
- Color coding system for size, X-ray line optional;Single-use, E.O. sterilized;
- Individual packaging: PE, Blister, Paper-foil;

Feeding Tube


MBY128

- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with two alternating side holes with soft rounded edges;
- Integrated stopper allows the tube to be closed tightly;
- Color coding system for size, X-ray line optional;
- Single-use, E.O. sterilized;Individual
- packaging: PE, Blister, Paper-foil;


Rectal Tube

MBY129



- Made of soft and flexible PVC, resistant to bending and twist;
- Atraumatic, slightly rounded, open tip;
- Tip with two alternating side holes with soft rounded edges;
- Color coding system for size, X-ray line optional;
- Single-use, E.O. sterilized:Individual
- packaging: PE, Blister, Paper-foil;

Stomach Tube with Guide Wire


MBY130

- Made of medical grade polyurethane
- X-ray opaque line throughout the length
- With straight guide wire
- Open distal end with 2 side holes
- Closed distal end is available
- Available with different length

Silicone Stomach Tube

MBY131



- Made of 100% medical grade silicone
- X-ray opaque line throughout the length
- Open distal end with 4 side holes
- Markings from the distal end every 5 cm
- Available with different length
- Transparent cap-cone connector

Suction Toothbrush for oral Hygiene

MBY132



- is mainly designed for sputum suctioning and oral hygiene aid to the patients who are bed-ridden, in coma, abrosia, or suffering mechanical ventilation
- can lower the pulmonary infection and prevent ventilator-associated pneumonia (VAP) through effective oral hygiene and suction

Gastrointestinal System

Meditech Import And Export Co., Ltd.
泰 进 出 口 有 限 公 司


Biliary and Pancreatic Plastic Stent

MBY133



- Used for endoscopic retrograde biliary drainage.

Endoscopic Gastrointestinal Polypectomy Snares



MBY134

- Removal of polyps or other excess tissues in the digestive tract used with diathermic energy.
- Handle supports synchronous rotation with the snares, high synchronization rate, good control performance.
- Product model diversification, meet different clinical needs.
- The head snares are made of imported special stainless steel wire,which has good toughness and high strength

Gastrointestinal Nutrition Bag Infusion Set

MBY135



A full range of enteral feeding sets designed to cover all healthcare professionals' requirements and to improve patient safetyand comfort. The range includes feeding sets with or without bag , three types of bagged or bottled nutrient solution adapters.

Endoscopic Accessories Injection Sclerotherapy Needle





MBY136

PVC Tube Professional Feeding Bag



MBY137

- Bag type, with built-in hangers and a large top fill opening with leak-proof cap.
- With medical grade PVC
- With adapter with ENPlus spike or with universal bottled adapter available

Rubber Mouth Prop Bite Block

MBY138



- Comfortable and flexible plastic, resistant to high temperature 134 degree.
- Ideal for opening the upper and lower arch, convenient for operating.
- L, M, S type for different patients.

Gastrointestinal System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Biliary and Pancreatic Plastic Stent



MBY139

- Accurate and consistent real-time invasive blood pressure measurement
- Compatible with wide range of monitors
- Clear fluid pathway enables priming during monitoring
- Versatile and easy to use Snap-Tab flush device

Coronary Stent System For Cardiac Surgery



MBY140

- Sirolimus-Eluting Coronary Stent System
- 100% biodegradable PLGA Coating
- Controlled drug release for continuous effect
- A Value - Added DES

Coronary PTCA Balloon Dilatation Catheter



MBY141

- "Seamless" force conduction technology ensures enough push ability.
- Delicate "M-advance" tip design makes the catheter the catheter softer and more flexible to protect the blood vessels

Medical Protective Full-Face Mask

- Better Clearnce Rate and Safer High-flux Dialyzer,PC series and PP series are available, Provide high efficient and full-spectrum solution to filter all types of molecules in dialysis therapy



MBY142

Hemostasis Valve Sets

- Various tpyes to meet the clinician‘s habits .
- Pressure resistance and good sealing valve to reduce the blood loss.



MBY143

Medical Protective Full-Face Mask

- Large inner diameter for high flow rate of contrast media.
- Flexible material have excellent support and shape memory.
- Braided catheter construction allows for good torqueability and excellent kink resistant capacity.
- Soft tip will protect vessel from damage.



MBY144

Blood system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Blood Bag (Single)

- Bag capacity: 250ml, 350ml, 450ml, 500ml;
- Anticoagulant: CPDA-1;
- PVC bag: roll-welded / blow-extruded;
- Donor needle: 16G / 17G;
- Sampling device (optional);
- Leukocyte filter (optional);

MBY145



Blood Bag (Triple)

MBY147



- Anticoagulant: CPDA-1 / CPD&SAGM;
- PVC bag: roll-welded / blow-extruded;
- Donor needle: 16G / 17G;
- Sampling device (optional);
- Leukocyte filter (optional);

- 250ml(primary, with cpda-1)+2x100-200ml(satellite, empty);
- 350ml(primary, with cpda-1)+2x200-300ml(satellite, empty);
- 450ml(primary, with cpda-1)+2x300-400ml(satellite, empty);
- 500ml(primary, with cpda-1)+2x300-400ml(satellite, empty);
- 250ml(primary, with cpd)+100-200ml(satellite, with sagm)+100-200ml(satellite, empty);
- 350ml(primary, with cpd)+200-300ml(satellite, with sagm)+200-300ml(satellite, empty);
- 450ml(primary, with cpd)+300-400ml(satellite, with sagm)+300-400ml(satellite, empty);
- 500ml(primary, with cpd)+300-400ml(satellite, with sagm)+300-400ml(satellite, empty);

Blood Bag (Double)

MBY146



- Anticoagulant: CPDA-1;
- PVC bag: roll-welded / blow-extruded;
- Donor needle: 16G / 17G;
- Sampling device (optional);
- Leukocyte filter (optional);

- 250ml(primary, with cpda-1)+100-200ml(satellite, empty);
- 350ml(primary, with cpda-1)+200-300ml(satellite, empty);
- 450ml(primary, with cpda-1)+300-400ml(satellite, empty);
- 500ml(primary, with cpda-1)+300-400ml(satellite, empty);

Blood Bag (Quadruple)

MBY148



- Anticoagulant: CPDA-1 / CPD&SAGM;
- PVC bag: roll-welded / blow-extruded;
- Donor needle: 16G / 17G;
- Sampling device (optional);
- Leukocyte filter (optional);

- 250ml(primary, with CPDA-1)+3x100-200ml(satellite, empty);
- 350ml(primary, with CPDA-1)+3x200-300ml(satellite, empty);
- 450ml(primary, with CPDA-1)+3x300-400ml(satellite, empty);
- 500ml(primary, with CPDA-1)+3x300-400ml(satellite, empty);
- 250ml(primary, with CPD)+100-200ml(satellite, with SAGM)+2x100-200ml(satellite, empty);
- 350ml(primary, with CPD)+200-300ml(satellite, with SAGM)+ 2x200-300ml(satellite, empty);
- 450ml(primary, with CPD)+300-400ml(satellite, with SAGM)+2x300-400ml(satellite, empty);
- 500ml(primary, with CPD)+300-400ml(satellite, with SAGM)+ 2x300-400ml(satellite, empty);

Blood system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Transradial Introducer Sets

MBY149



- Perform diagnostic and interventional procedures without upsizing to alarger sheath
- Optimal radial access, especially in women with smaller radial arteries
- Less penetration resistance than conventional sheaths

Pressure Bandage

MBY150



- Easy to fix without displacement
- Ensuring normal venous blood circulation
- Easy for observation and adjust the pressure

Peelable Introducer Sets

MBY151



- Lower insertion forces during placement into vasculature;
- Reduced drug on catheter during placement during the sheath;
- Convenient diator to sheath interlock
- We can supply kink resistance nitinol guide wire to increase clinician confidence

Percutaneous Access Set

MBY152



- Used for single-puncture percutaneous access to facilitate placement of a working wire guide for drainage procedures.
- The transitionless tip is design requires less insertion force and virtually elminates hang-ups during entries.
- The entire shaft and distal tip are radiopaque to maximize visibility during placement.

Haemodialyser



MBY153

- High capability of toxic clearance.
- Excellent Biocompatibility.
- Higher performance of small and medium size removal.
- Lower loss of Albumin.

Long Term Hemodialysis Catheter

MBY154



- The Catheter is made from premium silicone, which has excellent biocompatibility.
- The dacron cuff can protect immigration of catheter and reduce the chance of CRBI (Catheter Related Bloodstream Infections).
- The silicone material makes catheter more floppy,hence it can minimize the trauma to the vein and reduce the incident of clot.

Haemodialysis Catheter

MBY155



- The latex-free material provides excellent safety;
- Catheters made of high quality TPU and transparent silicone extension tube;
- Single/double/triple lumen are all available;
- Precurved catheter, straight catheter and curved extension tube are all available;

Blood system


Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Latex Foley Catheter


MUS001

- Made of medical-grade latex.
- Perfectly finished side eyes and closed distal for efficient drainage while with less hurt to mucous membrane.
- Smooth hydrophilic coating greatly facilitates patients use.

Silicone Foley Catheter


MUS005

- Made of 100% silicone.
- Prevent urine reflux from irrigation lumen, minimize cross contamination.
- Better connection with syringe when doing bladder irrigation/flushing.

PVC Foley Catheter


MUS002

- Made of medical-grade pvc.
- Perfectly finished side eyes and closed distal for efficient drainage while with less hurt to mucous membrane.
- Smooth hydrophilic coating greatly facilitates patients use.


Sky blue color silicone foley catheter

MUS006




- Made of 100% silicone.
- Better biocompatibility and less irritation.
- Special "anti-blockage" technology enables barrier-free catheterization.
- Special sky blue design, outstanding & elegant.
- Central positioned high performance balloon.
- X-ray detectable line throughout the tube body.

Red Rubber Foley Catheter


MUS003


- Made of medical grade red latex.
- One-way design for temporary urine drainage.
- Silicone coating for less irritation.

Silicone foley catheter with temperature sensor


MUS007

- Made of 100% medical grade silicone.
- For patient body teperature monitoring and recording.
- Available with long term placement.
- Temperature extension cable available for different indication.

Latex Foley Catheter with mushroom head


MUS004

- Made of medical grade siliconized latex.
- Be used for temporary drainage ofbladder or kidney.
- With funnel end.
- Mushroom shaped tips for catheter retention.
- Special designed distal holes forbetter drainage of liquid or blood clots.

Hydrophilic nelaton catheter with water sachet


MUS008

- The hydrophilic intermittent nelaton catheter come with an in-pack water sachet which provides smooth insertion and removal for obtaining a more comfortable.
- catheterization experience and causing less hurt to mucous membrane and improving safety.

Urology system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Silicone /Latex Male External Catheter



- Postion over tip of penis then unroll the latex sleeve over entire length.
- affix distal end to drainage.
- Sterilized by ethylene oxide gas.
- Use adhesive strap around top of sleeve to secure to penis avoiding constriction.
- Material: medical grade latex or silicone.

Foley catheter holder



- Be suitable for both silicone foley catheter and latex foley catheter.
- Fix foley catheter to patient's leg to enable moving freely.
- With velcro to fix tightly.
- Less skin irritation and hurt, be made of comfortable material for skin friendly design.
- Prevent moving or dislocation by velcro to fix tightly.

Urine bag




Push-pull Valve
MUS013



T-Valve Urine Bag
MUS014



Spiral Valve Urine Bag
MUS009



Paediatric Urine Bag
MUS010



Spiral Valve Leg Urine Bag
MUS011



T-Valve Leg Urine Bag
MUS012



Precision Urine Bag
MUS015



Multifunctional Urine Bag
MUS016

Urology system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司



Injection Precision Urine Bag
MUS017



Urine Bag with streamers
MUS018

Other Bag

MUS019



stool bag

MUS020



Self-standing Collection Bag



Waste liquid bag type Y
MUS021



Waste liquid bag type L
MUS022

Silicone Foley Catheter

MUS023



One-system Colostomy Bag (Open)

MUS024



One-system Colostomy Bag (Closed)

MUS025



One-system Colostomy Bag
(Closed, Mini)

MUS026



Two-system Colostomy Bag
(Open, Clip-in Type)

MUS027



Two-system Colostomy Bag
(Open, Adhesive Type)

MUS028



Two-system Colostomy Bag
(Closed, Clip-in Type)

MUS029



Two-system Colostomy Bag
(Closed, Adhesive Type)

MUS030



Adhesive Pan/Skin Barrier
(Hydrocolloid, Clip-in Type)

MUS031



Adhesive Pan / Skin Barrier
(Hydrocolloid, Adhesive Type)

MUS032



Adhesive Pan / Skin Barrier
(Hydrocolloid with Non-woven Boarder,

MUS033



One-piece Urostomy Bag

MUS034



Two-piece Urostomy Bag
(Clip-in Type)

Urology system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Chest Drainage Catheter


MDY001

- Connecting screw cap is exclusive patent product to fix the guide needle and the catheter and let the doctors use it by one hand.
- The catheter can't pass through the X ray and can be seen under the B-ultrasound.
- Ellipse side hole, order arrangement, smooth drainage.
- The shape of the guide needle head is conic and the fixed device is fixed in the appointed place on the catheter to make sure the security when puncturing and prevent the injury of the patient.

Suction liner for operation room


MDY002

- Classic design, large suction flow, used in most hospital.
- Special filter design assure the stop line accurate.
- With the 50ml extra space for liquid reflux, the liquid splash risk can be effectively controlled.
- More size available.
- All liners can be used individually or in a serial connection and accommodate all accessories for special clinical needs.



- Connecting screw cap is exclusive patent product to fix the guide needle and the catheter and let the doctors use it by one hand.
- catheter can't pass through the X ray and can be seen under the B-ultrasound.
- Ellipse side hole, order arrangement, smooth drainage.
- There is a lateral cavity with this type of catheter to provide the function of rinse or giving medicine.
- There is a switch of this type catheter. It is convenient for the transformation of drainage and irrigation.



- Device with 3500ML： large capacity, big suction
- Suction tube: Designed with anti-bend and anti-suck to flat can ensure the max-suction and effectiveness.
- Floor suction pad : Unique structural design can be perfectly fit with the floor, can effectively absorb the fluid on the floor, convenient for medical staff to operate

Drainage system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Chest Drainage Catheter



MDY003


- There are three cavities with this type of catheter. They are main cavity, irrigation cavity and air cavity or medicine cavity.
- The catheter can't pass through the X ray and can be seen under the B-ultrasound.
- The head of the catheter is sealed. There are many small drainage holes around the connecting catheter to prevent the regenerated tissue get in and make sure the smooth drainage and security of extubation.



- There is a lateral cavity with this type of catheter. It can make swilling and draining conveniently.
- The catheter can't pass through the X ray and can be seen under the B-ultrasound.
- The design of pigtail head can prevent adhering the catheter and blocking, and there are many drainage holes inside the pigtail so that it can drain the liquid smoothly.
- The catheter is made of harder material. It helps the puncture needle to get in and out conveniently.

Disposable Chest Drainage Catheter (Pig Tail)

MDY004



- There is a lateral cavity with this type of catheter. It can make irrigation and draining conveniently.
- The catheter can't pass through the X ray and can be seen under the B-ultrasound.
- The design of pigtail head can prevent adhering the catheter and blocking, and there are many
- drainage holes inside the pigtail so that it can drain the liquid smoothly.
- The fixed device helps the fixing of the catheter and the puncture site.

Disposable Chest Drainage Catheter (Pig Tail)

MDY005



- There is a string to strengthen the pigtail.
- The catheter can't pass through the X ray and can be seen under the B-ultrasound.
- The pigtail catheter can prevent adhering the catheter and blocking, and there are many drainage holes inside the pigtail so that it can drain the liquid smoothly.
- The catheter is made of harder material. It helps the puncture needle to get in and out conveniently.

Drainage system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Wound Drainage System/Reservoir



MDY006

- Superior biocompatibility, flexibility and great comfort to patient, which delivers extremely low tissue response to patient, which delivers extremely low tissue response to wound, which minimize possible tissue adhesion.
- Universal stepped adapter allows connecting to kinds of suction tube
- Embedded X-ray thread enables easy detection and position of suction tube
- Autoraumatic tip less pain of patient

Silicone Closed Wound Drainage Kit



MDY007

- Made of 100% imported medical grade silicone;
- The kit contains different sizes reservoir, drainage tube and stainless steel trocar.
- Used to remove blood and excess fluid from wound, so as to prevent or minimize hematomas and eliminate dead space.
- Connectors can be equipped with drains if required.

Negative Pessure Drainager

MDY008



- It is used to drain and gather the liquid in vivo.
- It is made up of Negative pressure drainager main body,connector cap,connector,connecting tube,one-way valve and spring.
- Negative pressure drainager main body and one-way valve are made of medical silicone or PVC.
- Connecting tube is made of medical silicone or PVC.
- Connector cap and connector are made of PP, PVC or ABS.
- Spring made of stainless steel.

High Negative Pressure Drainage Bottle

MDY009









Drainage system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Insulin Syringes


MPS001

- Usage: Used in injecting insulin medicine to diabetes patients.
- Material: High transparent medical grade PP, synthetic rubber(latex free)or natural rubber.
- Features: Transparent ,bright appearance
  Non-toxic, non-pyrogenic
  High level sealing, smooth sliding
  High-quality silicide process

Beauty Needle


MPS004

- These bevels are designed specially shaped for enabling easy tissue penetration and minimizing trauma.
- Ultra thin wall
- Three bevels lancet point made by AISI 304 stainless steel
- Bur-free and sharp point for painless penetration
- Hard silicon coating

Disposable Hypodermic Insulin Injection


MPS002

- Usage: Used in hypodermic injection insulin from insulin pen.
- Material: Medical grade stainless steel SUS304, medical grade silicon
- Features:Ultra-thin needles is fixed permanently.
- Sharp tip to reduce the puncture pain
- High-quality silicide process
- Safe

Disposable Dental Irrigation Syringe W/O Needle


MPS005

- Usage: Used in clean a certain part in the dental operation.
- Material: High transparent medical grade PP, synthetic rubber(latex free)or natural rubber. medical grade stainless steel SUS304, medical grade silicon
- Features:Transparent ,bright appearance
  Non-toxic, non-pyrogenic
  High level sealing, smooth sliding
  Accurate calibration

SPINAL NEEDLE


MPS003

- Unique design,type:quincke,pencil- point .
- Color coded hub by size for clear recognition.
- Used in subarachnoid puncture for spinal anesthesia .
- Completely transparent needles stand provides convenience to observe the outflow of the cerebrospinal fluid.
- The needle core with pin allows a good joint of needle edge.

Disposable Dental Lightproof Syringe



MPS006

- Usage: It is used to inject liquid medicine during dental surgery
- Material: High transparent medical grade PP, synthetic rubber(latex free)or natural rubber.
- Features:Lightproof
  Non-toxic, non-pyrogenic
  High level sealing, smooth sliding
  Accuracy calibration

Puncture system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Water Seal Chest Drainage System



MDY010

- During the clinical use, the negative pressure source (not included in this device) produce negative pressure and transfer the pressure into suction chamber through pressure control valve (fixed pressure) to suck the waste liquid into waste liquid chamber from patient chest via drainage catheter (not included in this device).
- The water seal (sterile water or sterile saline injected into water seal chamber by medical institutions) is used to prevent air into patient chest after drainage procedure is over.

Disposable Dry Seal Chest Drainage System



MDY011

- The device is intended use for the drainage of traumatic pneumothorax, spontaneous pneumothorax and pleural effusion caused by various causes.
- It is more practical to use pneumatic floating ball to observe pulmonary gas leakage
- Waterless negative pressure status indicator is easy to observe

Disposable 3-Parts syringe



MDY012


- Usage: It is used to extract the liquid and mixed medicine liquid and it is for human body injection use
- Material: High transparent medical grade PP, synthetic rubber(latex free)or natural rubber.

Disposable 2-Parts syringe MDY013



- Usage: It is used to extract the liquid and mixed medicine liquid and it is for human body injection use
- Material: High transparent medical grade PP(barrel),PE(plunger)

Disposable Hypodermic Needle



MDY014

- individual packing:Blister packing. 1,Sterilized by EO gas,non-toxic,non-pyrogenic,for single use
- Material for needles:strainless steel;
- The needles are sprayed by the silicone oil;
- Adhesive:Epoxy resion is used to fix the needle and hub; Blister pack:Medical grade gelatinized paper and plastic film;

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Dental Irrigation Needle & Pre-Bent Tips



- Usage: Used in cleaning the wound in dental treatment.
- Material:MedicalgradestainesssteelSUS304
- Features:There are three kinds of tip design the Notched, Side-vented & Double-vented. Side-vented is designed to reduce the spraying pressure to the root of tooth from the tip. Double-vented can irrigation roundly by spinning.
- Hard stiffness, anti-corrosion and stain resistance
- Accurate angle (Another folding flush needle can be bent at any angle

Disposable Dental Anesthesia Needle



- Usage: Used in injecting dental anesthesia.
- Material: Medical grade stainless steel SUS304, medical grade silicon
- Hard stiffness,corrosion and stain resistance
- Accurate angle and sharp tip,painless
- High-quality silicide procesSafe

Disposable Dental Anesthesia Needle



- Usage: Used in injecting dental anesthesia.
- Material: Medical grade stainless steel SUS304, medical grade silicon
- Hard stiffness,corrosion and stain resistance
- Accurate angle and sharp tip,painless
- High-quality silicide procesSafe

Disposable Enteral Feeding Syringe



- Designed specifically for enteral processes.
- These processes include initial tube placement, flushing, irrigation and more.
- The connector reduces the risk of misconnections to the tubing.
- Also, the body is clear for easy measuring against the clearly marked graduated length markings.
- The clear body also permits you to visually check for air gaps.

Disposable Irrigation Syringe

The Feeding and Irrigation Syringe is used for Industrial Dispensing, Perfumes and Liquid Dispensing, Pet Livestock Feeding, Irrigation, Enteral Feeding and Suction use, it doesn't have needle, needleless type.


MPS009


MPS011


MPS010


MPS012

Puncture system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Beauty Embedding Threads


MPS012

- The needle body uses Korean imported medical stainless steel to ensure the puncture strength of clinical use
- With needle tip electrolysis, the needle is fast, convenient and easy to operate, and it can effectively relieve the pain of the needle.
- Accurate injection, flflexible single hand operation and good safety

Disposable Beauty Meso Nano Needle


MPS015

- The needle body uses Korean imported medical stainless steel to ensure the puncture strength of clinical use
- With needle tip electrolysis, the needle is fast, convenient and easy to operate, and it can effectively relieve the pain of the needle.
- Accurate injection, flexible single hand operation and good safety

Disposable Beauty Crystal Multi 9 Pins Needles



MPS013

- 100% brand new and high quality
- Convinient for use and storage
- Safe and clean
- Atrophic scar improvement
- Cheek and lip augmentation
- Mesotherapy gun beauty machine

Disposable Golden Water-Soluble Needle


MPS016

- Deeply hydrates and oxygenates dermis and epidermis
- Brings instant relief by reducing skin trauma post-sun exposure
- Reduces discomfort of overdried skin (roughness, itching)
- Restores the mineral and ionic balance of the skin
- Improves skin hydration from the inside out

Disposable Beauty Skin Rejuvenation Microneedle


MPS014

- Microneedle is an innovative single use medical device, which enables a nearly painless and accurate injection into the dermis.
- The microneedle is made up of 3 silicone micro-cones of 0.6 mm-1.5mm, making the needle three times smaller than a normal injection needle.
- Furthermore, the needle improves patient comfort and minimizes the risk of bruising.

Disposable Medication Can Prefilled Glass Syringe


MPS017

- Borosilicate Glass Can Take the Heat
- Plastic plunger rod/ Stainless Steel Plunger
- Triple Ring Seal
- Colored Plunger (Any colors as your requests)
- Customized logo on the glass syringe

Puncture system

Disposable Spinal Needle Pencil Point Type


MPS018

- Specially designed needlepoint shape causes no trauma of spinal dura mater, and automatically closes the puncture port after withdrawal of the needle to reduce the leak of cerebrospinal fluid, with the occurrence of PDPH evidently declined.
- Proper shape and position of the side hole maintains adequate flow and reduces imperfect retardations as well.

Disposable Epidural Needle


MPS019


- Bend and round head helps to reduce largely the risk of piercing spinal dura mater and to ensure the smooth pass of the canula.
- The needle tube is scaled for the purpose of depth control.
- The needle stand with wings is easy to hold and to perform needle insertion.

Disposable Biopay Needle - Aspiration Type


MPS020


- The needle edge is firm and sharp.
- The positioning body may adjust the length of the needle tube.
- The needle tube is scaled for the purpose of puncture depth control.
- The optional sample tube reduces the waste of sampling.

Disposable Biopsy Needle - Biopsy Type


MPS021

- Variety edge of the needle meets the different clinical demand.
- The optional connector of convertible may get 10mm or 15mm length of tissue biopsy.

Disposable RF Needle


MPS022

- It is applied to clinical departments such as pain department, interventional department, oncology department, orthopedics department, rehabilitation department, spine surgery department, neurosurgery department, stomatology department, etc.
- Radiofrequency ablation is used for the treatment of pain.

Disposable Chiba Needle


MPS023

- It is used in interventional, ultrasound, oncology, gynecology and obstetrics, prenatal diagnosis, anesthesiology, imaging, breast surgery, thyroid, liver, pancreas and spleen surgery, thoracic surgery, Urology, Radiology, minimally invasive surgery, brain surgery and other departments.
- It is used for human percutaneous puncture, sampling, cell biopsy, drainage and implantation of radioactive partidles.

Puncture system

Intraosseous Access Needle



MPS024

- It is used in emergency room, emergency room, intensive care room, ambulance, field first aid and other emergency environments.
- It can be used for intraosseous injection or establishment of blood vessel pathway in marrow cavity.

Ultrasound Needle




MPS025

- It is suitable for clinical departments such as pain department, interventional department, oncology department, gynecology and obstetrics department, neurosurgery department, ultrasound department, rehabilitation department, spine surgery department, etc
- It is used for precise positioning and channel establishment in interventional and minimally invasive surgery.

Metal Puncture Needle



MPS026



MPS028




MPS030




MPS027




MPS029




MPS031




MPS032




MPS033



MPS034



MPS035



MPS036



MPS037

Ultrasound Needle



MPS038

- It is suitable for clinical departments such as pain department, interventional department, oncology department, gynecology and obstetrics department, neurosurgery department, ultrasound department, rehabilitation department, spine surgery department, etc
- It is used for precise positioning and channel establishment in interventional and minimally invasive surgery.

Butterfly Blood Collection Needle




MPS039

- Used to collect blood for testing, usually used together with vacuum tube.
- It provide fast and convenient blood multiple sampling by single puncture.
- High quality ultra-sharp needle assure atraumatic insertion and painless penetration.
- Color-coded cap and hub assure accurate and convenient gauge size indentification.
- Safety sleeve for this model is available to protect sampling person from accidental hurt or crossinfection.

Puncture system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Safety syringe



Dispensing syringe for single use



I.V. Catheter



Pen Ⅰ type



Pen Ⅱ type



Butterfly Ⅰ type



Butterfly injection port type




Closed Y type




Butterfly Ⅱ type


Scalp Vein Set



Puncture system



Vacuum Holder




Blunt Fliter Syringe




Safety Blood Collection Needle - Safety Needle Type



Safety Blood Collection Neddle



Safety Filter Syringe



Safety Infusion Set With Needle

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Pen Type Blood Collection Needle



MPS049

- Made by Medical grade
- high polymer material, Sterilized by E.O, Non-toxic,aseptic and Non-Pyrogen.

Safety series



Safety Scalp Vein Set




Safety Hypodermic Needle



Safety Insulin Syringe - Safety Clip Type



Safety Insulin Syringe - Retractable Type



Safety Blood Collection Needle - Butterfly Type

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable infusion set series


MPS061


MPS062


MPS063


MPS064


MPS065


MPS066


MPS067


MPS068


MPS069


MPS070


MPS071



MPS072


MPS073



MPS074



MPS075


MPS076


MPS077

MPS078



MPS079


MPS080


Disposable Suture Series



POINT TYPES OF NEEDLE

Type Name	Symbol	Point Type
Taper Point	●	
Blunt Taper Point	◉	
Tapercut	◕	
Curved Cutting	▲	
Reverse Cutting	▼	
Micro-point Spatula	▾	

SHAPES OF NEEDLE



1) SYNTHETIC ABSORBABLE SUTURES

Polyglycolic Acid (PGA)



Mutifilament braided
Color: violet
Coated with magnesium stearate
Origin: synethetic
USP:8/0--2#
Sterilization: EO

MPS081

Polyglactin 910 (PGLA)



Multifilament braided
Color: violet
Coated with magnesium stearate
Origin: synethetic
USP: 9/0 -- 2#
Sterilization: EO

MPS082

Polydioxanone (PDS)



Monofilament
Color: violet-undyed
Coated with polydioxanone stearate
Origin: synethetic
USP: 9/0 -- 2#
Sterilization: EO

MPS083

Polyglycolic Acid Rapid (PGAR)



Mutifilament braided
Color: violet-undyed
Coated with magnesium stearate
Origin: synethetic
USP:8/0 -- 2#
Sterilization: EO

MPS084

Puncture system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

2) NATURAL ABSORBABLE SUTURES

Plain Catgut (CP) MPS085



Monofilament
Color: straw
Origin: bovine serosa
USP: 6/0 -- 3#
Sterilization: Gamma Radiation

Chromic Catgut (CC) MPS086



Monofilament
Color: brown & green
Origin: bovine serosa
USP: 6/0 -- 3#
Sterilization: Gamma Radiation

3) NON-ABSORBABLE SUTURES

Silk (SK) MPS087



Multifilament braided
Color: black
Coated with wax and silicone
Origin: silkworm larval cocoons
USP: 10/0 -- 2#
Sterilization: Gamma Radiation

Nylon (NL) MPS088



Monofilament
Color: blue dyed / black dyed
Origin: synthetic
USP: 8/0 -- 2#
Sterilization: Gamma Radiation

Polypropylene (PM) MPS089




Monofilament
Color: blue
Origin: synthetic
USP: 8/0 -- 2#
Sterilization: Gamma Radiation

Polyester (PB) MPS090



Multifilament braided
Color: green
Origin: synthetic
USP: 6/0 -- 2#
Sterilization: Gamma Radiation

SUTURE MATERIALS



Vacuum Blood Collection Tubes

MPS103



Gel & Clot Activator Tube

MPS107



No Additive Tube

MPS104



Clot Activator Tube

MPS108



Heparin Tube

MPS105



PT Tube

MPS109



Glucose Tube

MPS106



DNA Tube

MPS110



EDTA Tube


Puncture system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


MPS111
NAT Tube


MPS112
ESR Tube

1. Blood collection sequence and attentions




Attentions:
Ⅰ. It's critical to fix the needle holder and needle wing of the scalp vein set.
Ⅱ. Do not use the tourniquet more than 1 minute.
Ⅲ. Immediately mix the blood and additive inside the tube after blood collection.
Ⅳ. Collect blood as left sequence.

2. How to use KANGJIAN vacuum tube


Pen-type blood collection needle




① Choose the right specification pen-type needle and take off the white cover of the needle.
② Screw the needle into the needle holder.
③ Take off the color cover of the needle and choose the human proper vein to puncture. Insert the vacuum tube into the holder and press to puncture the tube stopper.
④ After the vacuum in the tube used up, blood will stop flowing into the tube. Take out the tube from the holder.
⑤ Right after the tube taken out, turn it upside down 5-6 times to mix the blood and additive inside completely. Intense turning is strictly prohibited.


Blood collection needle with scalp vein set





① Screw tight the connection between needle and the soft pipe to prevent leakage of vacuum or blood during the blood collection.
② Choose the human proper vein to puncture and blood flow could be seen.
③ Insert another side of the needle into the tube stopper.
④ When 0.5ml short of the rated blood volume in the final tube, take out the needle from the vein. Take off the needle from tube after blood in the soft pipe all flows into the tube.
⑤ Right after the needle taken out, turn the tube upside down 5-6 times to mix the blood and additive inside completely. Intense turning is strictly prohibited.

3. Step of correctly preparing high quality serum with Gel/Clot activator tube



Natural Color Elastic Crepe Bandage


MDS001

- Material: 80% cotton; 20% spandex
- Weight gsm: 60g,70g,75g,80g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):3.6m,4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Skin Color Elastic Crepe Bandage


MDS002

- Material: 80% cotton; 20% spandex
- Weight gsm: 70g,75g,80g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Bleached Elastic Crepe Bandage


MDS003

- Material: 80% cotton; 20% spandex
- Weight gsm: 70g,75g,80g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Red (Blue) Line Elastic Crepe Bandage



- Material: 80% cotton; 20% spandex
- Weight gsm: 75g,80g,85g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Natural (Bleached) Plain Elastic Bandage



- Material: 55% pure cotton;45% spandex
- Weight gsm: 70g,80g,85g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Skin Color Elastic Plain Bandage



- Material: 55% cotton; 45% spandex
- Weight gsm: 70g,80g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Pbt (Conforming)bandage



- Material: 45%viscose; 55% polyester with woven edges
- Weight gsm: 28g,30g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm

Elastic Bandage (Thick Pbt Bandage)



- Material: 55% cotton; 45% polyester with woven edges
- Weight gsm: 55g,60g etc
- Clip: With or without clips, elastic band clips,metal clips
- Length(stretched):4m,4.5m,5m
- Width:5cm,6cm,7.5cm,8cm,10cm,12cm,15cm, 20cm

Gauze Bandage With Woven Sides



- Material: 100% cotton
- Yarn: 40's, 32's, 21'sMesh: 19x15,30x20,30x30,30x28,40x20,28x24
- Length(stretched):4m,4.5m,5m,6m,9m,10m
- Width:4cm,5cm,6cm,7.5cm,8cm,10cm,15cm

(Pop)Plaster Of Paris Bandage



- Material: cotton and plaster of paris
- Color: white
- Solidifying time: 2 to 5 minutes
- Length(stretched):2m,2.7m,3m,3.6m,4m,4.6m, 5m
- Width:5cm,7.5cm,10cm,12.5cm,15cm,20cm, 30cm

Skin Color High Elastic Bandage



- Material:70% polyester;30% rubber/90%polyester,10% spandex
- Weight gsm: 90g,100g,110g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Orthopedic Bandage (Cast Padding)



- Material: 100%cotton ,100% polyester ,50%viscose,50%polyester
- Color: white
- Weight gsm: 70g,80g,90g,100g etc
- Size:Length(stretched):2.7m,3m,4m,4.6m,5m
- Width: 5cm,7.5cm,10cm,12.5cm,15cm,20cm

High Elastic Bandage



- Material:85% polyester;15% rubber
- Weight gsm: 85g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Bandage Elastic Cohesive



- Material: Elastic fiber and non woven fiber
- Weight gsm: 30g,34g,78g,80g
- Color:Vaious
- Size:Length(stretched):4m,4.5m,5m
- Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

High Elastic Bandage



- Material:75% polyester;25% rubber/90% polyester,10% spandex
- Weight gsm: 85g,90g,100g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Skin Color Highelastic Bandage

MDS016



- Material:70%polyester;30% rubber/90%polyester,10% spandex
- Weight gsm: 90g,100g,110g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Blue Line High Elastic Bandage

MDS019



- Material:50% cotton;20% polyester,30% rubber
- Weight gsm: 90g,100g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

High Elastic Bandage

MDS017



- Material:85% polyester;15% rubber
- Weight gsm: 85g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

Skin Color High Elastic Bandage

MDS020



- Material:57% cotton;26.5% polyester,16.5% rubber
- Weight gsm: 70g,80g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):3.2m,4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm

High Elastic Bandage

MDS018



- Material:75% polyester;25% rubber/90% polyester,10% spandex
- Weight gsm: 85g,90g,100g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

High Elastic Bandage

MDS021



- Material:50% Cotton;20% polyester;30% rubber
- Weight gsm: 100g,110g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm

Purfled High Elastic Bandage

MDS022



- Material:55% KS Cotton;20% polyester;25% rubber
- Weight gsm: 90g,100g,110g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm,20cm

First Aid Bandage (H-type)

MDS025



- Length: 10cmx1.75cm(Original Length)
  15cmx1.75cm(Original Length)
- Cotton Pad Size: 20x24cm
- 200pcs/carton
- EO sterilization

Laced High Elastic Bandage

MDS023



- Material:50% Cotton;10% spandex;40% polyester
- Weight gsm: 80g,90g
- Clip: With or without clips, elastic band clips,metal clips
- Size:Length(stretched):4m,4.5m,5m
- Width: 5cm,7.5cm,10cm,15cm

Military Emergency(israel)bandage

MDS026



- Size: 10cmx4m 15cmx4m etc
- Cotton Pad Size: 10cmx10cm 10cmx12cm 15cmx18em
- EO Sterilization, Vacuum Package

First Aid Bandage

MDS024



- Sterile or non sterile
- Material:Bandage and Pad
- Bandage: Conforming bandage or gauze bandage
- Pad: Low adherent dressing,cotton covered with gauze or nonwoven
- Size:Bandgage LxW(Pad LxW)
  6cmx4m(6x8cm);8cmx4m(8x10cm)
  10cmx4m(10x12cm);12cmx5m(12x16cm)

Compressed Gauze

MDS027



- Medical compressed bandage
- Sterile crinkle cotton fluff bandage rolls
- Material:100% cotton cloth
- Size:4.5"x4.1YDS
- 6Plys,pure white colour

Soft Collar

MDS028



- Shaped for confort and to give the correct support to help relieve the pain suffered from whiplash, stiff neck and muscular tension.
- Made from high density closed cell foam(4D&100D)for better support,have a woven covering.
- Available in 3size: small,medium and large
- S:44x9cm M:48x10cm L:53xIlcm

Collar &Cuff

MDS029



- Material:Cotton,Foam
- Size: 5cmx6m; 7,5cmx6m
- Package:2rolls/bg/box,16rolls/carton

Skin Traction Kit

MDS030



- Skin Traction Kit
- Material: bandage and foam,belt and tape
- Size:Child,Adult
- Type:Adhesive,Non adhesive
- Package:1pc/bag/box,100boxes/carton

Vaseline Gauze & Vaseline Bandage

MDS031



- 10cmx10cm,Ipc/Sterile Package
- 10packs/boxGamma Sterilization
- 10cmx10m;10cmx8mlroll/Sterile Package
- Gamma Sterilization

Tubular Gauze Bandage

MDS032



- Material:100% Cotton,Rubber&Cotton,100% Polyester etc
- Weight g/㎡:180g,200g,260g,280g,300g
- Length:1m,10m,20m,25m,50m
- Width:2.5cm,4.5cm,5cm,6.25cm,7.5cm,10cm, 12.5cm,15cm,20cm,25cm,30cm,32.5cm,37.5 cm etc
- Coulour:Natural,White,Skin

Tubular Net Bandage

MDS033



- Material:Rubber&High Stretch Yarn
- Size:0#(0.6cm),0.5#(0.9cm),1#(1.7cm),2#(2. 0cm),3#(2.3cm)4#(2.7cm),5#(3.0cm),5.5#(3. 5cm),5.8#(4.2cm),6#(5.8cm),7#(7.2cm),8#(8. 5cm),9#(9.0cm),10#(10.0cm)
- Length:1m,10m,20m,25m

Triangular Bandage

MDS034



- Material:100% Cotton,100% Non woven
- Size:90cmx90cmx127cm100cmx100cmx142cm
- Specification:Cotton 40S,32S,50x48,40x40 etc
- Nonwoven:30g/m2,40g/m2 etc

Zinc Oxide Tape

MDS037



- Material: Cotton cloth, zinc oxide glue
- Packing: simple packing or plastic spool package
- Color:White or Skin
- Size:Length: 4m,4.5m,5m,9.1m, 10m etc.
- Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

Collar &Cuff

MDS035



- Size:7.5cmx3.6m 10cmx3.6m
- Pain relief in seconds.
- Effective cold teraphy for many conditions such as bruises,unflammatons, sprains strains and sport injuries.
- No refrigeration necessary.
- Hypoallergic, Coods for hours.
- Easy to use.

Paper Tape And Nonwoven Tape

MDS038



- Material: Paper/nonwoven cloth, hot-melt or Acrylic glue
- Packing: simple packing or plastic spool package
- Color:White or Skin
- Size:Length: 4m,4.5m,5m,9.1m, 10m etc.
- Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

Elastic Adhesive Bandage (Eab)

MDS036



- Material:Cotton
- Kind of glue:Hot Melt Glue with Zinc Oxide
- Color of glue:White or Yellow
- Width:2.5cm,5cm,7.5cm ,10cm ,15cm,20cm,3 cm, 6cm,8cm
- Length:4.5m(stretched),2.5m(unstretched)
- Edge:cut edge, feather edge
- Cloth Weight:stretched 147 ± 5g/㎡

Pe Tape

MDS039



- Material: PE cloth, hot-melt or Acrylic glue
- Packing: simple packing or plastic spool package
- Color:White or Skin
- Size:Length: 4m,4.5m,5m,9.1m, 10m etc.
- Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

Silk Tape


MDS040


- Material: Silk cloth, hot-melt or Acrylic glue
- Packing: simple packing or plastic spool package
- Side: Plain side or sawtooth side
- Size:Length: 4m,4.5m,5m,9.1m, 10m etc.
- Width: 2.5cm,5cm,7.5cm,10cm,15cm,20cm

Kinesiology Tape (K-tape)


MDS041

- Component:warp:cotton +spandex
  woof:100% cotton
- Cotton/Spandex: 96.7/3.3
- Kind of glue:Acrylic glue
- Color of glue:transparency
- Width:2.5cm,5cm,7.5cm,10cm,Length:5m

Adhesive Dressing Tape


MDS042

- Material:non-woven
- Size:2.5/5/7.5/10/15/20/25cm x 5m/10m/20m
- Package:1roll/box
  360/180/180/180/120/96/72boxes/ctn

Disposble Brief


MDS043

- Size: M/L/XL/XXL
- Size for reference:26x17cm
- With top elastic wrist:2-2.5cm
- Color of wrist: Pink, red, blue, dark etc.
- OEM package is workable, with color bag or box.

Disposble Nursing Breast Pad


MDS044

- Size:11cm or 13cm, 2-3.8g or according to customer demand
- Materil:PP nonwoven + wood pulk+PEWith or without SAP
- Packing:30pcs/box, 720pcs/ctn
- Use:for hospital, clinic or supermarket

Eye Pad


MDS045

- SIZE: 57X82 mm, 67X92 mm
- MEAS: 52 × 23.5 × 28 cm
- PACKING: 50 pcs X 20 box

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Adhesive Bandage



MDS046

Non-woven Adhesive Bandage



MDS050

Elastic Adhesive Bandage



MDS047

Non-elastic Fabric Adhesive Bandage



MDS051

Elastic Mix Knuckle Adhesive Bandage



MDS048

PE Waterproof Adhesive Bandage




MDS052

PE Waterproof Suit Package



MDS049

PU Waterproof Adhesive Bandage



MDS053

Blue Metal Detectable Wound Plaster

Surgical Tape



MDS054

TINPLATE TAPE



MDS058

Elastic Adhesive Bandage



MDS055

Silk Tape



MDS059

Zinc oxide Plaster with Plastic cover



MDS056

Non-woven Paper Tape



MDS060

PE Waterproof Tape



MDS057

Silk Zinc Oxide Perforated Plaster




MDS061

PU/Non woven fixing Tape

Dressing system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

More Product



MDS062

Capsicum Plaster



MDS066

Cooling Gel Plaster



MDS070

Toenail Correction Patches



MDS074

Silicone Scar Removal Sheets



MDS063

Non-elastic Fabric Adhesive Bandage



MDS067

Kinesiology Tape



MDS071

Nipple Cover Patches



MDS075

Adhesive Patches for Sensor




MDS064

Hydrocolloid Acne Patches



MDS068

Better Breathe Nasal Stripst




MDS072

IV Blood Collection Patches




MDS076

Hydrocolloid Adhesive Dressing




MDS065

Mouth Tape for Sleeping




MDS069

Wound Closure Strips



MDS073

Acupumcture Points Strips



MDS077

Blister Bandages

Dressing system

Sterile Gauze Swab


MDS078



- 100% cotton, high absorbency and softness
- With or without x-ray detectable threads
- Folded edge or non-folded edge
- Pouch: paper+paper, paper+film
- Gamma, EO, Steam

Non Sterile Lap Sponge

MDS081



- 100% cotton, high absorbency and softness
- With or without x-ray detectable/x-ray film, with or without blue loop
- Pre- washed or non – washed

Non Sterile Gauze Swab

MDS079



- 100% cotton, high absorbency and softness
- With or without x-ray detectable threads
- Folded edge or non-folded edge

Non Sterile Gauze Bandage

MDS082



- 100% cotton, high absorbency and softness
- Gamma, EO, Steam

Sterile Lap Sponge

MDS080



- 100% cotton, high absorbency and softness
- With or without x-ray detectable/x-ray film, with or without blue loop
- Pre- washed or non – washed
- Gamma, EO, Steam

Sterile Non-Woven Sponge

MDS083



- Made of spunlace non woven material, 70% viscose+30% polyester
- With or without x-ray detectable
- Pouch: paper+paper, paper+film
- Gamma, EO, Steam

Dressing system

Non Sterile Non-woven Sponge

MDS084



- Made of spunlace non woven material, 70% viscose + 30% polyester
- Weight: 30, 35, 40, 50gsm/sq
- With or without x-ray detectable
- 4ply, 6ply, 8ply, 12ply
  5x5cm, 7.5x7.5cm, 10x10cm, 10x20cmetc
- 60pcs, 100pcs, 200pcs/pck(Non-sterile)

Gamgee Dressing

MDS085



- Material: 100% cotton (Sterile and Non sterile)
- Type: non selvage/single selvage/ double selvage
- Sterilization method: Gamma ray/EO gas/Steam

Gauze Ball

MDS086



- Sterile and non sterile.
- 100% cotton, high absorbency and softness
- With or without x - ray detectable, elastic ring
- Gamma, EO, Steam

Krinkle gauze bandage

MDS087



- Material: 100% cotton
- Size: 3.4"x3.6yards-6ply.4.6"x4.1yards-6ply
- Feature: Sterile, Soft Pouch Ideal for multiple wound care applications
- Packing: Blister pack or Vacuum pack

Cotton Roll

MDS088



- Material: 100% pure cotton
- Packing: 1roll/blue kraft paper or polybag
- It is suit for medical and daily use.
- Type: ordinary, precut

Cutting Cotton Roll

MDS089



- Material:100% cotton
- Size: 100G (Φ13x4.5cm), 250G(Φ17x7cm)
- Feature: Cutting, pressed, popupar in South America.

Dressing system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Cotton Ball



MDS090

- 100% pure cotton
- Sterile and non-sterile
- Color: white, red, blue, pink, green etc
- Weight: 0.5g.1.0g.1.5g.2.0g.3g etc

Zigzag Cotton



MDS091

- Material:100%pure cotton
- Color: natural white
- Paching: 1roll/polybag
- It is suit for medical and daily use

Dental Cotton Roll



MDS092

- 100% pure cotton
- 50pcs/pack, 20packs/bag

Dilators Series


MES001


MES006


MES011


MES002


MES007


MES012


MES003


MES008


MES013


MES004


MES009


MES014


MES005


MES010


MES015


MES016


MES021


MES026


MES031


MES035


MES039


MES017


MES022


MES027


MES032


MES036


MES040


MES018


MES023


MES028


MES033


MES037


MES041


MES019


MES024


MES029


MES034


MES038


MES042


MES020



MES025


MES030


Examine System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Hand washing brush Series




type 1




type 2




type 3



type 4



type 5



type 6







Povidone-iodine Surgical Scrub Brush



Drysterilesurgical Scrubbrush



Chlorhexidine Gluconate Surgical Scrub Brush

Examine System

Toumiquet

MES052



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-403	23 (g)	400 (mm)	25 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
1 PC/ Plasstic bag 100 PCS/BOX	215*155*260 (mm)	500*400*270 (mm)	500	14

Annotation: ABS buckle — Color Optional:

Toumiquet

MES053



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-403A	31.5 (g)	450 (mm)	25 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
1 PC/ Plasstic bag 100 PCS/BOX	215*155*260 (mm)	500*400*270 (mm)	400	14

Annotation: ABS buckle — Color Optional:

Toumiquet

MES054



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-403C Patent protection	29 (g)	450 (mm)	25 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
1 PC/ Plastic bag 100 PCS/BOX	215*155*260 (mm)	500*400*270 (mm)	500	16

Annotation: ABS buckle — Color Optional:



OEM avilable

Diagnostic Penlight

MES055



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F	12 (g)	127 (mm)	15 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster + Battery	295*172*158 (mm)	885*315*340 (mm)	500	20

Annotation: 2xAAA batteries used, ABS shell Portable with clamp. Color Optional:

Stainless Steel Penlight

MES056



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F2	14.3 (g)	136 (mm)	12 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Gift box + Battery	175*160*210 (mm)	510*370*240 (mm)	250	16

Annotation: 2xAAA batteries used; Stainless steel shell.

Aluminium Alloy Penlight

MES057



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F3	10.3 (g)	137 (mm)	12 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Blister + Battery	295*172*158(mm)	885*315*340 (mm)	500	20

Annotation: 2xAAA batteries used, Aluminium alloy shell with painting coating, Color Optional:

Flat-mouth Penlight

MES058



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F9	11 (g)	140 (mm)	12 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Blister + Battery	295*172*158 (mm)	885*315*340 (mm)	500	20

Annotation: Aluminium alloy shell with painting coating; Color is optional.
Flat mouth head protects the bulb from damage; 2xAAA batteries.

Bell-mouthed Head Penlight



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F5 Patent protection	12.4 (g)	142 (mm)	Mouth: 15 Body: 12

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Blister + Battery	295*172*158 (mm)	885*315*340 (mm)	500	21

Annotation: 2xAAA batteries used;
Aluminuim alloy shell with painting coating; Color Optional:

LED Penlight



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F8	14.3 (g)	130 (mm)	12 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plastic Box + Battery	175*160*210 (mm)	510*370*240 (mm)	250	16

Annotation: 2xAAA batteries used; Aluminium alloy shell;
LED bulb is used, Super operation time: 10,000 hours!

Stainless Steel Penlight With Big



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401F13	28 (g)	153 (mm)	17 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Blister + Battery	400*195*200 (mm)	640*415*415 (mm)	300	23.5

Annotation: 2xAA batteries used; Stainless steel shell. LED bulb is uesed; Super operation time: 10,000hours

General Optic Otoscope



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-402	15.5 (g)	147 (mm)	53 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
1 PC/ Plastic bag 100 PCS/BOX	400*195*200 (mm)	610*415*415 (mm)	300	17

Annotation: 2xAAA batteries used; 5 tips;

Medical Gift Series



Mode NO.	Annotation
HS-402F1	Diagnostic kit HS-401F1+Otoscope head+Tips+Spatula+2xAAA batteries

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plastic box	188*100*25 (mm)	515*390*265 (mm)	100	15.6

Medical Gift Series



Mode NO.	Annotation
HS-402F3	Diagnostic kit HS-401F3+Otoscope head+Tips+2xAAA batteries

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plastic box	190*70*30 (mm)	400*350*320 (mm)	100	11.5

Medical Gift Series



Mode NO.	Annotation
HS-402F2	Diagnostic kit HS-401F2+Otoscope head+Tips+2xAAA batteries

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plasstic box	190*70*30 (mm)	400*350*320 (mm)	100	12.8

Medical Gift Series



Mode NO.	Annotation
HS-402F2-A	Diagnostic kit HS-401F2+Otoscope head+Tips+Spatula clip+Spatula +Blue filter+2xAAA batteries

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plasstic box	188*100*25 (mm)	515*390*265 (mm)	100	14

Examine System

Medical Gift Series

MES067



Mode NO.	Annotation
HS-402F13-B	Diagnostic kit HS-401F13+Otoscope head+Tips+2xAAA batteries

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plasstic box	190*70*30 (mm)	400*350*320 (mm)	100	16.5

Neurological Hammer

MES068



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G2 Taylor Hammer	56 (g)	188 (mm)	21 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Blister	260*170*155 (mm)	555*340*170 (mm)	100	8.5

Annotation: Zinc alloy handle; PVC head; Color is optional.

Neurological Hammer

MES069



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G3 Buck Hammer	90 (g)	186(mm)	56 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Blister	260*170*155 (mm)	555*340*170 (mm)	100	10

Annotation: Zinc alloy handle; PVC head; Diagnostic Pin can be screwed off conveniently in the head, while diagnostic brush can be taken out in the end.

Neurological Hammer

MES070



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G5 Babinski Hammer	97 (g)	230 (mm)	44 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster	260*170*155 (mm)	555*340*170 (mm)	100	12

Annotation: Zinc alloy handle; PVC head; Color is optional.

Neurological Hammer

MES071



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G7 Babinski Hammer with telescopic handle	81 (g)	Max: 385 (mm) Min: 180 (mm)	44 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
White Box	230*230*150 (mm)	495*480*170 (mm)	100	11.6

Annotation: SS handle; PVC head; Color is optional.

Neurological Hammer

MES072



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G8 Queen's square Hammer	62 (g)	320 (mm)	44 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster	400*195*200 (mm)	420*410*210 (mm)	50	5

Neurological Hammer

MES073



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G10A Watenberg pinwheel Hammer	60 (g)	185 (mm)	30 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster	260*170*155 (mm)	555*340*170 (mm)	100	8

Annotation: Zinc alloy handle; Copper head.

Neurological Hammer

HS-401G11-B

MES074



Mode NO.	Weight and Size Mainbody		
	Weight	Length	Width
HS-401G11 Hammer	140 (g)	220 (mm)	85 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Poly bag	400*195*200 (mm)	420*410*210 (mm)	50	9

Annotation: Nylon handle; Zinc alloy + silicone head; Color is optional.

Neurological Hammer

Mode NO.		Weight and Size Mainbody		
		Weight	Length	Width
HS-401G13 Hammer	 MES075	90 (g)	340 (mm)	head: 50 (mm) handle: 10 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Poly bag	400*195*200 (mm)	420*410*210 (mm)	50	6.5

Annotation	Nylon handle; Zinc alloy + silicone head; Color is optional.

Neurological Hammer

Mode NO.		Weight and Size Mainbody		
		Weight	Length	Width
HS-401G12 'Bowling'-Shaped Hammer	 MES076	90 (g)	186 (mm)	60 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster	260*170*155 (mm)	555*340*170 (mm)	100	11

Annotation	Zinc alloy handle; Zinc alloy + silicone head; Color is optional.

Neurological Hammer

Mode NO.		Weight and Size Mainbody		
		Weight	Length	Width
Patent protection HS-401G20 'Chopper'-Shaped Hammer	 MES077	90 (g)	200 (mm)	51 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
White Box	400*195*200 (mm)	420*410*210 (mm)	50	7

Annotation	Zinc alloy handle; Silicone head; Color is optional.

Neurological Hammer

Mode NO.		Weight and Size Mainbody		
		Weight	Length	Width
Patent protection HS-401G21 'Bowling'-Shaped Hammer	 MES078	120 (g)	200 (mm)	85 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster	400*195*200 (mm)	420*410*210 (mm)	50	8.5

Annotation	ABS handle; Zinc alloy + Silicone head; Color is optional.

Neurological Hammer

Mode NO.		Weight and Size Mainbody		
		Weight	Length	Width
HS-401G22 Hammer	 MES079	106 (g)	220 (mm)	73 (mm)

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Bilster	400*195*200 (mm)	420*410*210 (mm)	50	7.8

Annotation	ABS handle; Zinc alloy + silicone head; Color is optional.

Medical Gift Series

Mode NO.		Annotation
HS-401G24	 MES080	Diagnostic kit HS-401F13+Otoscope head+G20+2xAAA batteries

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plasstic box	215*120*30 (mm)	460*260*305 (mm)	40	13

Medical Gift Series

Mode NO.		Annotation
HS-401G28	 MES081	Diagnostic kit HS-401G2+G3+G10A

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plasstic box	215*120*30 (mm)	460*260*305 (mm)	40	14.5

Medical Gift Series

Mode NO.		Annotation
HS-401G10	 MES082	Diagnostic kit HS-401G2+G3+G5+G8+G10A

Packing Bill	Box size	Carton Size	Pcs/Ctn	Kgs/Ctn
Plasstic box	345*130*30 (mm)	570*365*300 (mm)	40	23

Examine System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Transport Swab with Tube



MES083

Transport Swab with Medium



MES084

Collection Swab & Virus Sampling Tube



MES085

Clinical Diagnostic Testing Products



MES086

HCG Strip



MES090

HCG Cassette



MES094

HCG Midstream



MES087

LH Strip



MES091

LH Cassette



MES095

LH Midstream



MES088

Malaria Test



MES092

Dengue Test



MES096

H.Pylori Test



MES089

TP Syphilis Test



MES093

HIV Test



MES097

Hbs Ag Test

Examine System

Examine System

MES098



HCV Test

MES101



FOB Fecal occult blood

MES103



Urine strips

MES099



COVID-19 Antigen Rapid test

MES102



SARS-CoV-2/Flu A&B

MES104



COVID-19/FluA+B/RSV


MES100



SARS-CoV-2/Flu A&B/RSV/AdV



Easy to hold









Types





Card type

Dip card




Cup tye

Test	Cut-off (ng/mL)
AMP(Amphetamine)	1000
THC(Marijuana)	50
COC (Cocaine)	300
PCP(Phencyclidine)	25
MOR(Morphine)	300
MET(Methamphetamine)	1000
MTD(Methadone)	300
BAR(Secobarbital)	300
BZO(Oxazepam)	300
TCA(Nortriptyline)	1000
MDMA(Ecstasy)	500
BUP(Buprenorphine)	10
EDDP(Methadone metabolite)	100
PPX (Propoxyphene)	300
ETG(Ethylglucoronide)	500
K2(Synthetic cannabis)	50
TML(Tramadol)	100
MQL(Methaqualone)	300
COT(Cotinine)	200
FYL(Fentanyl)	200
OXY (Oxycodone)	100
KET (Ketamine)	1000



Pouch




Middle box


Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Gynecological Series


MES105


MES110



MES115


MES106



MES111


MES116



MES107


MES112


MES117


MES108


MES113


MES118


MES109


MES114


MES119


Medicine Delivery Series

MES120


MES125


MES130


MES121


MES126


MES131


MES122


MES127


MES132


MES123


MES128


MES133


MES124


MES129


MES134


Examine System

Examine System

MES135



MES140



MES145



MES150



MES155



MES160



MES136




MES141



MES146



MES151



MES156



MES161



MES137



MES142



MES147



MES152



MES157



MES162



MES138



MES143



MES148



MES153



MES158



MES163



MES139



MES144



MES149




MES154



MES159



MES164



Plastic container Series



Standard Pitcher



Graduated Container Triangular



Tumbler



Standard Pitcher



Drinking Cup



Nuns Cup Specimen Collector



Urinal Male w/cover Autoclavable



Urinal Male w/clear Lid



Deluxe Female Urinal



Unisex Urinal



Screw Cap Urinal



Screw Cap Urinal LeakProof



Bedpan Fracture



Pontoon Bedpan



Stackable Bedpan



Stackable Bedpan



Bedpan Autoclavable



Fracture Bedpan w/Lid



Sitz Bath W/Grad bag



Sitz Bath Irrigator
W/Graduated PVC Bag



Sitz Bath



Emesis Basins



Rectangular Wash Basin



Tray

Examine System

Nasal Irrigation Washing Device Rhinitis

MES189



- Use high-quality silicone nasal nozzles and polypropylene syringes, environmentally friendly, nontoxic,
- The silicone nasal suction nozzle and the 10ml portable syringe can easily suck out the nose of a baby or child.
- Light and small, easy to store and carry.

Nasal Wash Bottle Nasal Irrigation

MES190



- Single-hole nozzle, large flow, rapid flushing of nasal dust and other foreign bodies.
- Three-hole nozzle, fine water, large range, leaving no dead ends, rinse more comfortable.
- 60 ° gold angle design, can effectively control the flow rate, and prevent backflow.

Disposable Nasal Spray Feeding Syringe

MES191



- Super fine spray
- used for local administration to the patient's body surface and natural cavity.
- Not for subcutaneous administration and intravenous administration.

ENT Examination Kit

MES192



- 1pc Disposable Ear Funnel
- 1pc Large Disposable Nasal Speculum
- 1pc Plastic Tongue Depressor
- Can Customizable set

Wound Dressing Kit

MES193



- Composition according to your request,We can produce it with shrink package, blister package, and paper-plas
- Mainly used to clean wounds and change dressings from patients who suffered trauma.

Gynecological Examination Kit

MES194




- It is safer in the diagnosis of cervical cancer and gynecological diseases, easier to extract the cervix and cervical ministry of virus cell entry and more convenient to use.
- Easier to extract the entrance of cervical and cervical virus cells in the diagnosis of cervical cancer and gynecological diseases

Examine System

Eye Chart Light Box

MES195



- Eye chart light box is applied to visual test during youth's health check or employment health check as well as clinical study
- Adopt LED backlighting method
- Built-in AC to DC rectifier
- Long service life-span

Trial Lens Set

MES196



- Trial Lens set is applied to check the refractive status(myopia, hyperopia, astigmatism) of human eyes, it is the eye examination apparatus for hospital and eyewear store to check the refractive status for human

Optometry Rack Set

MES197



- Optometry Rack Set(30 pcs)
- mainly made of positive and negative sphericaloptometry tablets

ENT Examination Kit

MES198



- X ray film viewer is designed for observing XRay film for medical personnel, it's applied to clinical view the medical image film.
- Adopting LED backlighting method
- Built-in AC to DC rectifier
- Long service life
- Uniform and mild light source
- Dimming light
- Ultra-thin,thickness is 25mm

Gauge For Ilium

MES199



- Measurement:34.2*8.2*1.2(cm)
- External diameter: 0-50(cm)
- Internal diameter :0-25(cm)

Electronic Spirometer

MES200



- Adopting Vaneairflowsensor
- with high performance micro-processor and sophisticate digital circuit
- sensitive High accuracy and sensitive
- Stability and low power consumption

Stethoscope Series

MES201



Disposable stethoscope

MES205



Wooden fetal stethoscope

MES209



Cadiology stethoscope

MES213



Sprague Rappaport Stethoscope With Clock

MES217



Deluxe Dual Head Stethoscope With Non-chill Ring

MES221



Deluxe Black Stethoscope

MES202



Deluxe single head stethoscope

MES206




Plastic fetal stethoscope

MES210



Acrylic stethoscope

MES214



Disposable Stethoscope

MES218



Single Head Stethoscope

MES222



Single Head Stethoscope(pediatric)

MES203



Deluxe Cadiology Stethoscope

MES207



Stainless Steel Stethoscope

MES211



Sprague Rappaport Stethoscope

MES215



Daul Head Stethoscope

MES219



Daul Head Stethoscope(pediatric)

MES223



Single Head Stethoscope

MES204



Sprague Rappaport Stethoscope

MES208



Deluxe Dual Head Stethoscope

MES212



Deluxe Single Head Stethoscope

MES216



Single Head Stethoscope With Non-chill Ring

MES220



Daul Head Stethoscope

MES224



Dual Head Stethoscopewith Non-chill Ring

Examine System

MES225



Deluxe Stainless Steel Stethoscope

MES227



Cross-shaped Membrane Lock Stainless Steel Stethoscope

MES229



Teaching Stethoscope

MES226



Stainless Steel Stethoscope(pediatric)

MES228



Neurological Hammer

MES230



Teaching Stetoscope

Stethoscope Accessories



MES231

LARGE MANOMETER TYPE

Technical Features	Model No.
ABS plastic case	1023
The dial diameter is Φ51.9mm	
Standard nylon cuff	132N-A
2-tube adult size pvc bladder	1222-A
Standard PVC bulb	144
Dual use air-release valve with spring	1528
Taper end valve	1554
Black drawstring bag	119N

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
108*65*168	570*350*350	50	16.5/15

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES232

STANDARD TYPE

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Standard cotton cuff	132C-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Vinyl zipper bag	113M

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
108*65*168	570*350*350	50	20.5/19

Additional adult cuff color options

■ Black ■ Gray ■ Blue ■ Green



MES233

CLASSIC TYPE

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Classic nylon cuff	133N-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Vinyl zipper bag	113M

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
108*65*168	570*350*350	50	22.5/21

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES234

CHILD KIT TYPE

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Classic cartoon new born cotton cuff	133C-N
Classic cartoon child cotton cuff	133C-C
2-tube new born size PVC bladder	1222-N
2-tube child size PVC bladder	1222-C
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Cartoon zipper bag with ear	115C

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	25/23.5



MES236

DIY TYPE

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Nylon cuff with D-ring	134N-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Vinyl zipper bag	113M

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
108*65*168	570*350*350	50	23.5/22

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES235

STANDARD SPHYGMOMANOMETER KIT

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Nylon cuff with D-ring	134N-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Single head stethoscope	HS-30A
Large vinyl zipper bag	113L

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	27.5/26

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES237

Examine System

Examine System

SPHYGMOMANOMETER KIT WITH DUAL HEAD STETHOSCOPE

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Classic nylon cuff	133N-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper Metal net end valve (dust filter)	1555
Dual head stethoscope	HS-30B
Nylon carrying bag	116N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
141*58*230	480*440*325	30	18.5/17

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES238

WITH RAPPAPORT STETHOSCOPE

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Shining nylon cuff with D-ring	134S-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Deflation valve: 'Push' for rapid	1524
deflation, 'screw' for precise deflation	
Taper Metal net end valve (dust filter)	1555
Colored rappaport stethoscope	HS-30C1
Name tag	173
Shinning nylon carrying bag	116S

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
141*58*230	480*440*325	30	20/18.5

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES240

HOME USE SPHYGMOMANOMETER KIT

Technical Features	Model No.
Special Aluminium alloy manometer	1068
Nylon cuff with D-ring (The stethoscope	1353N-A
head is fixed to cuff)	
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Single head stethoscope	HS-30A
Large vinyl zipper bag	113L

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	27.5/26

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES239

SPHYGMOMANOMETER KIT WITH LARGE MANOMETER

Technical Features	Model No.
Large special Aluminium alloy manometer	1022
Nylon cuff with D-ring	134N-A
2-tube adult size PVC bladder	1222-A
Standard PVC bulb	144
Dual-use air-release valve with spring	1528
Taper end valve	1554
Single head stethoscope	HS-30A
Large vinyl zipper bag	113L

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	29.5/28

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES241

Examine System

HOLLOWED-OUT DESIGN

Technical Features	Model No.
Unique Hollowed-out design case	1061
The thickness is 28.4mm	
The dial's diameter is 61.9mm	
Ultra-thin,one piece gauge, prefect design	
Newly designed air-release valve,	
beautiful appearance and good handle.	1391
Nylon Bladder-less cuff	
Convenient disinfection	

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
106*80*196.5	550*413*185	20	13/12kg



MES242

SELF ADJUSTMENT

Technical Features	Model No.
ABS Plastic case and handle	1060
The dial's diameter is 62mm	
Standard adult Nylon cuff	132N-A
1-tube PVC bladder	1221-A
Standard PVC bulb（2015）	
Plastic end valve	1558
Special Vinyl Zipper case	113L

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	16.5/15

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES244

SHOCK RESISTANT


Technical Features	Model No.
Unique "shock resistant" case	1059
The dial's diameter is 55mm	
High-precision air- release valve	
Professional adult nylon cuff (anti-clamp)	135N-A
1-tube TPU bladder	1231-A
Flat bottom PVC bulb (special for 201Y)	
Gray nylon bag	118N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
115*80*185	425*365*395	30	13.5/12

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U





MES243

GOOD CHOICE FOR WOMEN USE

Technical Features	Model No.
Unique "shock protected" case	1058
The dial's diameter is 55mm	
European style nylon cuff with D-ring	1341N-A
1-tube PVC bladder	1221-A
Special soft PVC bulb (special for 201X)	
Black nylon bag	118N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
115*80*185	425*365*395	30	13/11.5

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U





MES245

Technical Features	Model No.
Nickel plated metal case	1056
The dial's diameter is 59.5mm	
Two handling modes	
Zinc-alloy handle with Nickel plated	
Male & Female connector	
European Style nylon cuff with D-ring	1341N-A
1-tube PVC bladder	1221-A
Ribbed PVC bulb	147
Taper metal net end valve(dust filter)	1555
PVC Shockproof ring	1410
Black nylon bag	118N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
115*80*185	425*365*395	30	17.5/16

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES246

Technical Features	Model No.
Nickel plated metal case	1051
The dial's diameter is 59.5mm	
Two handling modes	
Zinc-alloy handle with Nickel plated	
Deflation valve: 'Push' for rapid deflation,	
'screw' for precise deflation	
Classic shining nylon cuff	133S-A
1-tube PVC bladder	1221-A
Ribbed PVC bulb	147
Taper metal net end valve(dust filter)	1555
Shining nylon carrying bag	116S

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
141*58*230	480*440*325	30	20.5/19

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES247

Technical Features	Model No.
Chrome plated metal case	1041
The dial's diameter is 48mm	
Stainless steel handle	
Nylon cuff with D-ring	134N-A
1-tube PVC bladder	1221-A
Standard PVC bulb	144
Taper end valve	1554
Nylon zipper bag with ear	115N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	25/23.5

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES248

Technical Features	Model No.
Chrome plated metal case	1057
The dial's diameter is 48 mm	
The professional configuration with twin	
tube technology	
Stainless steel handle with chrome plated	
Standard cotton cuff	132C-A
2-tube adult latex bladder	1212-A
PVC bulb with end valve (special for 201B2)	
Black nylon bag	118N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
115*80*185	425*365*395	30	16/14.5

Additional adult cuff color options

■ Black ■ Gray ■ Blue ■ Green





MES249

Technical Features	Model No.
ABS plastic upper case	1048
The dial's diameter is 59.5mm	
Stainless steel handle	
Cotton cuff with D-ring	134C-A
1-tube PVC bladder	1221-A
Standard PVC bulb	144
Taper end valve	1554
Cotton zipper bag with ear	115C

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	25/23.5

Additional adult cuff color options

■ Black ■ Gray ■ Blue ■ Green



MES250

Technical Features	Model No.
ABS plastic for case and handle	1053
The dial's diameter is 64.5mm	
Three handling modes	
European style Nylon cuff with D-ring	1341N-A
1-tube PVC bladder	1221-A
Flat bottom PVC bulb (special for 201T)	
Plastic end valve	1558
Nylon carrying bag	116N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
141*58*230	480*440*325	30	17/15.5

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



· Patent Protection

MES252

Technical Features	Model No.
ABS plastic upper case	1049
The dial's diameter is 60.2mm	
Two handling modes	
Large Zinc-alloy handle with black	
powder-coating	
Deflation valve: 'Push' for rapid deflation,	
'screw'for precise deflation	
Nylon cuff with D-ring	134N-A
1-tube PVC bladder	1221-A
Ribbed PVC bulb	147
Taper metal net end valve(dust filter)	1555
Silicone shockproof ring	1412
Nylon carrying bag	116N

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
141*58*230	480*440*325	30	20.5/19

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U



MES251

Technical Features	Model No.
Chrome plated plastic case	1043
The dial's diameter is 60.2mm	
Stainless steel handle	
Cotton cuff with D-ring	134C-A
1-tube PVC bladder	1221-A
Standard PVC bulb	144
Taper end valve	1554
Large vinyl zipper bag	113L

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
110*75*185	565*395*405	50	24/22.5

Additional adult cuff color options

■ Black ■ Gray ■ Blue ■ Green



MES253

SPHYGMOMANOMETER FOR EMERGENCY USE

Technical Features	Model No.
Palm type sphygmomanometer	1043
Classic shining nylon cuff for	
child/adult/large adult	133S-C/A/LA
1-tube PVC bladder for child/adult/ large adult	1221-C/A/LA
Standard PVC bulb	144
Taper end valve	1554
Shining nylon carrying bag	116S

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
265*235*55	560*500*305	20	17.5/16





MES254

PALM TYPE SPHYGMOMANOMETER SERIES (2-TUBE)

Package content				
Model	Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
HS-201A2	110×75×185	565×395×405	50	26.5/25
HS-201C2	110×75×185	565×395×405	50	25.5/24
HS-201Q2	141×58×230	480×440×325	30	22/20.5



MES256



MES257

SPHYGMOMANOMETER FOR EMERGENCY USE

Technical Features	Model No.
Palm type sphygmomanometer	1048
Orange silicone shockproof ring	
Orange cup of air release valve	
Male & Female connector	
Classic nylon cuff for infant/child/	133N-I/C/A/LA/T
adult/large adult/thigh	
1-tube pvc bladder for infant/child/	1221-I/C/A/LA/T
adult/large adult/thigh	
Standard PVC bulb	144
Taper end valve	1554
Big orange carrying bag	LD-FB-005

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
460*90*255	480*470*280	5	7.5/6.5



MES255



MES258

Examine System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

ABS DESK / WALL TYPE

Technical Features	Model No.
Round shaped dial Φ113 mm	1074
Special precise mechanism	
The back plastic basket is a holder for cuff	
Nylon cuff with D-ring	134N-A
2-tube adult TPU bladder	1232-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.4m)	1413

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
138*138*175	715*300*195	10	7.5/6

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U





MES259

ABS WALL TYPE WITH ABS BASKET

Technical Features	Model No.
Round shaped dial Φ147 mm	1073
Special precise mechanism	
180°direction adjustability for easy reading	
The back plastic basket is a holder of cuff	
Nylon cuff with D-ring	134N-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8m)	1413

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
215*150*215	795*445*240	10	12/10.5

Additional adult cuff color options

■ Black ■ 430U ■ 2738U ■ 296U ■ 213U





MES261

ABS DESK / WALL TYPE

Technical Features	Model No.
Square shaped dial 145mm×145mm	1070
Gradient adjustable for easy reading	
Standard cotton cuff	132C-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8m)	1413

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
185*162*180	820*390*205	10	10.5/9

Additional adult cuff color options

■ Black ■ Gray ■ Blue ■ Green





MES260

STANDING TYPE WITH METAL BASKET

Technical Features	Model No.
Square shaped dial 145mm×145m	1080
Stainless steel castors & tube	
High stability	
360°swivel for easy reading	
Gradient adjustable for easy reading	
Adjustable height (90 cm to 133cm)	
Metal basket	
Cotton cuff with D-ring	134C-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8 m)	1413
Plastic connector	1567

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
/	750*220*205	1	N/A



MES262

Examine System

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

STANDING TYPE WITH METAL BASKET

Technical Features	Model No.
Square shaped dial 145mm×145m	1079
Super-lower-gravity plastic castors	
High stability	
360°swivel for easy reading	
Gradient adjustable for easy reading	
Adjustable height	
(90 cm to 135 cm)	
Metal basket	
Cotton cuff with D-ring	134C-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8 m)	1413
Plastic connector	1567

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
/	800*320*167	1	4/3.2



MES263

STANDING TYPE WITH ABS BASKET

Technical Features	Model No.
Square shaped dial 145mm×145mm	1075
Metal castors	
360°swivel for easy reading	
Gradient adjustable for easy reading	
5-wheel with brake	
Adjustable height	
(85 cm to 125 cm)	
Plastic basket	
Cotton cuff with D-ring	134C-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8 m)	1413
Plastic connector	1567

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
/	575*495*160	1	5.5/4



MES264

STANDING TYPE WITH ABS BASKET

Technical Features	Model No.
Round shaped dial Φ147 mm	1078
Metal castors	
360°swiver for easy reading	
5-wheel with brake	
Adjustable height	
(95 cm to 135 cm)	
plastic basket	
Nylon cuff with D-ring	134N-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8m)	1413
Plastic connector	1567

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
/	575*495*160	1	5.5/4



MES265

STANDING TYPE WITH METAL BASKET

Technical Features	Model No.
Square shaped dial 145mm×145mm	1076
Metal castors	
360°swivel for easy reading	
Gradient adjustable for easy reading	
5-wheel with brake	
Adjustable height	
(90 cm to 125 cm)	
Metal basket	
Cotton cuff with D-ring	134C-A
2-tube adult latex bladder	1212-A
Standard latex bulb	142
Dual-use air-release valve with spring	1528
Standard end valve	1551
Spiral PVC tube (1.8 m)	1413
Plastic connector	1567

Package content			
Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
/	575*495*160	1	5.5/4



MES266

Examine System

Specification

- Direct illumination
- 3x magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two sets
- The clip with integrated on/of switch
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb are optional
- Colors are optional

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
193*102*32	400*215*195	20	4.9/4.5

Gross and net weight (Kgs/Ctn) Battery containing



Direct illumination





Color optional (HS-OT10)

MES267



Specification

- Fiber optic illumination
- 3x magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two sets
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb are optional

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
190*110*40	400*240*230	20	6.8/6.3



Fiber optic illumination





MES269



Specification

- Direct illumination
- 3x magnification for the viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two sets
- The clip with integrated on/of switch
- 3200k and 6000k color temperature LED bulb and XHL Xenon Halogen bulb are optional
- Standard handle handy and convenient
- The clip with integrated on/off switch

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
190*110*40	400*240*230	20	7.6/7.1

Gross and net weight (Kgs/Ctn) Battery not included



Direct illumination



MES268



Specification

- Fiber optic illumination
- 3x magnification for the large size viewing window
- 2.4mm/3mm/4mm/5mm ear tips of two sets
- The socket of ear insufflation bulb
- 3200k and 6000k color temperature of LED bulb and XHL Xenon Halogen bulb are optional

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
190*110*40	400*240*230	20	7.0/6.5

Gross and net weight (Kgs/Ctn) Battery not included





Color optional (HS-OT10)

MES270



Examine System

Specification

- Coaxial parallel light principle
- 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses: -20d~+20d
- 4000k color temperature LED bulb and XHL Xenon Halogen bulb are optional
- The clip with integrated on/off switch
- Standard handle, handy and convenient

Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
190*110*40	400*240*230	20	6.5/6.0

Gross and net weight (Kgs/Ctn) Battery not included





Color optional (H5-OP10)



MES271


Specification

- Optical glass lens and 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses: -20d~+20d
- Supplied by 2xAA alkaline batteries (not included)
- The deluxe LCD screen handle can adjust the brightness of the light source
- Optical SMT LED technology, low power consumption and long life
- Built-instant current IC circuit, The light effect is more stable
- 3200k color temperature of warm white light
- CRI≥90%， ensure the real image


Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
190*110*40	400*240*230	20	6.5/6.0

Gross and net weight (Kgs/Ctn) Battery not included







+	1	2	3	4	6	8	10	15	20
-	1	2	3	4	6	8	10	15	20



MES273

Specification

- Coaxial parallel light principle
- 6 different apertures with red-free filter & blue filter they can be switched
- 29 kinds of adjustable corrective lenses, Range of lenses: -35d~+40d
- 4000k color temperature LED bulb as light souce
- Li-ion rechargeable battery so long life
- Micro USB cahrger interface so convenient charging
- Deluxe metal handle, strong and durable

Package content


Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
200*140*57	420*300*320	20	10.0/9.5

Gross and net weight (Kgs/Ctn) Battery containing









+	1	2	3	4	5	6	7	8	9	10	12	15	20	40	0
-	1	2	3	4	5	6	7	8	9	10	15	20	25	30	35



MES272


Specification

- Simple handle
- 5 different apertures
- 19 kinds of adjustable corrective lenses, Range of lenses: -20d~+20d
- 4000k color temperature LED bulb and XHL Xenon Halogen bulb are optional
- The cilip with integrated on/off switch


Package content

Box size (mm)	Carton size (mm)	Pcs/Ctn	Kgs/Ctn
193*102*32	400*215*195	20	4.0/3.6

Gross and net weight (Kgs/Ctn) Battery not included







+	1	2	3	4	6	8	10	15	20
-	1	2	3	4	6	8	10	15	20



MES274

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Medical Models Series

MES275



33203 人体骨骼模型 (170cm)
Human skeleton model (170cm)

MES277



33203-1 人体骨骼模型 (170cm)
Human skeleton model (170cm)

MES279



33204 人体骨骼模型
Human skeleton model

MES281



33208 心脏解剖模型 自然大
Heart anatomy model (life size)

MES283



33207 心脏解剖模型 3倍大
Heart anatomy model (3X)

MES285



336 透明人体模型
Transparent human model

MES282



3304 大心脏模型
Giant heart model (large)

MES284



3305 心脏解剖模型 5倍大
Heart anatomy model (5X)

MES276




39051 儿童骨骼模型
Children skeleton model

MES278




XY-203-1 50cm两性人体半身模型
50cm Two sexes half-length human model

MES280



XY-203 85cm两性人体躯干模型
85cm Two sexes human torso model

MES286



33201 人体头、颈躯干模型
Human head, neck, torso model

MES287



39053 少年人体半身模型
Half-length human model

MES288



33219 人体肌肉模型
Human muscle model

Examine System

MES289



XY-305 大牙模型
Giant teeth model

MES293



SM-M024 门齿、犬齿和臼齿
Incisor,canine teeth and molar

MES297



XY-353 内耳迷路放大模型
The inner eye enlarged model

MES290



33211 脑解剖模型
Brain anatomy model

MES294



33211-1 脑解剖模型
Brain anatomy model

MES298



SM-M001 脑功能区域模型
Brain with different functional area

MES291




XY-309 鼻解剖模型
Nasal anatomical model

MES295



3315 脑干放大模型
Brain stem enlargement model

MES299



160 支气管模型
Bronchial model

MES292




3329 肾解剖模型
Renal anatomy model

MES296



33216 肝、十二指肠、胰脏模型
Liver and duodenum,pancreas model

MES300



SM-M010胰腺、十二指肠和脾脏
Pancreas,duodenum and spleen

MES301




33210 肺泡模型
Alveolar model

MES305



33212-1 耳解剖模型 (3X)
Ear anatomy model (3X)

MES309



33212 耳解剖模型 (6X)
Ear anatomy model (6X)

MES302



337-1 牙保健模型
Dental care model

MES306




39052 儿童牙列模型
Children's teeth model

MES310



33221 牙列及磨齿解剖模型
Teeth and gear grinding anatomical model

MES303




33215 立体皮肤结构模型
Skin structure model

MES307



33215-1 皮肤结构模型
Skin Structure Model

MES311



33206 眼球仪
Eye model

MES304




33205 眼球解剖模型
Eye anatomy model

MES308



39054 眼构造模型
Eye structure model

MES312



SM-M016 眼球模型 (带眼眶)
Eye model(with orbita)


Examine System

MES313




SM-M006 听小骨
Auditory ossicles (malleus, incus, stapes)

MES314



SM-M018 睾丸模型
Testis model

MES315



3308 脊椎与椎骨模型
Spine and vertebrate model

MES316



SM-M013 头颈模型
Model of head neck

MES317



SM-M017 膀胱模型
Bladder model

MES318



33209 喉解剖模型
Laryngeal anatomy model

MES319




161 透明肺泡模型
Alveolar model

MES320



SM-M014 人体纵隔模型
Mediastinum model

MES321



33222 胃解剖模型
Stomach anatomy model

MES322



SM-M011 头示咽肌模型
Head with pharynx muscles

MES323



SM-M037 肺对比模型
Ung comparation model

MES324




SM-M019 女性盆腔解剖模型
Block model of female pelvis with 8weeks old embryo

MES325



SM-M020男性会阴神经血管模型
Male perinum

MES326



SM-M005 人体纵隔切面模型
Cross section through heart level

MES327



SM-M030 骶骨和尾骨模型
Sacrum and coccyx model

MES328




SM-M025 脊髓颈椎枕骨模型
Cervical vertebrae occipital bone with spinal cord

MES329



SM-M022 人体直肠肛管解剖模型
Rectum and anal canal

MES330



XY-320 喉、心、肺模型
Larynx heart and lung model

MES331



SM-M008 骨质疏松模型
Osteoporosis model

MES332



SM-M026 腰椎带尾椎骨模型
Lumbar vertebra,sacrum bone with spinal nerves

MES333



SM-M012 颈部神经模型
Model of nerves at neck region

MES334



SM-M023 盲肠和阑尾
Caecum and appendix

MES335



SM-M002 脊髓和脊神经,脊髓神经模型
Model of vetebrae,spinal cord,spinal nerve and sympathetic column

MES336



SM-M027 胸椎带脊髓模型
Thoracic vertebrae with spinal cord

Examine System


MES337

SM154 彩色自然大头骨模型
Color natural giant skull model


MES340

SM155 自然大头骨模型
Natural giant skull model


MES344

XY-451 新生婴儿护理 (男、女)
Newborn baby for nursing(boy, girl)


MES338

33213 男性泌尿生殖系统模型
Male urogenital system model


MES341


33214 女性泌尿生殖系统模型
Female urogenital system model


MES345

XY-453 头部穴位模型
Head acupuncture point model


MES339

SM160 人体针灸模型(48CM女性)
Human body acupuncture model
(48cm, female)


MES342

33220 肘关节活动模型 Elbow model


MES343

33226 护理人模型 Demonstration model for nursing


MES344

SM-M004 蝶骨
Sphenoid bone


MES348

3339 男性骨盆模型
Male pelvis model


MES352

3340 女性骨盆模型
Female pelvis model


MES345

3338 第四第五腰椎模型
Model of peivis with 4th and 5th


MES349

3337 女性骨盆及盆底肌肉模型
Female pelvis and pelvic floor muscle model


MES353

SM-M007 骨盆附腰椎与股骨头模型
Model of pelvis with 4th,5th lumbar vertebra and femur head


MES346

SM156 正常腰椎组合(四节)
Normal lumbar spine(4 parts)


MES350

SM156-1 正常腰椎组合(三节)
Normal lumbar spine(3 parts)


MES354

SM156-2 正常腰椎组合(二节)
Normal lumbar spine(2 parts)


MES347

SM159 按摩足（12CM）
Foot massage (12CM)


MES351

XY-323 手掌解剖模型
Palm anatomic model


MES354

SM161 自然大骨盆带五节腰椎模型
Five lumbar pelvic girdle model
(Natural size)

Examine System

Disposable Scalpel



MSI001

- Disposable scalpel
- Blade: (A) carbon steel, (B) stainless steel;
- Blade size(#): 10, 11, 12, 12d, 13, 14, 15, 15C, 16, 18, 19, 20, 21, 22, 23, 24, 24d, 25, 26, 27, 34, 36, 36d;
- Plastic handle;

Stitch Cutter



MSI002

- (A) carbon steel, (B) stainless steel;
- Size: 65mm, 110mm;


Surgical Blade



MSI003

- (A) Carbon Steel, (B) Stainless Steel;
- Size(#): 10, 11, 12, 12d, 13, 14, 15, 15C, 16, 18, 19, 20, 21, 22, 23, 24, 24d, 25, 26, 27, 34, 36, 36d;

Gouge Blade



MSI004

- (A) carbon steel, (B) stainless steel;
- Size(#): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10;

Scalpel Handle (Stainless Steel)



MSI005

- Size: #3 (For Blade 10# - 17#),
- #4 (For Blade 18# - 36#);

Skin Graft Knife Blade




MSI006

- Exquisite workmanship, stable cutting edge
- It is produced by the new automaticknife edge grinding machine
- Safe and hygienic, easy to use


Surgical Instruments

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Nasal Irrigation Washing Device Rhinitis




Multi-function drill




Bone drill




Hollow electric drill




Bone drill




Hollow electric drill




J shape saw




Bone drill



J shape saw



w reciprocating saw




Multi-function drill




Gypsum saw




Blade of saw J ＆ D



Hollow electric drill



miniature saw




Blade of saw



Blade of saw

Surgical Instruments


sports medicine




Stitching Gun




Tendon Forceps




Hold Wire Forceps



Hold Wire Forceps




Cut Wire Forceps




Cut Wire Forceps




Hold Wire Forceps




Hold Wire Forceps




Cut Wire Forceps



Hold Wire Forceps




Hold Soft tissue Forceps




Hold Soft tissue Forceps




Hold Wire Forceps



Hold Wire Forceps



Ligament scissors



Metal bone drilling needle

Surgical Instruments




MSI039

Ligament (tendon) Closed meter



MSI040

Ligament (tendon) opening meter



MSI041

Round back file



MSI042

PCL (rear fork) protector




MSI043

Femoral guide (sight)



MSI044

Closed tendon-removing device




MSI045

Double curved curette



MSI46

Double curved flat file



MSI047

Open the tendon-removing device



MSI048

Depth sounding device



MSI049

Double needle guide right



MSI50

Double needle guide left



MSI051

Flat file




MSI052

Round file



MSI053

Crochet (probe hook)



MSI054

Sheath insertion device

Surgical Instruments



MSI055

Ligament expander



MSI056

Multiple beam separator



MSI057

Bone hammer



MSI058

T-shaped quick-fit handle



MSI059

Interface nailing device



MSI060

Interface nailing device



MSI061

Interface nailer type II



MSI062

Interface nail on the nail/ratchet handle




MSI063



MSI064



MSI065




MSI066



MSI067




MSI068



MSI069



MSI070



MSI071



MSI072




MSI073




MSI074



MSI075



MSI076



MSI077



MSI078




MSI079



MSI080




MSI081





MSI082


Surgical Instruments



MSI083



MSI084


MSI085



MSI086



MSI087


MSI088



MSI089



MSI090



MSI091



MSI092



MSI093


MSI094


MSI095



MSI096



MSI097


MSI098



MSI099



MSI100



MSI101


MSI102



MSI103



MSI104


MSI105


MSI106


MSI107



MSI108


MSI109


MSI110


MSI111



MSI112



MSI113


MSI114


MSI115



MSI116


MSI117


MSI118


MSI119


MSI120



MSI121


MSI122


MSI123


MSI124


MSI125


MSI126


MSI127


MSI128



MSI129


MSI130


MSI131



MSI132


MSI133


MSI134



MSI135



MSI136



MSI137


MSI138


MSI139


MSI140


MSI141



MSI142



MSI143



MSI144



MSI145




MSI146




MSI147


MSI148


MSI149


MSI150



MSI151


MSI152


MSI153



MSI154



MSI155



MSI156



MSI157


Invasive Spinal Surgery



MSI158


MSI159


MSI160


MSI161


MSI162


MSI163




MSI164





MSI165




MSI166



MSI167


MSI168


MSI169




MSI170




MSI171




MSI172



MSI173



MSI174



MSI175



MSI176


MSI177


MSI178



MSI179


MSI180



MSI181


MSI182


MSI183


MSI184


MSI185


MSI186

Surgical Instruments

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司


Forceps




MSI187




MSI188




MSI189




MSI190




MSI191




MSI192




MSI193




MSI194




MSI195



MSI196




MSI197




MSI198




MSI199



MSI200



MSI201



MSI202




MSI203



MSI204



MSI205



MSI206



MSI207




MSI208



MSI209



MSI210



MSI211




MSI212



MSI213



MSI214



MSI215


MSI216


MSI217



MSI218

Surgical Instruments

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Bone knife



MSI219



MSI220



MSI221



MSI222



MSI223




MSI224




MSI225




MSI226




MSI227




MSI228




MSI229



MSI230



MSI231



MSI232



MSI233



MSI234

Bone scraping spoon



MSI235



MSI236



MSI237



MSI238



MSI239



MSI240



MSI241



MS242



MSI243



MSI244



MSI245



MSI246



MSI247



MSI248



MSI249



MSI250

Surgical Instruments

Forceps for reduction


MSI251


MSI252



MSI253


MSI254


MSI255


MSI256


MSI257


MSI258


MSI259


MSI260


MSI261


MS262


MSI263


MSI264


MSI265


MSI266


MSI267


MSI268


MSI269


MSI270


MSI271



MSI272


MSI273


MSI274


MSI275


MSI276


MSI277


MSI278


MSI279


MSI280


MSI281


MSI282

Surgical Instruments

Scissors


MSI283


MSI284


MSI285


MSI286


MSI287


MSI288


MSI289


MSI290


MSI291


MSI292


MSI293


MSI294


MSI295


MSI296


MSI297


MSI298

Joint distraction pliers


MSI299


MSI300


MSI301


MSI302


MSI303


MSI304


MSI305


MSI306


MSI307


MSI308


MSI309


MSI310


MSI311


MSI312



MSI313



MSI314


Surgical Instruments


Surgical Instruments

Orthopedic surgical instrument kit



MSI315



MSI316



MSI317



MSI318



MSI319



MSI320



MSI321



MSI322


MSI323


MSI324


MSI325



MSI326



MSI327


MSI328

MSI329

MSI330


MSI331



MSI332

MSI333


MSI334


Surgical Instruments


Surgical Instruments



MSI335



MSI336



MSI347



MSI348



MSI349


MSI337



MSI338



MSI350



MSI351



MSI352



MSI339



MSI340


MSI353


MSI354


MSI355


MSI341


MSI342



MSI356



MSI357



MSI358



MSI343



MSI344



MSI359



MSI360



MSI361



MSI345


MSI346



MSI362


MSI363


MSI364




MSI365




MSI366



MSI367



MSI368



MSI369



MSI370

Pegged box



MSI371




MSI372



MSI373



MSI374



MSI375



MSI376



MSI377




MSI378




MSI379



MSI380



MSI381



MSI382

Surgical Instruments


MSI383

Stainless steel tissue foreeps


MSI384

Stainless steel dental foreeps


MSI385

Stainless steel tissue foreeps


MSI386

Stainless steel Commom operation scissors


MSI387

Stainless steel gun-shape


MSI388

Stainless steel dressing foreeps


MSI389

Stainless steel cloth foreeps


MSI390

Stainless steel T-shaped open instrument


MSI391

Stainless steel hemostatic foreeps


MSI392

Stainless steel technical needle foreeps


MSI393

Stainless steel uterine probe


MSI394

Suction tube for induced abortion


MSI395

Stainless steel tongue foreeps


MSI396

Stainless steel gauze and bandage scissors


MSI397

Stainless steel medicine


MSI398

Stainless steel healthcare scalpei hilt


MSI399

Stainless steel cervix dilator


MSI400


Stainless steel tongue spatula


MSI401


Skin tissue pulling bender


MSI402

Thyroid gland pulling bender


MSI403

Stainless steel uterine cutet


MSI404

Woman ligation finger


MSI405

Stainless steel druy delivery cart


MSI406

Stainless steel trumpet anoscope


MSI407

Stainless steel sponge forceps


MSI408

finger forceps with any size


MSI409

Stainless steel loudspeaker anoscope


MSI410

Stainless steel large pincers anoscope


MSI411

Stainless steel vaginoscope


MSI412

Vagina pulling bender


MSI413

Stainless steel nasoscope


MSI414

Aluminum Lunch-Box-Style Needle Tube Sterilizer(with holes)

Surgical Instruments


MSI415

Aluminum tube frame


MSI416

aluminium needle box


MSI417

Stainless Steel Urinal(hand-carry)


MSI418

Stainless Steel Mouth Sterilier


MSI419

aluminium needle box


MSI420

aluminium needle box


MSI421

Stainless steel disinfectant dish


MSI422

Stainless steel disinfcctant dish


MSI423

Stainless Steel Test Tube Rack


MSI424

Stainless Steel Sterile Bottle Rack


MSI425

Stainless Steel Disinfectant Square Dish


MSI426

Stainless Steel Treatment Plate(with bottles)


MSI427

Stainless steel dressing box


MSI428

Stainless Steel Bedpan


MSI429

Stainless steel treatment plate (witout bottles)


MSI430

Sterilized bottles

Surgical Instruments

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Endo Linear Cutter Stapling Reloads



MSI431 MSI432 MSI433 MSI434

Equipment Specification

Product Code	Color Cartridge	Number of Staples	Tissue Thickness	Open Stapler Height	Closed Stapler Height	Gripping Surface
CGST60W	White	88	Mesentery/thin	2.6mm	1.0mm	√
CGST60B	Blue	88	Regular	3.6mm	1.5mm	√
CGST60D	Gold	88	Regular/thick	3.8mm	1.8mm	√
CGST60G	Green	88	Thick	4.1mm	2.0mm	√
CECR60B	Blue	88	Regular	3.5mm	1.5mm	
CECR60D	Gold	88	Regular/thick	3.8mm	1.8mm	
CECR60G	Green	88	Thick	4.1mm	2.0mm	

Main feature and Benefit

- Compatible design ensure easy replacement.
- Gripping surface design provide outstanding stapling performance.
- Multiple models can satify every damands of different surgeries.
- Medical level materials ensure no tissue rejection.

Compatibility

Apply to ECEHLON Series 60mm Stapler.



MSI435

Endoscopic Linear Cutter Stapler & Loading Units

MSI436



Rotating Cartridge



- 11 adjusting degrees
- 45° maximum left and right
- Convenient and accurate access to target tissue and blood vessels

Ladder Type Cartridge



- Stepwise clipping tissue
- Broad tissue adaptability

Large Release Button



- Super non-slip design
- Easy to use

Thinner Cartridge design



- Apply for 12mm Trocar
- Improve the versatility of the devices

Better holding method



- Easy access to narrow spaces
- Reduce damage and risk of tissue separation
- More convenient to hold tissue

Strengthen Anvil Design



- Improve power of tissue closure
- Ensure the firing effect of each pin is consistent

The Basic Dimension of Endoscopic Linear cutter Stapler:

Product Name	Type	Length (mm)	tolerance
Handle	P-ED12-S	60	±2.0
	P-ED12-C	155	
	P-ED12-L	240	

Surgical Instruments

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Tissue Closure Clamp


MSI454


MSI437


MSI438


MSI439

Main Operation Steps


1. Open packing, take out base


2. Tear off the dry glue under base.


3. Paste base on right place.


4. Put the forceps' head into the base.


5. At the same time hold the base to ensure the clamp to remove from the base successfully.


6. To ensure clear vision around the ligated vessels or tissue, then put tissue into single tooth of clamp, located the clamp around the tissue.


7. Exert enough force in handle of tissue forceps on the occlusal surface to close locking catch, until hear "click"


8. Loose the handle of tissue forceps, in order to do next operation.


9. Operation completes.

Attentions:

1. Don't use for ligation of oviduct.
2. Don't use for tissue marking.
3. Don't use for artery ligation in biopsy of kidney by endoscopy.

Disposable Skin Stapler

Easy operation, flexible and convenient, pin out and suture smoothly and accurately, safe, high-efficiency and quickly.




MSI440


Compare with traditional manual suturing


Wound healinng situation after operation


Effect of syturing shoulde's incision


Wound healing after removing staples


Compare before with after removing staples of laparotomy


Effect of suturing head's incision


Wound healing situation after operation


Compare before with after removinng staples of thoracotomy

Specific instruction:Non–stop when fire every staple.

Surgical Instruments

Disposable Circular Stapler



MSI441

- Indicator window shows clearly and precisely for the thickness of tissue.
- Reasonable staples density to reduce hemorrhage after operation.
- Imported titanium wire to offer better strength and degree of stretch.

Disposable Circumcision Stapler



MSI442

- Replace conventional circumcision surgery.
- Well hemostasis effect.
- Simple& safe operation shorten time.
- Fast postoperative recovery, reduce the pain of patients.

Disposable Linear Cutter Stapler



MSI443

- Bigger jaw,easier to adjust position.
- Unique firing button,in favor of left and right hand operation.
- The intermediate locking mechanism is more convenient and reliable to lock.
- Imported titanium wire to offer better strength and degree of stretch.

Disposable Curved Cutter Stapler



MSI444

- Imported titanium wire to offer better strength and degree of stretch.
- One step forming anvil to ensure the staples formed completely.
- Offer 4 rows of curved staples to make the tissue anastomosis more tightly.
- Visible curved head-designed to expose anatomy better for surgery.

Disposable PPH Stapler



MSI445



MSI446

Disposable Linear Stapler



MSI447



MSI448

Surgical Instruments

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Disposable Trocar



Equipment Specification

Type	Awl External diameter		Cannula Internal Diameter		Cannula Length		Puncture Cannula Length		Awl Length	
	Size	Tolerance	Size	Tolerance	Size	Tolerance	Size	Tolerance	Size	Tolerance
P-TC-5	5.5	+0.3 0	6	+0.3 0	112	±2.0	160	±2.0	205	±2.0
P-TC-10	10.3		10.4							
P-TC-12	12.8		12.9							
P-TC-15	15.2		15.7							

Application procedures

Puncturing abdominal cavity, supplying gas during laparoscopic surgery, and provide channels for operation instruments.

Disposable Incision Protector


MSI451


MSI452


MSI453

Equipment Specification

Classify	Type	Outer Ring Diameter (mm)	Inner Ring Diameter (mm)	Incision length (mm)	Clinical Application (only reference)
Silica Gel	PQB40/30-15/20	40	30	10~15	Thoracoscopy (laprascopic entering hole)
	PQB50/40-25/25	50	40	20~25	Thoracoscopy (laprascopic entering hole), Suspension laparoscope (laprascopic entering hole), Abdominal small incision operation (For example: Appendiceal operation, gynaecological accessory operation, etc)
	PQB70/70-35/25 PQB70/70-35/40	70	70	30~35 35~40	Breast, thyroid surgery Suspension laparoscope (laprascopic entering hole), Abdominal small incision operation (For example: Appendiceal operation, gynaecological accessory operation, etc)
	PQB120/100-60/40	120	100	50~60	Small incision in cardiothoracic surgery (Esophagus, thymus, etc)
PU	PQA60/70-60/150	60	70	30~50	Gasperitoneoscope, small incision abdominal surgery
	PQA80/90-80/150	80	90	50~70	
	PQA120/130-120/250	120	130	80~110	Various kinds of open surgery, such as: gastrointestinal surgery, Urology, gynecological tumor, gynecology and obstetrics
	PQA150/160-150/250	150	160	100~140	
	PQA180/190-180/250	180	190	120~160	
	PQA220/230-220/250	220	230	150~190	
	PQA270/280-270/250	270	280	230~270	
	PQA320/330-320/250	320	330	250~290	

Surgical Instruments



ME001
IV Infusion stand



ME002
Stainless Steel Pail



ME003
Stainless Steel Operation Round Chair



ME004
Doctor chair/nurse chair



ME005
Stainless Steel Chromosome Rack



ME006
Stainless Steel Chromosome Rack



ME007
Stainless steel reflection light



ME008
Stainless steel stand for transfusion



ME009
Stainless steel pedal trash can



ME010
Stainless Steel Operation Round Chair



ME011
stainless steel storage opening shelf



ME012
change dressing shelf



ME013
Stainless steel foiding screen



ME014
Stainless steel clean-hand-tub stand



ME015
Stainless steel square plate stand



ME016
Stainless Steel Checking bed for Women



ME017
Stainless steel clean-hand-tub stand



ME018
Stainless steel buckets in hand immersion



ME019
stainless Steel Gynecology Diagnose bed



ME020
lightweight maternity bed



ME021
Stainless quadrate apparatus (Doublesets)



ME022
Stainless quadrate apparatus



ME023
stainless steel baby for bed



ME024
ABS Complex Baby Cart (Vistyle)



ME025
Baby measuring meter



ME026
Stainless steel debridement truck



ME027
Stainless Steel Transfusion Cart



ME028
Stainless Steel Checking bed for Women



ME029
Stainless steel debridement truck



ME030
Stainless steel anesthesia truck



ME031
Stainless steel trolley cart
(two big wheels cund two small wheels)



ME032
Stainless treat trolley



ME033
Stainless Steel Oxygen-bottle Trolley



ME034
Stainless Steel Oxygen-bottle Trolley



ME035
Stainless steel dressing change trolley



ME036
Stainless treat trolley

Equipment



ME037
Stainless steel druy delivery cart



ME038
Stainless steel operation apparatus stand



ME039
Stainless steel iniection cart



ME040
Stainless steel medical record locker



ME041
Stainless steel operation apparatus stand



ME042
Stainless steel operation apparatus stand



ME043
Stainless steel medical record locker



ME044
Stainless Steel Cabinet with Vaccum Flask and Towel Shelf(four feet)



ME045
Stainless steel working cart (three layers)



ME046
Stainless steel instrnmens cart



ME047
Stainless steel apparatas stand



ME048
Stainless steel trolley for water supplying

Equipment



ME049
ABS Cabinet (1 door 2 drawers)



ME050
Stainless steel trash cart (L)



ME051
Stainless steel railing quilt car



ME052
Stainless steel rescaue cart



ME053
Stainless steel dirty clothes bag trolley



ME054
Stainless steel cleaning cart in the morning



ME055
Stainless steel rescaue cart



ME056
Stainless Steel ambulance cart



ME057
Stainless steel unrse trolley cart (four layers)



ME058
Stainless steel unrse trolley cart (three layers)



ME059
Stainless steel sisinfector trolley



ME060
Stainless Steel rescaue cart



ME061
Stainless steel look-over sickbed



ME062
Stainless steel examination bed with backrest



ME063
Stainless steel strrtcher trammers



ME064
Stainless steel strrtcher trammers
(two big wheels and two small wheels)



ME065
Stainless Steel Stretcher Cart(IVstyle)



ME066
Stainless Steel Stretcher Cart(IIstyle)



ME067
Stainless steel instrumment cabiner



ME068
Stainless steel instrumment cabinet



ME069
Stainless Steel Patient Cart (IIstvle)



ME070
Stainless Steel hoistsor lower the stretcher bed



ME071
Stainless Steel Aquas Preparing Cabinet



ME072
Saialess Seel Applianoe Cabinet



ME073
Suinless Steel Medicine Cabiset



ME074
Stainless steel three boards and
two crank sick bed



ME075
ABS Luxury Sickbed
(2 rockers without wheels)



ME076
Full Plastic Spray Sickbed
(2 folds and 1 rocker)



ME077
•Stainless steel two boards and
one crank sickbed



ME078
Stainless steel even sick bed



ME079
Full Plastic Spray Sickbed
(3 folds and 2 rockers)



ME080
Emergency trolley



ME081
ABS Luxury Sickbed(flat bed without wheels)



ME082
ABS Luxury Sickbed(1 rocker without wheels)



ME083
Emergency trolley



ME084
Emergency trolley

Equipment

Multifunctional electric hospital bed



ME085

- Cold steel plate wholly molded surface, integrated frame treated with electrostatic spraying. Anti-aging and anti-rust,IPX4 protection against water and dust , motors Standard protection class: IP54
- PE head and foot board removable for CPR function
- 4 pcs PE siderails , Convenient operation for patients and nurses.
- Standing function
- Battery backup, used in case of power failure
- Four dia125mm castors with central brake system



ME087

- Instant CPR release
- Bed High-Low, Head (Back Rest) Articulation, Knee(Foot Rest)Articulation
- Auto Contour (Head &Knee together moving function)
- Trendelenburg and Reverse Trendelenburg with controls on both sides and hand set
- Battery Back-up, Mobile-5” Casters adopt central control system, which is stable and reliable
- Three control mode: Attendant control panel at both side rail, hand set with Caregiver articulation lockout controls and foot switch

Five function electric bed with ACP



ME086

- Cold steel plate wholly molded surface, connected with arc soft join
- Streamline bed head board and railing made of PE
- 4 PCS automatic lifting railing embed design handset, can be fixed upward and downward,
- which can raise or lower the uppper body, knees, bed frame height, trendelenburg and reverse trendelenburg.



ME088

- Cold steel plate wholly molded surface.
- Integrated stamping frame and treated with electrostatic spraying, anti-aging and antirust
- ABS bed head, 6 aluminum bars fence can go up and down.
- 3pcs electro-motor, 1pc control box,
- One set of handset
- Four wheels adopt central control system, which is stable and reliable
- Max Loading: 280 Kg
- Battery backup

Orthopedics bed



- ABS material headboard and foot end board
- Steel bed frame, stainless steel traction shelf
- 4sets manual crank systems, 1pc tilting pulling pole
- 4pcs urine hooks, 6pcs IV drip holes
- Optional choose luxurious double-face castors,5" universal castors

ME089

Baby cabinet



- Baby cabinet in carbon steel material
- and bassinette in Acrylic plastic.
- Size:L820*W550*H900mm
- Can be made as assembling



ME090

Children's Bed




- Single manual crank system
- Frame is made of mild steel
- Totally enclosed bedside rail
- Bedside rail is possible to be adjusted to three altitudes

ME091

Baby Bassinet



- The height can be adjusted by gas spring, easy for mother and baby to communicate,
- Aluminum alloy column, transparent and hi-intensity baby basin



ME092


Remote control / Uv Lamp Germicidal Trolley



ME093

- Dual Tube Structure
- Orbit Design Base,easy For Installation
- Each Tube Can Be Used Independently
- Moveable And Foldable
- Built-in Type Tube Design
- Tube Angle Can Be Adjusted, 30° 60° 90° 180°
- Equipped With Timing Function
- Equipped With Sensor, If Lamp Sterilizer
- Turned On, If There Is Still Person In Room, The Lamp Will Not Be On, During Sterilization, If Person And An Animal Break Into The Room, The Lamp Will Be Alarmed And Off.

Ultra-Violet Germicidal Desk Lamp



ME094

- Tube Power:36W
- Power:220V 50Hz
- Timing mode:Electronic timing
- Applicable Static Space:40
- Remote mode:30meters wireless remote control
- Timing Range:15min 30min 60min

Anesthesia Machine



(Standard Model)

ME095



(Advanced Model)

Displayed image includes optional patient monitor

ME096

Common Features

- Operating Modes: Pneumatically driven & electronically controlled, closed, semi-closed and semi-open
- Anesthesia Ventilator: Built-in 8.4 inch color TFT display, able-display Pressure-Time, Frequency-Time, Pressure-Volume and Frequency-Volume, displayed waveforms can be cycled instantly with a touch of a button
- Standard integrated metallic modular respiratory circuit; completely solves the problem of gas sealing under high temperature disinfection, easy to clean and disinfect
- Power Failure Support Functions: Automatically converts to backup power mode during AC power outages
- Equipped with electronic pressure differential flow sensor, imported respiratory control valve, stable and reliable, rapid response time
- High precision five tube flowmeter, fitted with interlocking oxygen-nitrous oxide supply, guarantees oxygen output is never lower than 21%
- Nonhazardous environmentally friendly frame, precise construction, elegant design, equipped with automated self-checking function during startup and an automatic self-calibrating sensor
- Alarms: Audible and/or visual alarms for tidal volume, airway pressure, oxygen concentration, asphyxia, power failure, oxygen failure and other alarms, also features a alarm query function
- Vaporizer: Imported tank components assembled locally; Enflurane, Isoflurane and Sevoflurane (Halothane optional). Also possesses self-compensating functionality
- Advanced and stable Adjustable Pressure Limiting (APL) valve, suitable for low and ultra low flow anesthesia
- Equipped with advanced international rotating Na-lime tank, easy-operate, requires only one hand, and uses imported PPSU material and temperature resistant to 134°C
- Multi-parameter Patient Model: Optional

Specfciations

Model	JINLING-850 (Standard Model)	JINLING-850 (Advanced Model)
Display	8.4 inch TFT display	10.4 inch TFT display
Flowmeter Range	O_2: 0.1-10L/min N_2O: 0.1-10L/min Air: 0.1-10L/min	
Ventilation Mode	IPPV, SIPPV, VCV, IMV, SIMV, MANUAL, Standby	IPPV, SIPPV, VCV, PCV, IMV, SIMV, MANUAL, Standby
Back-up Power Supply	At least 4 hours	
Tidal Volume	Adjustable range: 20-1500ml Display range: 0-2000ml	
Respiratory Rate	1-100bpm	
Inspiratory/Expiratory (I:E) Ratio	8:1-1:10 (capable of inverse ratio ventilation)	
PEEP Range	0-20cmH_2O (electronically controlled)	
Inspiratory Pressure Trigger Range	-10-10cmH_2O (electronically controlled)	
SIGH	1 sigh breath in every 80-120 breaths	
Inhaled Oxygen Concentration Monitor	21-100%	
SIMV Rate	1-20bpm	
Inspiratory Plateau	0-1 second	
Vaporizer Concentration Ranges	0-5%	
Vaporizer Slots	Double PA-I type slots	

Equipment



ME097

Features

- Operating Modes: Pneumatically driven & electronically controlled, closed, semi-closed and semi-open
- Anesthesia Ventilator: Built-in 5.7 inch TFT display, able-display Pressure-Time and Frequency-Time, displayed waveforms can be cycled instantly with a touch of a button
- Standard integrated metallic modular respiratory circuit; completely solves the problem of gas sealing under high temperature disinfection, easy to clean and disinfect
- Equipped with electronic pressure differential flow sensor, imported respiratory control valve
- Vaporizer: Imported tank components assembled locally; Enflurane, Isoflurane and Sevoflurane (Halothane optional). Also possesses self-compensating functionality
- High precision four tube flowmeter, fitted with interlocking oxygen-nitrous oxide supply, guarantees oxygen output is never lower than 21%
- Nonhazardous environmentally friendly frame, with automated self-checking function during startup and an automatic self-calibrating sensor
- Power Failure Support Functions: Automatically converts to backup power mode during AC power outages
- Alarms: Audible and/or visual alarms for tidal volume, airway pressure, asphyxia, power failure, oxygen failure and other alarms, also features a alarm query function
- Equipped with advanced international rotating Na-lime tank, uses imported PPSU material and temperature resistant to 134°C
- Multi-parameter Patient Model: Optional

Specifications

Model	JINLING-820
Display	5.7 inch TFT display
Flowmeter Range	O_2: 0.1-10L/min N_2O: 0.1-10L/min
Ventilation Mode	IPPV, SIPPV, VCV, IMV, SIMV, MANUAL
Back-up Power Supply	At least 4 hours
Tidal Volume	Adjustable range: 50-1500ml Display range: 0-2000ml
Respiratory Rate	1-100bpm
Inspiratory/Expiratory (I:E) Ratio	8:1-1:10 (capable of inverse ratio ventilation)
PEEP Range	0-20cmH_2O (electronically controlled)
Inspiratory Pressure Trigger Range	-10-10cmH_2O (electronically controlled)
SIGH	1 sigh breath in every 80-120 breaths
SIMV Rate	1-20bpm
Inspiratory Plateau	0-1 second
Vaporizer Concentration Ranges	0-5%
Vaporizer Slots	Single PA-I type slot



(Economic Model)

ME098



(Standard Model)

ME099



(Advanced Model)

ME100

Common Features

- Operating Modes: Pneumatically driven & electronically controlled, closed, semi-closed and semi-open
- Anesthesia Ventilator: Built-in 5.4 inch TFT display, able-display Pressure-Time and Frequency-Time, displayed waveforms can be cycled instantly with a touch of a button
- Standard integrated metallic modular respiratory circuit; completely solves the problem of gas sealing under high temperature disinfection, easy to clean and disinfect
- Nonhazardous environmentally friendly frame, precise construction, elegant design, equipped with automated self-checking function during startup and an automatic self-calibrating sensor
- High precision two tube flowmeter, fitted with interlocking oxygen-nitrous oxide supply, guarantees oxygen output is never lower than 21%
- Oxygen failure alarm is supported by the anesthetic gas delivery system; when the oxygen supply within the circuit or cylinder falls below 0.20 MPa, a alarm will sound and the nitrous oxide will be cutoff
- Power Failure Support Functions: Automatically converts to backup power mode during AC power outages
- Alarms: Audible and/or visual alarms for tidal volume, airway pressure, power failure, oxygen failure and other alarms, also features a alarm query function
- Equipped with infrared turbine flow sensor; precisely measures gas flows, stable and reliable
- Vaporizer: Imported tank components assembled locally; Enflurane, Isoflurane and Sevoflurane (Halothane optional). Also possesses self-compensating functionality
- Equipped with advanced international rotating Na-lime tank, easy-operate, requires only one hand, and uses imported PPSU material and temperature resistant to 134°C
- Multi-parameter Patient Model: Optional

Advanced Model Exclusive Features

- Vaporizer with dual tank design, effective for extending surgical lengths and features interlocking tank capability

Specifciations

Model	JINLING-01B (Economic Model)	JINLING-01B (Standard Model)	JINLING-01B (Advanced Model)
Display	5.4 inch TFT display		
Flowmeter Range	O_2: 0.1-10L/min N_2O: 0.1-10L/min		
Ventilation Mode	IPPV,SIPPV, IMV, SIMV, MANUAL		
Back-up Power Supply	At least 4 hours		
Tidal Volume	Adjustable range: 50-1500ml Display range: 0-2000ml		
Respiratory Rate	1-99bpm		
Oxygen Supply Flow Rate	25~75L/min		
Inspiratory/Expiratory (I:E) Ratio	4:1-1:10 (capable of inverse ratio ventilation)		
Inspiratory Pressure Trigger	-10-10cmH_2O (electronically controlled)		
SIGH	1 sigh breath in every 80-160 breaths		
Vaporizer Concentration Range	0-5%		
Vaporizer Slots	Single PA-80 type slot	Single PA-I type slot	Double PA-I type slots
Gas Supply Pressure	O_2: 0.32MPa~0.6MPa; N_2O: 0.32MPa~0.6MPa		



ME101

(Standard Model)

Common Features

- Operating modes: Pneumatically driven & electronically controlled, closed, semi-closed and semi-open
- Anesthesia Ventilator: Built-in high visibility, wide angle LED alphanumeric data display
- Standard integrated metallic modular respiratory circuit; completely solves the problem of gas sealing under high temperature disinfection, easy to clean and disinfect
- High precision two tube flowmeter, fitted with interlocking oxygen-nitrous oxide supply, guarantees oxygen output is never lower than 21%
- Power Failure Support Functions: Automatically converts to backup power mode during AC power outages
- Fully metallic frame, precise construction, elegant design, equipped with automated self-checking function during startup and an automatic self-calibrating sensor
- Alarms: Audible and/or visual alarms for tidal volume, airway pressure, power failure, oxygen failure and other alarms
- Equipped with infrared turbine flow sensor; precisely measures gas flows, stable and reliable
- Vaporizer: Imported tank components assembled locally; Enflurane, Isoflurane and Sevoflurane (Halothane optional). Also possesses self-compensating functionality
- Equipped with advanced international rotating Na-lime tank, easy-operate, requires only one hand, and uses imported PPSU material and temperature resistant to 134°C
- Multi-parameter Patient Model: Optional



ME102

(Advanced Model)

Advanced Model Exclusive Features

- Vaporizer with dual tank design, effective for extending surgical lengths and features interlocking tank capability

Specifciations

Model	JINLING-01 (Standard Model)	JINLING-01 (Advanced Model)
Display	LED	
Flowmeter Range	O_2: 0.1-10L/min N_2O: 0.1-10L/min	
Ventilation Mode	IPPV, SIPPV, MANUAL	
Back-up Power Supply	At least 4 hours	
Tidal Volume	Adjustable range: 50-1500ml Display range: 0-2000ml	
Respiratory Rate	4-40bpm	
Inspiratory/Expiratory (I:E) Ratio	1:1.5-1:3.0	
Inspiratory Pressure Trigger	-10-10cmH_2O	
Vaporizer Concentration Ranges	0-5%	
Vaporizer Slots	Single PA-80 type slot	Double PA-80 type slots



ME103

Features & Specifications

- Operating Modes: closed, semi-closed and semi-open
- Standard integrated metallic modular respiratory circuit; completely solves the problem of gas sealing under high temperature disinfection, easy to clean and disinfect
- High precision two tube flowmeter, fitted with interlocking oxygen-nitrous oxide supply, guarantees oxygen output is never lower than 21%
- Flowmeter Range: O_2: 0.1-10L/min, N_2O: 0.1-10L/min
- Respiration Modes: Manual
- Alarms: Audible alarm for oxygen failure
- Vaporizer: Imported tank components assembled locally; Enflurane, Isoflurane and Sevoflurane (Halothane optional). Also possesses self-compensating functionality
- Vaporizer Concentration Ranges: 0-5%
- Equipped with advanced international rotating Na-lime tank, easy-operate, requires only one hand, and uses imported PPSU material and temperature resistant to 134°C

Ventilator



(Standard Model)

ME104

Common Features

- Operating Modes: Pneumatically driven & electronically controlled, closed, semi-closed and semi-open
- Pneumatically driven electrically controlled ventilator, can be used for emergency clinical resuscitation and respiratory therapy
- Display: Built-in 10.4 inch color TFT fully adjustable display, able-display Pressure-Time, Frequency-Time, Pressure-Volume, Frequency-Volume and any two waveforms simultaneously on screen
- Trigger Types: Pressure trigger, Flow trigger
- Sigh: Ability to insert 1-8 sigh breaths in every 100 breaths, ventilation should be no less than 1.5 the tidal volume
- Features built-in dual electronic flow sensors and dual respiratory modules
- Power Failure Support Functions: Automatically converts-standby mode during AC power outages
- Monitor Parameters: tidal volume, respiration rate, airway pressure, I:E ratio, inspiratory & expiratory status, inspiratory trigger and others
- Equipped with infrared turbine flow sensor; precisely measures gas flows, stable and reliable
- 9 Level adjustable humidifier
- Nonhazardous environmentally friendly frame, precise construction, elegant design, equipped with automated self-checking function during startup and an automatic self-calibrating sensor
- Alarms: Audible and/or visual alarms for ventilation volume, tidal volume, oxygen concentration, asphyxia, airway pressure, intubation disconnection, low oxygen, power failure and other alarms, also features a alarm history query function

Advanced Model Exclusive Features

- Equipped with professional medical grade air compressor tailored for long clinical times and low noise requirements

Air Compressor

- Air Compressor: 220V AC±10%, 50±1Hz, 700VA, also features good protective grounding against electrical activity
- Output Gas Pressure: 0.4MPa±20%
- Continuous output gas flow greater than or equal to 20L/min
- Instantaneous output gas flow great than equal to 60L/min

Specifciations

Model	PA-900B (Standard Model)	PA-900B (Advanced Model)
Display	10.4 inch high visibility color TFT display	
Ventilation Mode	A/C, SIPPV, IPPV, SIMV, PSIMV, PSV, CPAP, PCV, VCV, SPONT, MANUAL	
Minute Volume	Greater than or equal to 18L	
Back-up Power Supply	At least 4 hours	
Tidal Volume	Adjustable range: 20-1500ml, Display range: 0-2000ml	
Respiratory Rate	1-99bpm	
Inspiratory/expiratory (I:E) ratio	4:1-1:4	
PEEP	0-10cmH_2O	
SIMV Rate	1-20bpm	
Inspiratory Pressure Trigger	-10-10cmH_2O	
Trigger Sensitivity (flow)	1-10L/m	
Inspiratory Plateau	Adjustable from 0-50% of inspiratory time	
Adjustable Oxygen Concentration	45-100%	21-100%
Gas Supply Requirement	280～600 kPa medical grade oxygen and compressed air	
Pressure Limit	1.0kPa~6.0kPa	
Maximum Safe Operating Pressure	≤6.0kPa	
Tidal Volume Alarm	Upper Limit: 10~2000ml, Lower Limit: 0~1800ml	
Airway Pressure Alarm	Upper Limit: 0.1~6kPa, Lower Limit: 0~5kPa	
Oxygen Concentration Alarm	Upper Limit: 22~100%, Lower Limit: 21~80%	



(Advanced Model)

ME106



(Standard Model)

ME105

Common Features

- Operating Modes: Pneumatically driven & electronically controlled, closed, semi-closed and semi-open
- Pneumatically driven electrically controlled ventilator, can be used for emergency clinical resuscitation and respiratory therapy
- Nonhazardous environmentally friendly frame, precise construction, elegant design, equipped with automated self-checking function during startup and an automatic self-calibrating sensor
- Display: Built-in 10.4 inch high visibility color TFT display, able-simultaneously display Pressure-Time and Frequency-Time waveforms in real time
- Sigh: Ability to insert 1-8 sigh breaths in every 100 breaths, ventilation should be no less than 1.5 the tidal volume
- Equipped with infrared turbine flow sensor; precisely measures gas flows, stable and reliable
- Power Failure Support Functions: Automatically converts-standby mode during AC power outages
- 9 Level adjustable humidifier
- Monitor Parameters: tidal volume, respiration rate, airway pressure, I:E ratio, inspiratory & expiratory status, inspiratory trigger and others
- Alarms: Audible and/or visual alarms for ventilation volume, tidal volume, oxygen concentration, asphyxia, airway pressure, intubation disconnection, low oxygen, power failure and other alarms, also features a alarm history query function

Advanced Model Exclusive Features

- Equipped with professional medical grade air compressor tailored for long clinical times and low noise requirements

Air Compressor

- Air Compressor: 220V AC±10%, 50±1Hz, 700VA, also features good protective grounding against electrical activity
- Output Gas Pressure: 0.4MPa±20%
- Continuous output gas flow greater than or equal to 20L/min
- Instantaneous output gas flow great than equal to 60L/min

Specifciations

Model	PA-700B (Standard Model)	PA-700B (Advanced Model)
Display	10.4 inch high visibility color TFT display	
Ventilation Mode	A/C, IPPV, SIPPV, IMV, SIMV, Standby, SPONT, MANUAL	
Minute Volume	Greater than or equal to 18L	
Back-up Power Supply	At least 4 hours	
Tidal Volume	Adjustable range: 50-1500ml, Display range: 0-2000ml	
Respiratory Rate	1-99bpm	
Inspiratory/expiratory (I:E) Ratio	4:1-1:4	
PEEP	0-10cmH_2O	
SIMV Rate	1-20bpm	
Inspiratory Pressure Trigger	-10-10cmH_2O	
Inspiratory Plateau	Adjustable from 0-50% of inspiratory time	
Adjustable Oxygen Concentration	45-100%	21-100%
Gas Supply Requirement	280～600 kPa medical grade oxygen and compressed air	
Pressure Limit	1.0kPa~6.0kPa	
Maximum Safe Operating Pressure	≤6.0kPa	
Tidal Volume Alarm	Upper Limit: 10~2000ml, Lower Limit: 0~1800ml	
Airway Pressure Alarm	Upper Limit: 0.1~6kPa, Lower Limit: 0~5kPa	
Oxygen Concentration Alarm	Upper Limit: 22~100%, Lower Limit: 21~80%	



(Advanced Model)

ME107



ME108

Features

- Pneumatically driven electrically controlled ventilator, can be used for emergency clinical resuscitation and respiratory therapy
- Display: High visibility, wide angle LED alphanumeric data display, equipped with tactile analog parameter controls
- Equipped with high precession infrared turbine pressure and flow sensors
- Power Failure Support Functions: Automatically converts to standby mode during AC power outages
- Nonhazardous environmentally friendly frame, precise construction, elegant design, equipped with automated self-checking function during startup and an automatic self-calibrating sensor
- Alarms: Audible and/or visual alarms for tidal volume, airway pressure, power failure oxygen failure and other alarms.
- 9 Level adjustable humidifier

Specifications

Model	PA 500
Display	LED
Ventilation Mode	A/C, IPPV, SIPPV, IMV, SIMV, MANUAL
Minute Volume	Greater than or equal to 18L
Back-up Power Supply	At least 4 hours
Tidal Volume	Adjustable range: 50-1500ml, Display range: 0-2000ml
Output Oxygen	＜50%
Respiratory Rate	6-60bpm
Pressure Limit	1-6kPa
Inspiratory/Expiratory (I:E) Ratio	1:1.5-1:3.0
PEEP	1-10cmH_2O
SIMV Rate	1-12bpm
Inspiratory Pressure Trigger	-4-10cmH_2O
Maximum Safe Operating Pressure	≤6.0 kPa
SIGH	1 sigh breath in every 80-120 breaths
Airway Pressure Alarm	Upper Limit: 0.9~5.4kPa, Lower Limit:
Gas Supply Requirement	280~600 kPa medical grade oxygen

Patient Monitor



ME109

Features

- Display: 15.1 inch color TFT display, able to simultaneously display 9 types of vital signs including ECG, respiratory rate, blood oxygen and End-Tidal CO_2 waveforms
- Noninvasive blood pressure, heart rate, body temperature, peripheral oxygen saturation (SpO_2), respiratory rate & pulse rate recorded in a 1000 entry displayable and searchable historical statistics table
- Electrode Selection: 5 standard leads (RA, LA, RL, LL, V)
- Optional Languages: Chinese, English, Spanish, Turkish, Russian and French
- Retains heart rate, body temperature, peripheral oxygen saturation (SpO_2) and respiratory rate statistics for up to 72 hours
- Features pause, review and trending options when observing waveforms
- High precision noninvasive painless blood pressure measurement module, exceptional accuracy, great consistency, module equipped with twin hardware overvoltage protection
- Alarms: Audible and/or visual alarms for heart rate, peripheral oxygen saturation (SpO_2), noninvasive blood pressure and other alarms such as power disconnection or failure, alarm ranges fully adjustable
- Resistant to defibrillation & electro-surgical interference, highly stable and possesses a pacemaker suppression function
- Suitable for adults, pediatric and neonatal patients
- Capable of drug dosage calculation, titration tabling, demonstration mode, memory storage in case of power instability and other functions
- Real-time Battery Usage Monitoring: When battery levels are insufficient, a low power warning is issued by the TFT display
- Features independent oxygenation observation graph
- Optional built-in data recorder; records and exports text, waveforms and other information



ME110

Features

- Display: 15.1 inch color TFT display, able to simultaneously display 9 types of vital signs including ECG, respiratory rate and blood oxygen waveforms
- Noninvasive blood pressure, heart rate, body temperature, peripheral oxygen saturation (SpO_2), respiratory rate & pulse rate recorded in a 1000 entry displayable and searchable historical statistics table
- Electrode Selection: 5 standard leads (RA, LA, RL, LL, V)
- Optional Languages: Chinese, English, Spanish, Turkish, Russian and French
- Retains heart rate, body temperature, peripheral oxygen saturation (SpO_2) and respiratory rate statistics for up to 72 hours
- Features pause, review and trending options when observing waveforms
- High precision noninvasive painless blood pressure measurement module, exceptional accuracy, great consistency, module equipped with twin hardware overvoltage protection
- Alarms: Audible and/or visual alarms for heart rate, peripheral oxygen saturation (SpO_2), noninvasive blood pressure and other alarms such as power disconnection or failure, alarm ranges fully adjustable
- Resistant to defibrillation & electro-surgical interference, highly stable and possesses a pacemaker suppression function
- Suitable for adults, pediatric and neonatal patients
- Capable of drug dosage calculation, titration tabling, demonstration mode, memory storage in case of power instability and other functions
- Real-time Battery Usage Monitoring: When battery levels are insufficient, a low power warning is issued by the TFT display
- Features independent oxygenation observation graph
- Optional built-in data recorder; records and exports text, waveforms and other information



ME111

Features

- Display: 12.1 inch color TFT display, able to simultaneously display 9 types of vital signs including ECG, respiratory rate and blood oxygen waveforms
- Noninvasive blood pressure, heart rate, body temperature, peripheral oxygen saturation (SpO_2), respiratory rate & pulse rate recorded in a 1000 entry displayable and searchable historical statistics table
- Electrode Selection: 5 standard leads (RA, LA, RL, LL, V)
- Optional Languages: Chinese, English, Spanish, Turkish, Russian and French
- Retains heart rate, body temperature, peripheral oxygen saturation (SpO_2) and respiratory rate statistics for up to 72 hours
- Features pause, review and trending options when observing waveforms
- High precision noninvasive painless blood pressure measurement module, exceptional accuracy, great consistency, module equipped with twin hardware overvoltage protection
- Alarms: Audible and/or visual alarms for heart rate, peripheral oxygen saturation (SpO_2), noninvasive blood pressure and other alarms such as power disconnection or failure, alarm ranges fully adjustable
- Resistant to defibrillation & electro-surgical interference, highly stable and possesses a pacemaker suppression function
- Suitable for adults, pediatric and neonatal patients
- Capable of drug dosage calculation, titration tabling, demonstration mode, memory storage in case of power instability and other functions
- Real-time Battery Usage Monitoring: When battery levels are insufficient, a low power warning is issued by the TFT display
- Features independent oxygenation observation graph
- Optional built-in data recorder; records and exports text, waveforms and other information



ME112

Features

- Display: 8.4 inch color TFT display, able to simultaneously display 9 types of vital signs including ECG, respiratory rate and blood oxygen waveforms
- Noninvasive blood pressure, heart rate, body temperature, peripheral oxygen saturation (SpO_2), respiratory rate & pulse rate recorded in a 1000 entry displayable and searchable historical statistics table
- Electrode Selection: 5 standard leads (RA, LA, RL, LL, V)
- Optional Languages: Chinese, English, Spanish, Turkish, Russian and French
- Retains heart rate, body temperature, peripheral oxygen saturation ($SpO_{2)}$ and respiratory rate statistics for up to 72 hours
- Features pause, review and trending options when observing waveforms
- High precision noninvasive painless blood pressure measurement module, exceptional accuracy, great consistency, module equipped with twin hardware overvoltage protection
- Alarms: Audible and/or visual alarms for heart rate, peripheral oxygen saturation (SpO_2), noninvasive blood pressure and other alarms such as power disconnection or failure, alarm ranges fully adjustable
- Resistant to defibrillation & electro-surgical interference, highly stable and possesses a pacemaker suppression function
- Suitable for adults, pediatric and neonatal patients
- Capable of drug dosage calculation, titration tabling, demonstration mode, memory storage in case of power instability and other functions
- Real-time Battery Usage Monitoring: When battery levels are insufficient, a low power warning is issued by the TFT display
- Features independent oxygenation observation graph
- Optional built-in data recorder; records and exports text, waveforms and other information

BABY INCUBATOR

- Incubator and warmer work mode, servo controlled by micro-computer, convert automatically
- Multi audible and visual alarm functions, self-testing function
- 8" rotatable and movable color LCD display touchscreen with day & night modes
- Observe light with brightness adjustable, one tray and one big drawer
- Temperature trend for 24 hours
- Infant bed can be pulled out bidirectionally
- USB, RS-232 connector, SD card slot
- Foot pedal electric elevator

INCUBATOR:

- Temp control mode: Air and Skin mode
- Humidity control system, oxygen concentration control system
- Two skin temp sensors for measurement of central and peripheral
- Set temperature, air temperature, baby skin temperature, humidity, oxygen concentration, timer and heating power, SpO_2 are displayed separately
- > 37℃ temperature set function
- Triple protection for over temperature with separate cut off device, more safety system
- Double wall hood, 4 operating windows, 1 iris port 9 big infusion seals, independent locking device
- Oxygen inlet

WARMER:

- Control mode: Pre-warm, manual and automatic mode
- Carbon steel heater more effective
- Special design inclined heater head is more convenient for X-ray image
- Bigger mattress, electric infant bed tilt ±12°
- Transparent protector can be fold down with damping function
- Baby weight system, X-ray cassete tray

- Optional:
  Down side phototherapy, CCD camera



ME114



ME113

Equipment

- Air and skin temperature mode servo controlled by micro-computer
- 10'' color LCD display touchscreen with air and skin temperature graph
- Humidity control system, oxygen concentration control system, baby weight system
- Multiple audible and visual alarm function,self-testing function
- Double fan, air curtain structure, better temperature uniformity, reduce heat loss during operation
- The left and right doors can be both open, with damping function independent locking device for both door
- Electronic bed tilting, ±12° step-less adjustable, The bed can be pulled out from both sides
- Two skin temp sensors for measurement of central and peripheral
- Observe light with brightness adjustable
- The height of whole unit can be adjusted, double pedal switch
- >37℃ temperature set function
- Set temperature, air temperature, baby skin temperature, humidity, oxygen concentration, timer and heating power, SpO2 are displayed separately
- The drawer can be pulled out from both sides
- Double wall hood, 4 operating windows, 1 iris port, 9 big infusion seals
- X-ray cassette tray
- RS232 connector, Oxygen inlet,1 tray
- Optional:
  Double LED phototherapy



ME115

Transport Incubator

- Air mode and Baby mode controlled by micro-computer
- Use AC Power and DC Power alternatively,DC12V or DC 24V Power on the ambulance
- Set temperature, air temperature, skin temperature and internal battery power can be displayed by LED
- Self-testing function, multi audible and visual alarm function
- Double wall hood with 4 operating windows, 1 iris ports and 6 infusion seals
- The infant bed can be pulled out from side door easily
- Natural air flow humidity
- The height of whole unit can be adjusted
- Oxygen supply system
- LED observe light, adjustable brightness
- Optional:
  Ambulance type trolley, humidity display, oxygen concentration control, SpO_2



Ambulance type trolley

ME116



ME117

Equipment

INFANT RADIANT WARMER SERIES

- Microprocessor based servo controlled temperature system
- Three modes: pre-warm, manual and automatic
- Audible and visual Alarm functions :
  Power failure, temperature deviation, temperature sensor failure,
  skin temperature failure, over temperature
- Skin temperature, auxiliary temperature and ambient temperature are displayed seperately
- Built-in breath combination mode (negative pressure suction, continuous oxygen infusion, cardiopulmonary resuscitation)
- 10"LCD colorful touch screen
- Carbon steel heater more effective
- Separate keyboard lock to prevent misoperation
- Special design inclined heater head is more convenience for X-ray image
- Convenient X-ray cassette tray under infant bed
- Integral timer to record therapy time
- Electric infant bed step-less adjustable tilt ±12°
- Four transparent protector with 12 infusion seals can be
  flipped and removed, damping slow down
- The height of whole unit can be adjusted, pedal switch
- LED observation light, lighting direction 360°adjustable
- The tray is adjustable up and down
- With oxygen supply system, LED phototherapy,
  baby weight system, pulse oximeter
- With RS-232 connector and 1 big drawer



ME118

- Microprocessor based servo controlled temperature system
- Control modes: pre-warm,manual and automatic
- Audible and visual alarm functions: Power failure, temperature deviation,
  temperature sensor failure, skin temperaturefailure, over temperature
- 8" LCD colorful touch screen
- Carbon steel heater more effective
- Special design Inclined heater head is more convenient for X-ray image
- Integral timer to record therapy time
- Bigger mattress,
- Skin temperature trend for 2 hours
- Electric infant bed step-less adjustable tilt ±12°
- Four transparent protector with two infusion seals
- Convenient X-ray cassette tray under infant bed
- Electric elevator
- LED observation light, oxygen supply system and LED phototherapy
- With RS-232 connector, 2 trays and 2 drawers
- Optional Parts:
  low pressure aspirator ,internal / external infant resuscitator
  (T piece), Air and oxygen blender, Gel mattress



ME119



ME120

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

INFANT PHOTOTHERAPY UNIT

- LED blue bulbs as the radiant source, irradiating uniformly
- 360° phototherapy radiantion more effective
- Small in size, light and high irradiation
- Three phototherapy modes: Up side phototherapy and Down side phototherapy can be used separately, also can be used together
- Therapy time of up and down side phototherapy units, air temperature , skin temperature are displayed separately
- Automatically record each therapy time and total therapy time
- Power off memory, alarm silence key, locking key and self-test function
- Four alarm functions: power failure, probe failure, over temperature, fan failure
- Count down timer
- Two sides observation windows
- Air spring structure make the hood open and close easily
- The aluminum alloy is applied on the base, with 2 drawers and 1 tray



ME121

- LED bulbs as phototherapy radiant source
- Irradiance intensity is adjustable in 3 grades: low, medium, high
- LCD screen display therapy time and integral time seperately
- Count up timer and count down timer for exact and convenient treatment
- Equal light distribution, high intensity
- Quiet, no noise of fan
- The angle of head and height are adjustable
- Four castor with brake, aluminium alloy and steel support base
- Long life span LED bulbs
- Using together with infant incubators, infant warmers, baby cradle



ME122

- Double sides phototherapy for more effective radiation: Upside phototherapy and downside phototherapy can be used separately, also can be used together
- Irradiance intensity of upside phototherapy is adjustable in 3 grades: Low, medium, high
- LCD screen of upside phototherapy unit displays each therapy time and total therapy time with countup and countdown timer
- Upside phototherapy unit adopts big blue LED bulbs, which is, efficient and long life
- Downside phototherapy unit adopts blue LED bulbs source and independent air cooling fan
- Protect boards of infant bed could be folded down for clinical use
- Upside phototherapy unit can be adjusted 360° horizontally and 180°vertically
- The height of upside phototherapy is adjustable
- Stand column could be adjusted ±360°
- Anti-rusty aluminum alloy base
- With drawers and lockable castors



ME123

- LED bulbs as phototherapy radiant source
- Irradiance intensity is adjustable in 3 grades: low, medium, high
- LCD screen display therapy time and integral time seperately
- Count up timer and count down timer for exact and convenient treatment
- Equal light distribution, high intensity
- Quiet, no noise of fan
- The angle of head and height are adjustable
- Long life span LED bulbs
- Using together with infant warmers



ME124

Equipment

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Multi-parameter Vital Signs Monitor



Standard Parameters

12-lead ECG, Body composition, NIBP, Height and weight, SpO_2, TEMP

HR, PR, BG, Cholesterol, Uric Acid

ME125

Optional Functions

Hemoglobin, Lung function, Blood lipid, WBC, PWV, Printer

Multi-parameter Vital Signs Monitor



ME126

Standard Parameters

5-lead ECG, SpO_2, NIBP, BG, TEMP, Height and weight

Optional Functions

12-lead ECG, Urine Routine, Hemoglobin, Uric Acid, Lung function, Cholesterol, Blood lipid, Printer

Equipment

Multi-parameter Vital Signs Monitor



HMS6500

ME127

Standard Parameters

5-lead ECG | SpO_2 | NIBP | BG | TEMP

Optional Functions

12-lead ECG | Urine Routine | Hemoglobin | Uric Acid | Lung function | Cholesterol | Blood lipid | Printer

Multi-parameter Vital Signs Monitor



ME128



ME129

Standard Parameters

♦ 12-lead ECG ♦ SpO_2 ♦ NIBP ♦ BG ♦ TEMP ♦ Urine Routine


Optional Functions

♦Hemoglobin ♦Uric Acid ♦Cholesterol ♦Laser/Thermal Printer ♦Lung function ♦Fetal heart ♦Blood lipid ♦Weight

PM10 Portable ECG Monitor

Features

- 1.77" color TFT-LCD.
- Quickly to check ECG once finger touching, convenient to operate.
- Accurate conclusion can be obtained immediately after measuring.
- The built-in rechargeable lithium battery can continuously record for up to 500 cases in full charging.
- Bluetooth transmission.
- ECG data can be saved to CLOUD Platform permanently, convenient to check and analyze.
- Historical data can be printed at any time, convenient to diagnose.





PM10

ME130

ECG90A Electrocardiograph

Features

- 2.83" TFT-LCD
- Operation mode: touch screen and function keys.
- Sync collection for 12-lead ECG, display of 3/6/12-lead ECG on one screen.
- Case storage and review function, and ECG waveforms can be displayed accurately and clearly by communicating with PC.
- 4h standby time, continuous print up to 90 minutes, record up to 100 ECG waveform.
- Synchronous print up to 3-lead ECG and analysis report.
- Power supply: AC/DC, built-in rechargeable lithium battery.
- Paper speed: 6.25, 12.5, 25, 50 mm/s ± 5%
- Multi-language interface.
- Dimension: 207mm(L)×96mm(W)×62mm(H)
- Paper size: 50mm×20m



ECG90A

ME131

ECG100G Electrocardiograph

Features

- 2.8" LCD
- Continuous record for single-channel ECG waveform and annotation.
- Power supply:AC/DC, built-in rechargeable lithium battery.
- In AUTO mode, finish recording by pressing the button once, which improves work efficiency.
- Adopt digital signal processing technology and get high-quality ECG waveform via power frequency filter, baseline filter and EMG filter of ECG signal.
- Real-time and continuously record clear and accurate ECG waveform and annotation character (including lead mark, sensitivity, paper speed and filter state, etc.).
- Adopt high-resolution thermal printing system(8 dot/mm), no need for any adjustments. Recording frequency: up to 150Hz.
- Multi-language (Chinese, English, French, Italian, German, Spanish, Turkish, Russian and Kazakh) interface and report.
- In optimal DC state, up to 7-hour standby time, continuous print up to 4-hour, record up to 150 pieces of ECG waveform.
- Paper size:50 mm(W)×20 m(L)
- Dimension:
  315 mm(L)×215mm (W)×77 mm(H)



ME132

Equipment

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

ECG300GA/E3M Electrocardiograph

Features

- 2.8" LCD
- High-resolution thermal printer achieves real-time print of ECG waveform and report.
- Power supply:AC/DC, built-in rechargeable lithium battery.
- Paper speed:6.25,12.5,25,50 mm/s ±5 %
- Paper size:80 mm(W)×20 m(L)
- Dimension: 315 mm(L)×215mm (W)×77 mm(H)
- Sync collection for 12-lead ECG, adopt digital signal processing technology and get high-quality ECG waveform via power frequency filter, baseline filter and EMG filter of ECG signal.
- Display of 1/3/6/12-lead ECG, print mode, sensitivity, paper speed and filter state, etc. on one screen, convenient for contrastively diagnosing.
- Multiply printing modes and formats, including manual, auto 4x3, auto 3x4+1, auto 3x4, auto 2x6+1, auto 2x6, etc. Waveform length printed can be adjusted, and with timed print function, which meets different requirements.
- With the functions of auto-analysis and auto-diagnosis for routine ECG parameters, provide measurement results and auto-diagnosis conclusion for HR, P-R interval, P Duration, QRS Duration, Q-T interval, Q-Tc, P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1), etc. which reduces the doctor's burden.
- Build-in memory stores 15 cases, which is convenient for doctor to review case and statistic.
- Multi- language(Chinese, English) interface and report.
- Optional ECG-Sync software, connect with PC by USB2.0 interface to form a ECG workstation, import real-time data to the software for analyzing and report printing, and old cases stored in Electrocardiograph can be uploaded to PC.



ECG300GA

ME133



E3M

ME134

ECG300G/ECG300GT/E3 Electrocardiograph

Features

- 4.3" LCD
- High resolution thermal-array output system(8 dots/mm), no adjustment required. Frequency Response is up to 150Hz.
- Sync collection for 12-lead ECG, support routine 12-lead and Cabrera-lead waveform display. Get high-quality ECG waveform via AC filter, DFT filter, EMG filter and Low-pass Filter of ECG signal.
- Display 3/6/12 - lead ECG waveform, print mode, sensitivity, paper speed, filter status, etc. on one screen, convenient for contrastively diagnosing.
- Support for auto 1×12, auto 1×12+1, auto 2×6, auto 2×6+1, auto 3×4, auto 3×4+1, auto 4×3, auto 3-2+1, auto 3-2, rhythm 4, rhythm 3, rhythm 2 and manual. The printed content contains time, paper speed, sensitivity, calibration signal, name of lead, filter state and patient's information. Information including printed waveform length, output measurement parameter, diagnostic conclusion, superposition QRS waveform, histogram, trend chart and interval list, can be set, and with time print function, which meets different requirements.
- With the functions of auto-measurement and auto-interpretation for routine ECG parameters, provide measurement results for HR, PR interval, P Duration, QRS Duration, T Duration, QT/QTc interval, P/QRS/T Axis, R(V5), S(V1) and R(V5)+S(V1), etc. and auto-diagnosis conclusion, which reduces the doctor's burden.
- Rhythm lead can be selected freely, convenient to observe abnormal heart rhythm.
- The subject's clinical information (such as, ID, Name, Age, Sex, Height, Weight, etc.) can be entered.
- 1000 cases can be stored by the built-in memory, convenient for case review and statistic.



ECG300G/ECG300GT

ME135



E3

ME136

Equipment

ECG600G/E6 Electrocardiograph

Features

- Adopt 7'' high-resolution color LCD, operate by touch screen and function buttons, convenient to use.
- Sync collection for 12-lead ECG, support routine 12-lead and Cabrera-lead waveform display. Get high-quality ECG waveform via AC filter, DFT filter, EMG filter and Low-pass Filter of ECG signal.
- Display 3/6/12 - lead ECG waveform, print mode, sensitivity, paper speed, filter status, etc. on one screen, convenient for contrastively diagnosing.
- Power supply: AC/DC (which can adapt AC 50/60Hz), with built-in rechargeable lithium battery, charging circuit, perfect over-current and over-voltage protection circuit.
- Rhythm lead can be selected freely, convenient to observe abnormal heart rhythm.
- The subject's clinical information (such as, ID, Name, Age, Sex, Height, Weight, etc.) can be entered.
- 1000 cases (3 s case is frequently used) can be stored by the built-in memory, convenient for case review and statistic.
- In optimal DC state, up to 10-hour standby time, continuous print for more than 3-hour and print up to 1000 ECG waveform (3 s case is frequently used).
- Multi-language (Chinese, English, Turkish, Portuguese, German, Russian and Kazakh, etc.) interface and report.
- External printer and USB storage device can be connected.



ECG600G

ME137



E6

ME138

E6
Wider in input dynamic range, higher in CMRR and polarizing voltage.

ECG1200G Electrocardiograph

Features

- 8" color touch screen.
- Sync collection for 12-lead ECG, a sampling accuracy of 24-bit can get high-quality ECG waveform via power frequency filter, baseline filter and EMG filter of ECG signal.
- 3/6/12-lead ECG waveform and other information such as print mode, sensitivity, paper speed, filter can be displayed in one screen, convenient for contrastive diagnosis.
- Multiply printing modes and formats, including auto 12x1, auto 6x2+1 (rhythm lead), auto 6x2, auto 3x4+2 (rhythm lead), rhythm 12, rhythm 10, rhythm 8, rhythm 6, manual, etc. Trend chart and histogram of P-R interval can be printed, waveform length printed can be adjusted, and with time print function, which meets different requirements.
- Paper speed: 5mm/s, 6.25mm/s, 10mm/s, 12.5mm/s, 25mm/s, 50mm/s.
- With the functions of auto-analysis and auto-diagnosis for routine ECG parameters, provide measurement results and auto-diagnosis conclusion for HR, P-R interval, P Duration, QRS Duration, Q-T interval, Q-Tc, P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1), etc., which reduces the doctor's burden.
- Built-in large capacity memory, convenient for case review and statistic.
- Multi-language(Chinese, English, Turkish, Portuguese, German, Russian, Kazakh and other languages) interface and report.
- In optimal DC state, up to 10-hour standby time, continuous print more than 3-hour, which meets the requirements of visiting a patient at home and body examination.



ME139

ECG1200G

Equipment

Baby Sound A/Baby Sound B Pocket Fetal Doppler

Features

- Integrated design for probe and host.
- Double headphone jacks.
- High-sensitivity ultrasound probe.
- Screen will be locked automatically when there is no signal for 15s, convenient to observe (only for Baby Sound B).
- Power supply: two 1.5V batteries (AAA LR03).



Baby Sound A
ME140



Baby Sound B
ME141

Baby Sound C/Baby Sound C1 Pocket Fetal Doppler

Features

- Bar graph and heartbeat waveform color display (only for Baby Sound C1).
- Three working mode: Real-time FHR Display Mode, Averaged FHR Display Mode and Manual Mode.
- Pluggable USB probe interface, probe can be replaced.
- Auto shut off if there is no signal within 1 minute.
- Power supply: two 1.5V batteries (AA LR6).
- Optional probes:2MHz, 3MHz, 8MHz probe.
- Built-in speaker.
- Battery status indication.



ME144



ME145

CONTEC10A/CONTEC10B Pocket Fetal Doppler

Features

- Magnetic probe.
- Digits/Curve display.
- Battery level indication.
- Auto shutdown after no signal inputting for 60s.
- Two sound output modes: built-in speaker and external headphone.
- Power supply: two 1.5V batteries (AA LR6).
- Probe working frequency: 2 MHz(CONTEC10B)/3 MHz (CONTEC10A).



CONTEC10A
ME142



CONTEC10B
ME143

CONTEC10C/CONTEC10CL Pocket Fetal Doppler

Features

- Magnetic probe, compact design, convenient to use.
- Digits/Curve display.
- Battery level indication.
- Auto shutdown after no signal inputting for 60s.
- Two sound output modes: built-in speaker and external headphone.
- Enclosure protection class IP22.
- CONTEC10C Battery type: three 1.5V batteries (AA LR6).
- CONTEC10CL Battery type: 3.7V lithium battery.
- Probe working frequency: 2 MHz(CONTEC10C)/3 MHz (CONTEC10CL).



ME146

CMS1700A/B/C Color Doppler Ultrasonic Diagnostic System


Features

- 15 Inch TFT Display
- Advanced Technologies
- Digital Beam Forming (DBF)
- Real-time Dynamic Aperture (RDA)
- Dynamic Receiving Focus (DRF)
- Tissue Harmonic Imaging (THI)
- Continuous Doppler (CW)
- Superior Phased Array
- Cardiac Imaging Technology
- Complete Software Package
- PW Auto Trace
- Trapezoid Imaging
- Compound Imaging
- B+CF/PDI/DPDI+PW
- Full-Screen Display
- Display Mode
- B, B/B, 4B, PDI, 3D, 4D, M,CF, PW, CW (Optional: 3D, 4D)



CMS1700A/B/C

ME147



CMS600P2 B-Ultrasound Diagnostic System

Features

- 10" LCD.
- Laptop device with embedded operating system, rich in software packages.
- Be applicable for examination of abdomen, gynecology and obstetrics, cardiology, small organs and urology.
- Adopt tissue harmonic imaging(THI) technology, reports can be printed and exported.
- Near gain, far gain and total gain can be set separately.
- Images can be stored in the device or U disk.Be compatible with ink jet printer, laser printer and video printer.
- Optional probes: 3.5MHz convex probe, 3.5MHz micro-convex probe, 6.5MHz transvaginal probe, 7.5MHz linear probe.
- Dimension: 292mm(L)×232mm(W)×45mm(H)





ME148

Equipment

MS400 Multiparameter Simulator

MS400 is a portable Multiparameter Simulator which can accurately simulate 12-lead ECG, respiration, temperature, 2-channel IBP or 4-channel IBP.

Features

- Simulate 35 kinds of arrhythmia and pacemaker waveforms.
- Simulate 4-channel IBP data.
- Simulate respiration signal with adjustable respiration rate, impedance change and baseline impedance, and 3 kinds of apnea data.
- Simulate 4 kinds of temperature data.
- Simulate square wave, triangle wave, pulse wave and sine wave with adjustable frequency.
- Simulate standard ECG calibration, adult and pediatric ECG signal.
- ECG waveform complied with the standard of ANSI/AAMI EC13-2002, AHA, MIT.
- ECG database, other ECG database and user-defined waveform data stored in TF card can be displayed by the simulator and exported to the equipment to be tested.
- Each waveform can be observed by sliding the 3.5" color TFT touch screen, easy to operate.
- Power supply: rechargeable lithium battery or linear adapter.
- Operation mode: keys and touch screen.
- Dimension: 188.6mm(L)×125mm(W)×43.2mm(H)



ME149

MS500 Universal Multiparameter Simulator

Features

- Support the inspection procedure of standards performance requirement of all versions for the Electrocardiograph, Electrocardiographic monitors, Dynamic Electrocardiograph and Electroencephalogram Mapping.
- Output of function signals: sine wave, square wave, triangular wave, pulse wave and DC signals, etc., amplitude and frequency is adjustable.
- Output of various types of medical signals: normal ECG wave, multiple abnormal ECG waves, RESP wave, EEG wave, etc. HR, wave group parameters, period and amplitude are adjustable.
- Testing and calibration of 18-lead ECG equipment.
- Output of waveform signals, including normal sinus rhythm, irregular heart-beat, body temperature and IBP.
- Create/Edit/Delete any test signal under operation interface, record and save the superposed signal as needed.



MS500

ME150

MS900 Vital Signs Simulator

Features

- Simulate many physiological parameters.
- Corresponding waveform signal can be output according to the requirements of relative standards, and the test items in relative standards can be extended.
- High-resolution 7" color LCD, operate by touch screen and functional buttons, convenient and fast to operate.
- AC/DC (frequency: 50/60 Hz), built-in rechargeable lithium battery and charging circuit.
- User-defined test solution which can be saved, achieves flexible configurations among solutions.
- Dimension: 380 mm(L) × 260 mm (W) × 160 mm(H)



ME151

MS100 SpO_2 Simulator

MS100 is a separated SpO_2 simulator which features in small volume and light weight. As different manufacturers may use different R-curve, parts of current popular R-curve are embedded into the simulator in advance.

Features

- Separated design for simulator probe and host, convenient to test and operate.
- SpO_2 simulation.
- Pulse rate simulation.
- Simulate presettable patient state.
- Test reaction time of the device.
- TFT-LCD with adjustable backlight brightness.
- Film button, more comfortable to operate.
- With rechargeable lithium battery.
- Simulate SpO_2 and PR under different amplitudes.
- Test device performance under different interference source.
- Dimension: 189mm(L)×125mm(W)×56 mm(H)



MS100

ME152

MS200 NIBP Simulator

MS200 NIBP Simulator is a multi-purpose test instrument for checking oscillometric Non-Invasive Blood Pressure(NIBP) Monitors, features in compact appearance, simply operation, and the internal pump can generate pressures up to 400mmHg (53.3kPa).

Features

- Test functions for pressure gauge, pressure leak and relief valve.
- Build-in pump provides pressure source.
- Simulate ambulatory blood pressure for arm and wrist Sphygmomanometer.
- Simulate blood pressure for adult, neonate, 8 kinds of patient state and user-defined.
- Simulate blood pressure under the condition of arrhythmias, respiratory interference.
- 4.3" LCD
- Built-in air chamber to simulate adult and neonate cuff.
- Dimension: 270mm(L)×265mm(W)×132mm(H)



MS200

ME153

CONTEC08D Electronic Sphygmomanometer

Features

- 7-segment LCD.
- Be applicable for adult.
- Start measuring manually store up to 99 groups of data.
- Low battery and error information indication.
- Automatic power-off when there is no operation for several minutes.
- Optional units: mmHg and kPa.
- Memory for blood pressure results.
- Dimension: 132mm(L)×130mm(W)×50mm(H).



CONTEC08D

ME154

CONTEC07A Electronic Sphygmomanometer

Features

- Be applicable for use by adult for NIBP measurement.
- One-button operation, wrap the cuff automatically to finish measurement.
- High-definition color LCD, big font display, simple and understandable in display contents.
- Measurement results can be printed, convenient for user to record.
- Be applicable for use by person whose arm circumference is in range of 17 cm ~ 42 cm.
- Optional two units: mmHg and kPa.
- USB interface and network interface.



ME155

Equipment

AE1000A Arteriosclerosis

Specification

ECG

Calibration voltage: 1 mv±5 %

Amplitude-frequency characteristic: 10 Hz as standard, 1 Hz~75 Hz

Noise level: ≤30 μVp-p

CMRR: ≥60 dB

HR: 30 bpm ~ 300 bpm, accuracy : ±1 bpm or ±1 %, whichever is greater.

HS

Amplitude-frequency characteristic: the difference of sinusoidal waveform with input frequency 20 Hz~250 Hz and the one with input frequency 100 Hz: ≤10 %.

NIBP

- Measurement method: oscilloscope (single limb, unilateral, four-limb synchronous measurement)
- Measurement range: 0 mmHg~290 mmHg(0~38.6 kPa)
- Resolution: 1mmHg(0.133 kPa)

Accuracy meets the requirements of standard deviation and mean deviation in ANSI/AAMI SP-10.



ME156

CMS6600B EMG/EP System

Features

- Professional EMG/EP operation platform and perfect test projects,complete each test in the shortest time.
- Perfect case report data and graph creating system.
- Special database management system.
- Select test part with Neuro and muscle navigation system and projects selecting system fleetly and conveniently.
- Powerful normal value system,contrast with normal data automatically.
- Flexible software design,configure systems according to requirements.
- High-speed data collection,electromagnetic interference suppression,Photoelectric isolation and low noise.
- Simple and convenient operation panel.
- Good Electrostatic and electromagnetic interference suppression capability for using high strength and light quality metal enclosure.
- Selectable 1-4channel input mode meets multi-working modes in clinical EMG test.
- High-speed collect and process data with parallel processing technology,display data with graph.



ME157

KT88/KT88-2400/KT88-3200 Digital Brain Electric Activity Mapping

The Digital Brain Electric Activity Mapping collects EEG signal by electrodes, via auto-analysis and FFT, to form electroencephalogram. They are applicable for checking such diseases as epilepsy, intracranial inflammation, cerebrovascular diseases and brain tumors.

Features

- Channels:
  KT88 : 16-channel EEG + 2-channel ECG(optional)
  KT88-2400 : 19-channel EEG+5-channel multi-parameter (including: 1-channel ECG + 1-channel EMG+ 2-channel EOG + 1-channel respiration)(optional)
  KT88-3200 : 32-channel EEG
- Display speed(paper speed): 5, 10, 15, 30, 60, 120 mm/s, gain: 1, 1.5, 2, 3, 5, 7.5, 10, 12, 15, 20, 30, 50mm/50μV, Playback speed: 1, 2, 3, 10, 20, 40, 60 times.
- Multifunctional digital filter systems, user can freely set low-pass, high-pass, band pass and band stop filter.
- Electronic frequency ruler with partial magnification window, to accurately measure EEG cycle, amplitude and frequency, and which can be adjusted according to requirements.
- User-defined events can be added, waveform color for evoked event can also be freely set, ensures that the waveform in corresponding time can be rapidly found by event name during case playback.
- Powerful and automatic analysis function, display of many charts(including kinds of BEAM, numerical BEAM, compressed spectrum chart, trend chart, etc.) on one screen.
- Multifunctional flash stimulator with USB interface, which can control flashlight manually or automatically. A flashlight stimulation scheme can be set and performed in the process of collection.
- Perfect case management function, provides many means for research and fast statistic information, which is convenient for exporting and importing cases.
- Integrative image and character report, report mode can be edited and switched to Word document.
- With the functions of converting case files into EDF and BDF data format, which is convenient for data interchange and academic exchange.
- System parameters and display modes can be set according to requirements.
- Marks and annotations can be added to the waveform designated, which can rapidly find the waveform in that time by marks.
- Optional functions: video, SpO_2.



KT88
ME158



KT88-2400
ME159



KT88-3200
ME160



ME161

Equipment



ME162



ME163

Application

Infusion & Blood Warmer is suitable for operation room, ICU, emergency room, ward or other places;When the instrument works, the heat passes through the heat exchanger to the flowing liquid in the groove, and the blood, blood products, liquid medicine, nutrient solution or flushing liquid are heated to ideal temperature under the condition of cold storage or room temperature, which can prevent the low temperature syndrome and the related complications

Features

- High efficiency: adapt to the change of liquid velocity, temperature and environment, intelligent microcomputer can control the temperature automatically, the heating capacity can reach 9 liters / hour, and it can heat multi-channel is othermal liquid at the same time. (BFW-1020C heating capacity is 15 liters / hour) unique drop speed / room temperature / wireless connection function design, through wireless function can transfer data to the central monitoring system (BFW-1020B configuration);
- Flexible: suitable for large flow infusion and transfusion, can also be used for general transfusion, heating temperature range is set at 28-41 degrees Celsius; (0.1 increments)
- Clear: use 3.2 inch color LCD display, synchronous display: real time temperature, setting temperature, heating time,alarm indicator, room temperature, drop speed, whether there is no city power instructions, whether there is liquid indication, whether there is communication instructions;
- Fast: 2 minutes to set the temperature, 24 hours of continuous work;
- Economy: disposable pipeline low price; (large flow blood transfusion using special tube)
- Innovation: no electricity alarm after power cut;



ME164



ME165

Application

Products applicable to the industry:The health care industry, drug control, environmental protection, chemical industry, laboratory, food, health and epidemic prevention departments for drugs, reagents, vaccines and other products stored in imported computer monitoring, temperature controller, color display, high precision, high and low temperature alarm, temperature sensor fault alarm, to prevent accidents.

Features



Working Interface



Set Interface

- 32 bit high speed microprocessor, the temperature control accuracy can reach ±0.5℃, controllable temperature value is between 5℃ and 60℃;
- True color touch screen, large screen display, with the screen synchronous display of data transmission, timer and temperature change;
- According to the heating step, the temperature is monitored in real time, and 16 monitors are synchronized and monitored in real time;
- User-friendly user panel, easy to identify, easy to operate;
- Built in toughened glass door provides good air tightness and easy to observe the working condition of the machine;
- Provide a variety of modes of work, adapt to a variety of environments;
- Three temperature protection, temperature cut-off function, leakage and current excessive circuit breaker;
- The silent heating motor makes the temperature distribution of the inner cavity of the in strument uniform, and the rocking function is built-in to improve the heating efficiency;
- BFW-1050A capacity: 10 liters, maximum heating power: 300W
- BFW-1050B capacity: 30 liters, maximum heating power: 500W
- BFW-1050C capacity: 50 liters, maximum heating power: 700W



BVF-263
Vein Finder

ME166

Application

Assist paramedics in the venous puncture, rapid and accurate venous search and positioning,especially for children, obesity, edema, hirsutism and other vascular positioning difficulties of patients with a significant role,it can help improve the success rate of venous puncture, reduce the patient's pain and improve the doctor-patient relationship.

Features



- Compact and lightweight, can be mastered by one hand, easy to carry;
- Use without bracket, free from environmental restrictions;
- With blue and white, red and green two imaging modes,one-button free to switch;
- Image performance optimization, brightness adjustable;
- Use medical cold light irradiation, safety does not hurt the eye;
- Touch mode dormancy, safe and save electricity;
- The exterior design is more reasonable, image is clearer, grip more comfortable;
- The light source brightness adjustment range is wide, suitable for a wide range of people.



BD-330
Syringe Destroyer

ME167

Application


By melting the needle at a low pressure moment,can be used to prevent the repeated use of syringe destroy the disposable syringe and prevent cross infection.Suitable for dental oral syringe special needles or other similar needles.(Insulin injection needles, acupuncture needles and disposable skin test needles).

Features





- It has the function of damaging needle (30g-34g), automatic disassembly of the needle, ozone disinfection (optional) and pre-heating of liquid medicine (optional);
- Safe: High quality durable electrode, low voltage melt needles instantly, double overheat protection;
- Fast: three steps to complete destruction of both ends of the anesthetic needle, the needle can be removed by rotating automatically;
- Health: instantaneous vaporization residual liquid in the ne-edle ,ozone disinfection, special waste collection bin (in ac-cordance with Regulations on the management of medical waste requirements);
- Conveniently: disposable waste collection bin, Easy disassembly,uniform treatment to prevent secondary pollution;
- Humanity: Professional anesthetic pre-heating device, greatly alleviate the suffering of patients;
- Consumables: waste residue collecting barrels.



ME169

ME168

Application

By melting the needle at a low pressure moment,can be used to prevent the repeated use of syringe, destroy the disposable syringe and prevent cross infection.

Features

- Can melt the acupuncture thin needle,the speed is fast and the spark is small;
- In the process of melting needle, it has double over-heating protection function;
- The machine is light weight, easy to operate,easy maintenance
- Work status instructions clear;
- The remaining liquid in the syringe can be boiled immediately without any contamination;
- During the melting process, the indicator light is sparking, indicating that the pointer is being destroyed, and the whole process is completed within 1 to 3 seconds;



ME171

ME170

Application

By melting the needle at a low pressure moment,can be used to prevent the repeated use of syringe,destroy the disposable syringe and prevent cross infection.

Features





Infusion tube cutter

- Low pressure instantly melt syringe needles
- High-quality silver alloy electrode, no oxidation;
- Double overheat protective measures are provided for the fuse,safe and secure;
- The machine is light weight, easy to operate, easy to replace the blade, easy maintenance;
- Work status instructions clear;
- The machine has fireproof cover;
- Residual liquid in the needle is instantly vaporized,debris has slag box loading;
- After injection, the needle is directly inserted into the hole to melt, and the syringe can be damaged by downward pressure;
- It has alarm prompts and ozone disinfection function when waste residue box is full
- Can cut off the syringe needle and needle joints,cut off the infusion tube
- Melt the needle, damage the needle tube,built-in rechargeable battery.



ME172

Application

The Insulin refrigerator is developed specifically for the low temperature storage requirements of insulin or some drugs.The device makes the insulin and other drugs storage environment temperature control at 2-8 ℃ through the refrigeration unit and sealed environment.Using built-in high capacity lithium battery and external mobile can achieve long standby power supply.

Features







- Simple operation and precise temperature control;
- Large HD color LCD display, intelligent display and control system;
- Under the environment temperature is 25 ℃ to keep temperature inside the box 2-8 ℃;
- Light and delicate, super long standby;
- Appearance beautiful and generous, palm size is easy to carry the built-in battery and external battery can guarantee the continuous working time of the refrigerator box for about 10 hours.
- LED lighting and magnifying glass function
- Unique LED highlighting function,convenient night lighting, magnifying glass greatly facilitate the elderly to see the text on drugs;
- Using semiconductor refrigeration technology, fluorine-free environmental protection, stable work,long service life, low temperature anti-freezing function;
- Dimensions: 198mm*82mm*80mm
- Space capacity: 0.15L;
- Weight: 0.8Kg.



ME173

Application

Suitable for patients who needs enteral feeding, hospitalized and non-hospitalized patients both can use this product for enteral feeding.This product is used to provide additional power while feeding intestinal nutrient solution to human,can control the feed, ensure the orientation of intestinal nutrient solution in the infusion tube and feeding tube at a fixed speed flows into the body of the stomach or intestines ,It is beneficial to the absorption and utilization of intestinal nutrient solution for patient.

Features



- Microcomputer control, accurate and reliable, Automatic alarm , safe and reliable;
- Human-computer interaction interface friendly,panel light touch key,step by step tips, easy to guide procedures and operations;
- Tubing can quickly connect with bottled or bagged sets;
- A variety of sensor technology that can detect the state of the upstream and downstream flows;
- Automatic perfusion function;
- AC and DC power supply;
- Unique design of the bottom suction cup make the machine firmly adsorbed on the table, prevent touch cause subversion during operation and placement;
- Preheating function of nutrient solution (optional);
- Flow rate setting range: 1-400ml / hr increment: 1ml / hr;
- Flow Rate Accuracy: 10% of the selected flow rate or 0.5 ml / hr, whichever is greater; Infusion total volume range: 1-3000ml 1-1000ml each time 1-99 times 1-20 hours intervals;rinse 10-50ml interval 1-25h.



ME175



ME174

Application

Obstetric detector can measure fetal heart rate, blood oxygen, blood pressure, convenience easy to operate, print results in real time.

Features



Obstetric Detector

- Fetal heart rate, blood oxygen and blood pressure were measured completely at one-time;
- Clearly shows fetal heart rate, blood pressure oxygen and other parameters;
- Real-time printing of test data;
- Easy operation,convenient and intuitive working status;
- High quality loudspeaker with clear and sonorous sound;
- The built-in rechargeable battery can work for 3 hours continuously;

Vital Signs Monitor

- Body temperature, oxygen, blood pressure;
- Equipped with printer, real-time printing parameters;
- Highlighted clear color LCD display body temperature, blood pressure, oxygen and other parameters
- Modular design, which facilitates system hardware and software upgrade and expansion, can be connected to the computer;
- Man-machine dialogue interface, easy to operate, convenient ,intuitive work status;
- The built-in rechargeable battery can work for 3 hours continuously.




ME176

Application

The breast Awareness Apparatus BVF-262 take the Specific wavelength near infrared as the source to penetrate the breast. Different tissues of body absorb infared light differntly . For example , abnormal tissue absorbs infraded light preferentially while tissue in good condition absorbing less infared light.The health condition of the breast can be examined by the images.

Features





- Breast tissues are clearly imaged under the fluoroscopy of red light;
- Compact and lightweight, ergonomic design;
- Dual inductive touch switch prevents glare;
- LED array, strong light source;
- Infinite touch brightness adjustment;
- Built-in rechargeable battery for easy use;
- Dimension(L*W*H): 201mm*38mm*50mm;
- Luminous power : 18W;
- Near-infrared wavelength : 625~630nm±5%;
- Power adapter input/output voltage : Input 100V-240V . Output DC 12 V.



ME177

Technical Data

Technical Data \ MODEL	LS-60SV	LS-80SV	LS-100SV	LS-120SV
Chamber volume	60L ϕ396×490mm	80L ϕ396×650mm	100L ϕ480×560mm	120L ϕ480×660mm
The height after rising(mm)	1310	1590	1475	1565
Working pressure	0.22MPa			
Working temperature	134℃			
Heat average	≤±1℃			
Timer range	0~99min			
Temperature adjust range	105~134℃			
Power	Steam generator: 3Kw, Dry blanket: 2.4Kw/AC220V.50Hz		Steam generator: 3.6Kw, Dry blanket: 2.4Kw/AC220V.50Hz	
Overall dimension(mm)	686×556×913	686×556×1035	840×600×970	840×600×1060
Transport dimension(mm)	786×656×1013	786×656×1135	940×610×1000	940×610×1075
G.W/N.W	210kg/180kg	230kg/200kg	300kg/270kg	325kg/295kg

Main Spareparts



Imported Vacuum Pump | OMRON PT100 Temperature Sensor | Gear Motor | Solenoid Valve | Filter | Pressor Sensor

Vertical Pressure Steam Sterilizer







Use

The vertical pressure steam sterilizers are assembled with heating system, micro-computer controlled system, over heat and over pressure protection system, which are reliable for the sterilizing effects, convenient of operation and energy conservation. They are suitable for sterilizing equipment, dressings, containers, liquids, culture medium, waste, etc. in hospitals, disease control centers, P2 biological laboratories and blood stations, etc. of scientific research institutes.

Fully automatic circulation (specifically use for clinical laboratory)



ME178

Vertical Pressure Steam Sterilizer

LCD display automation



ME179

Vertical Pressure Steam Sterilizer

Technical Data

Technical Data \ MODEL	LS-35HG	LS-50HG	LS-75HG	LS-100HG
Chamber volume	35L ϕ318×450mm	50L ϕ340×550mm	75L ϕ400×600mm	100L ϕ440×650mm
Working pressure	0.22MPa			
Working temperature	134℃			
Max. working pressure	0.23MPa			
Heat average	≤±1℃			
Timer range	0~99min or 0~99hour59min			
Temperature adjust range	0~134℃			
Power	1×2.5KW/AC220V.50Hz	2×1.5KW/AC220V.50Hz	3×1.5KW/AC220V.50Hz	
Overall dimension(mm)	470×450×1020	710×465×1150	750×510×1250	750×510×1250
Transport dimension(mm)	710×490×1130	740×550×1280	780×600×1380	780×600×1380
G.W/N.W	104kg/85kg	122kg/99kg	146kg/120kg	148kg/122kg

Use

The vertical pressure steam sterilizers are assembled with heating system, micro-computer controlled system, over heat and over pressure protection system, which are reliable for the sterilizing effects, convenient of operation and energy conservation. They are ideal equipments for clinics, scientific research institutes and other organizations to sterilizer surgical instruments, fabrics, glasses, culture media etc.

Characteristics

- Fully stainless steel structure.
- Hand wheel type of quick-open door structure.
- Door safety lock system.
- LCD display of working status, touch type key.
- Auto discharge the cool air, and steam discharge automatically after sterilization.
- Over temperature & over pressure auto-protection.
- Safe protection of water lacking.
- Self-inflating type seal.
- Automatically shut off with beep reminding after sterilization.
- Easy to operate, safe and reliable.
- With two stainless steel sterilizing baskets.
- With drying system.

Technical Data

Technical Data \ MODEL	LS-35HD	LS-50HD	LS-75HD	LS-100HD
Chamber volume	35L ϕ318×450mm	50L ϕ340×550mm	75L ϕ400×600mm	100L ϕ440×650mm
Working pressure	0.22MPa			
Working temperature	134℃			
Max. working pressure	0.23MPa			
Heat average	≤±1℃			
Timer range	0~99min or 0~99hour59min			
Temperature adjust range	105~134℃			
Power	1×2.5KW/AC220V.50Hz	2×1.5KW/AC220V.50Hz	3×1.5KW/AC220V.50Hz	
Overall dimension(mm)	470×450×1020	520×490×1150	550×530×1180	580×560×1290
Transport dimension(mm)	540×540×1140	580×580×1250	610×610×1280	640×640×1360
G.W/N.W	81kg/63kg	94kg/74kg	113kg/93kg	125kg/105kg

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Portable Pressure Steam Sterilizer



ME180

Use

The product utilizes saturated steam to rapidly and efficiently sterilize articles. It can be used in hospitals, public health centers, health stations, clinics in factories and mines, scientific research institutes, etc, to sterilize medical equipment, surgical dressings, glass utensils, solutions, substrata. It can also be used as cooker in plateau areas and be used to make high quality drinking water in industrial and mining enterprises.

Characteristics

- ◆ Fully stainless steel structure.
- ◆ Double scale indication pressure gauge.
- ◆ Electric heated.
- ◆ Easy to operate, safe and reliable.

Technical Data

MODEL / Technical Data	YX-18LD	YX-24LD
Sterilizing volume	18L ϕ280×260mm	24L ϕ280×390mm
Working pressure	0.14~0.16MPa	
Working temperature	126℃	
Max. Safety pressure	0.165MPa	
Heat average	⩽±1℃	
Power	AC220V.50Hz / 2KW	
Transport dimension(mm)	410×410×520	410×410×630
G.W/N.W	18kg / 16kg	19kg / 17kg

Portable Pressure Steam Sterilizer

Electric or LPG heated



ME181

Use

The product utilizes saturated steam to rapidly and efficiently sterilize articles. It can be used in hospitals, public health centers, health stations, clinics in factories and mines, scientific research institutes, etc, to sterilize medical equipment, surgical dressings, glass utensils, solutions, substrata. It can also be used as cooker in plateau areas and be used to make high quality drinking water in industrial and mining enterprises.

Characteristics

- ◆ Fully stainless steel structure.
- ◆ Electric or LPG heated.
- ◆ Working pressure: 0.14~0.16Mpa.
- ◆ Working temperature: 126℃.
- ◆ Double scale indication pressure gauge.
- ◆ Easy to operate, safe and reliable.

Technical Data

MODEL / Technical Data	YX-18LM	YX-24LM
Sterilizing volume	18L ϕ280×260mm	24L ϕ280×390mm
Working pressure	0.14~0.16MPa	
Working temperature	126℃	
Max. Safety pressure	0.165MPa	
Power	AC220V.50Hz / 2KW	
Transport dimension(mm)	410×410×430	410×410×550
G.W/N.W	16kg / 14kg	17kg / 15kg



ME182

Table Top Steam Sterilizer





ME183

Technical Data

MODEL / Technical Data	TM-T16J	TM-T24J
Sterilizing chamber volume	16L ϕ250×360mm	24L ϕ270×410mm
Working pressure	0.22MPa	
Working temperature	134℃	
Temperature adjust range	105~134℃	
Timer range	0~60min	
Heat average	⩽±1℃	
Power	1.5KW / AC220V.50Hz	
Sterilizing plate(mm)	340×200×30(3piece)	
Dimension(mm)	545×328×423	560×350×500
Exterior package dimension(mm)	605×390×480	620×410×570
G.W/N.W	17kg / 15kg	20kg / 18kg

Table Top Steam Sterilizer

Use

The table type sterilizers are safely auto-controlled, which are designed for the dental clinics, hospitals, school lab, scientific research institutions and laboratory. And mostly suitable for sterilizing of surgical, dental and eye instruments, glassware medicine, culturemedium and biological dressing, food, etc.

Characteristics

- ◆ For 4~6 minutes rapidly sterilizin.
- ◆ Digital display of working status, touch type key.
- ◆ With 3 fixed cycles of sterilizing program and adjustable for user.
- ◆ The whole process of water adding, temperaturerising, sterilizing, drying steam discharging controlled automatically.
- ◆ Steam-water inner circulation system: no steam discharge, and the environment for sterilizing will be clean and dry.
- ◆ Safe protection of water lacking.
- ◆ Exhaust the cool air automatically.
- ◆ Door safety lock system.
- ◆ With four stainless steel sterilizing plates.
- ◆ The chamber of the sterilizer is made of stainless steel.
- ◆ Automatically shut off with beep reminding after sterilization.
- ◆ With drying function.

Technical Data

MODEL / Technical Data	TM-XD20D	TM-XD24D
Sterilizing chamber volume	20L ϕ250×420mm	24L ϕ250×520mm
Working pressure	0.22MPa	
Working temperature	134℃	
Temperature adjust range	105~134℃	
Timer range	0~99min	
Heat average	⩽±1℃	
Power	1.5KW / AC220V.50Hz	
Sterilizing plate(mm)	340×200×30(3piece)	400×200×30(3piece)
Dimension(mm)	480×680×455	480×680×455
Exterior package dimension(mm)	580×700×500	580×800×560
G.W/N.W	43kg / 40kg	50kg / 45kg

Equipment



Horizontal Cylindrical Pressure Steam Sterilizer

ME184

Technical Data

Technical Data \ MODEL	WS-150YDB	WS-200YDB	WS-280YDB
Sterilizing chamber volume	150L ϕ440×1000mm	200L ϕ515×1000mm	280L ϕ600×1000mm
Working pressure	0.22MPa		
Working temperature	134℃		
Temperature adjust range	40~134℃		
Time for sterilization	0~99min		
Time for drying	0~99min		
Heat average	≤±2℃		
Power	9KW/380V.50Hz	9KW/380V.50Hz	12KW/380V.50Hz
Dimension(mm)	1400×650×1820	1400×750×1700	1520×910×1900
Transport dimension(mm)	1560×860×1820	1560×910×1880	1680×1060×2050
G.W/N.W	430kg/340kg	436kg/350kg	570kg/462kg



Horizontal Cylindrical Pressure Steam Sterilizer

ME185

Technical Data

Technical Data \ MODEL	WS-150YDA	WS-200YDA	WS-280YDA	WS-400YDA	WS-500YDA
Sterilizing chamber volume	150L ϕ440×1000mm	200L ϕ515×1000mm	280L ϕ600×1000mm	400L ϕ700×1100mm	500L ϕ700×1300mm
Working pressure	0.22MPa				
Working temperature	134℃				
Temperature adjust range	40~134℃				
Time for sterilization	0~60min				
Time for drying	0~60min				
Heat average	≤±2℃				
Power	9KW/380V.50Hz	9KW/380V.50Hz	12KW/380V.50Hz	18KW/380V.50Hz	18KW/380V.50Hz
Dimension(mm)	1400×600×1300	1400×670×1650	1400×770×1780	1430×880×1830	1800×900×1820
Transport dimension(mm)	1560×750×1850	1560×820×1850	1680×920×1950	1600×1050×2050	1850×1050×2050
G.W/N.W	320kg/240kg	350kg/260kg	465kg/365kg	530kg/420kg	580kg/470kg

Equipment

Spine Surgical Navigation System Intraoperative 3D imaging C-arm



ME186

- Verifying surgical outcome through intraoperative 3D imaging
- Improved efficiency powered by adaptive image registration
- Maximizing surgical confidence with state-of-art surgical navigation
- Visualization of instrumentation

All-in-one Mobile FPD C-arm



ME188

- Overall design and small footprint maximize OR space
- Standby power supply makes surgeries instant sharing
- Built-in anatomical program offers fast exposure parameters setting30cm x
- 30cm large flat panel* provides more perspective for clinical practice

Mobile FPD C-arm for Vascular Intervention



ME187

- Extend your peripheral vascular intervention capabilities with DSA program
- Powerful 25kW output gives clear and sharp images
- Outstanding image quality guaranteed by latest flat panel technology
- Wide C-arm coverage and motorized movement offer flexibility for versatile procedures

Mobile FPD C-arm



ME189

- Quick boot up by one single button push
- Dynamic flat panel technology gives higher signal conversion efficiency
- High frequency pulsed fluoroscopy and DAP monitoring provide lowerdose management

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Mobile FPD C-arm Wireless Interconnection



ME190

- Convenient maneuverability maximized in wireless connection
- Upgraded FPD expand the FOV by 25%
- X ray safety lock prevents radiation incident caused by misoperation

High Frequency Digital Mobile C-arm



ME191

- Mega pixel CCD camera and HD image chain offer excellent image quality
- Low dose radiation powered by pulse fluoroscopy
- User friendly interface improves your surgical efficiency

All-in-one Digital Mobile C-arm



ME192

- Overall design and small footprint design maximize OR space
- Automatic brightness control for better imaging
- Point-and-shoot user interface

Mobile Digital Radiography



ME193

- 65kW high power generator provides stable and clear image quality
- 17" × 17" super wide FPD with 16 bit grey scale
- Intelligent dose control technology automatically adjust radiation dose
- Ultrasound distance measurement provides precise positioning

Mobile Digital Radiography



ME194

- Versatile wireless flat panel options enable comfortable positioning
- Stylish anti-collision bumper design can prevent damage
- Intelligent dose control technology automatically adjust radiation dose
- Easy integration into existing IT networks

Equipment

Mobile Digital Radiography



ME195

- Overall design and small footprint design maximize ward space
- Unique locating mode provide perfect and handy operation
- Precise and effortless adjustment of supporting arm and tube head

Dynamic Digital Radiography



ME196

- High performance FPD, guaranteeing high quality images with more anatomical details
- All in one machine with functions of digital radiography and fluoroscopy
- Real-time DAP monitoring, providing more care and safety

Mobile Digital Radiography

ME197

- Auto tracking feature between X ray tube and flat panel detector
- High power X ray generator and tube provide sharp images for accurate diagnosis

Digital Motion X-ray U-arm Series

ME198

- Flexible U arm movement for complex radiography positioning
- High definition image quality and visual dynamic contrast
- Fast and stable imaging, simple and convenient operation
- Touch screen interface with built-in graphical anatomy APR setting


Dynamic Digital Radiography



ME199

- 100kW high power and high frequency generator
- Super size flat panel reveals more anatomical details
- Dynamic imaging with outstanding performance
- Breakthrough in full spine and full lower extrimities radiography

High Frequency Digital Radiography



ME200

- Compact design maximizes rad room space
- 17"× 17"large size FPD delivers best chest radiography solution
- Large heat capacity of X ray tube ensures long durability of workflow
- Flexible U arm positioning easy for complex radiography

Digital Motion X-ray Bucky Table Series


ME201

- Dynamic FPD for radiography, fluoroscopy and spotimaging
- Rich FPD configurations for various needs
- Auto-Tracking Function between X-ray tube and flatpanel detector
- 35cm ground clearance of X ray tube make low profileradiography easy and simple

Digital Radiography Bucky Table Series


ME202

- Large size touch user interface for easy exposure control
- Divers configurations offer rich choices for clinical solution
- 3D positioning guidance helps patient for fast and accuratediagnosis
- Default real time DAP monitoring

Digital Radiography Bucky Table Series


ME203

- 220V single-phase /three-phase power
- Intuitive digital display
- Flexible table movement gives conveniencemaneuverability
- Easy access to PACS, HIS

Digital Radiography Ceiling Mounted series


ME204

- High performance FPD, guaranteeing high quality imageswith more anatomical details
- Large size touch user interface for easy exposure control
- Ceiling mounted frame covers a wide exposure area,multi-dimensional moveable bucky stand for variousradiography position

Digital Radiography Ceiling Mounted series


ME205

- All in one machine with functions of radiography and fluoroscopy
- Dynamic flat panel detector to obtain high quality images with moreanatomical details
- Versatile flat panel options enable rich choices for clinical solution

Digital Radiography & Fluoroscopy


ME206

- DRF making radiography as well as fluoroscopy with dynamic FPD
- 17" x17"dynamic flat panel detector provides large exposure area
- High frequency and high voltage generator guarantees the x-rayquality
- Pulse fluoroscopy mode current can reach 20mA, providing sharpimage with low dose
- Software has strong capabilities including automatic stitching function

DEFIBRILLATOR



ME207

- Defibrillator typ:Manual, Asynchronized
- Energy accuracy:∠+1%
- Energy selection:0, 3, 5, 7, 10, 20, 30, 50, 100, 200, 300, 360 joules (nominal at a resistance of 50)
- Charging time:Maximum 10 seconds to 360 Joules
- Standard Adult/Pediatric Paddles Reusable external adult paddles (pediatric paddles integrated)



ME208

- Defibrillator type Manual, Synchronized, Asynchronized,
- Energy accuracy:∠+1%
- Energy selection:0, 20, 50, 100, 160, 250, 300, 360 joules (nominal at a resistance of 50)
- Charging time:Maximum 10 seconds to 360 Joules
- Standard Adult/Pediatric Paddles Reusable external adult paddles(pediatric paddles integrated)



ME209

- Defibrillator type:Manual, Synchronized, Asynchronized,
- Energy accuracy:∠+1%
- Energy selection:0, 3, 5, 7, 10, 20, 30, 50, 100, 200, 300, 360 joules (nominal at a resistance of 50)
- Charging time:Maximum 10 seconds to 360 Joules
- Standard Adult/Pediatric Paddles Reusable external adult paddles (pediatric paddles integrated)



ME210

Application

It is mainly used for rapid and accurate diagnosis and diagnosis of non interventional peripheral vascular disease (PAD) in human body. By measuring the doppler ultrasound technique for ABI and TBI parameters to improve the doctor's detection rate of the diagnosis of peripheral vascular disease, it can quantitatively determine the detection rate of the diagnosis of peripheral vascular disease, and can quantitatively determine the severe degree of patients' peripheral vascular disease;It is suitable for geriatric department, cardiovascular department, Department of Endocrinology, physical examination department and other departments.

Features



Working Interface

- Three kinds of blood pressure waveform measurement mode, easy for doctors to choose to use;
- It's only necessary to measure blood pressure at the wrist / ankle to diagnose the disease;
- Can automatically calculate ABI and TBI, and calculate the results;
- It is compatible with bidirectional, unidirectional blood flow probe and PPG probe, which is convenient for doctors to measure different parts;
- 1 million groups of data can be stored, and the data can be backed up to the hospital database at any time;
- Configuration of laser printer is convenient for recording and analyzing test data;
- Mobile cart design, equipped with super large LCD display;
- BV-660T+ can measure the maximum systolic pressure of upper limb and lower limb simultaneously and calculate ABI or TBI automatically, which is easy to operate and shortens the test time;Portable cart is available for bedside operation;

Peripheral arterial disease is a common disease that develops into typical intermittent claudication or rest pain symptoms in the later stages. Further development can cause lower limb ulcers, infections, necrosis, and even amputation;The most simple and effective method for diagnosing peripheral arterial disease is the ankle brachial ratio (ABI) examination.ABI is the ratio between the systolic pressure of the ankle artery and the systolic blood pressure of the upper arm. It is a convenient and non-invasive method of examination;Many international and domestic experts and academic toes have called for active ABI periodic examinations to cope with the high-risk population of PAD, so as to make early diagnosis and early treatment of PAD.

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Slit Lamp



ME211

- Professional acquisition media
- Quick shooting
- Solid vision light - background light integrated lighting
- High definition image
- Diagnostic aid function

Eyeball protrusion meter



ME212

- The height of the eye protruding from the outer orbital rim can be accurately measured by applying an optical glass prism with an isosceles right triangle, projecting both the corneal vertex and the graduated scale through the total reflection of the oblique surface to the front of the prism.

Synoptophore



ME213

- Optical viewing system: The optical viewing system of the YZ23B synoptic machine uses a semi-translucent, semi-retro-reflective reflector for the practitioner to easily observe the patient's eye movements and corneal reflection points.



ME214

Tables of Ophthalmology



ME217

Flattening ophthalmometer



ME215

Flattening ophthalmometer



ME218

Inspection glasses



ME216

Inspection glasses



ME219

Binocular indirect inspection glasses

Equipment

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Sterilization packaging material series



MA001

TYVEK STERILIZATION REEL



MA002

FLAT STERILIZATION REEL



MA003

Sterilization Indicator Tape



MA004

Medical Crepe Paper



MA005

GUSSETED STERILIZATION REEL



MA006

Self Sealing STERILIZATION POUCH



MA007

PAPER/PAPER Bag



MA008

PAPER/PLASTIC Bag




MA009

Heat Sealing/FLAT STERILIZATION POUCH



MA010

Heat Sealing/GUSSETED STERILIZATION POUCH



MA011

Medical Coated Paper



MA012

Composite Film


Accessories

Accessories

Protective sleeve series




MA013
B Ultrasonic probe protective cover(TPU)



MA014
Detectable positioning tape



MA015
C-Arm cover



MA016
Disposable Shadowless Lamp Handle Drape (Llight handle cover)



MA017
Microscope cover(with lens cap)



MA018
Probe Covers



MA019
Medical absorbent pads



MA020
Surgical patties

Accessories

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Consumable Accessories



MA021
Pinch Clamp



MA022
Dispensing Needle



MA023
Transparent ABS Male Luer



MA024
ABS Material Cap For Drip Chamber



MA025
Proof Protective Small Cap



MA026
Stopcock 2 Way



MA027
Injection Needle Connection



MA028
Transparent ABS Y Injection Site



MA029
Cross Valves



MA030
Push-pull Valves



MA031
ABS Material Bed Sheet Clip



MA032
Blood Transfusion Giving Set Accessories

Accessories

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Accessories



MA033
Plastic Slide Clamp



MA034
Blood Transfusion Giving Set Accessories



MA035
Precision Flow Regulator



MA036
Accessories Flow Regulator




MA037
Blood Lancet Accessory Needles For Blood Transfusion Set




MA038
Needle Free Valve

High Flow Precision Filter



Features:
- No leakage under 300Kpa 15S
- High flow / fast priming available
- Remove bubble

Material:
- ABS body
- PES membrane
- PTFE membrane




MA039 MA040 MA041 MA042 MA043 MA044

Description	Color	Aperture	Filter efficiency	Minimum flow reate	Inlet & outlet	Effective filtration area
Adult Square filter High flow sery Air–Vented	Clear /Amber	0.2um	Sterilizing–grade	>320mL/10min	2.9*4.05mm Tubing IN/OUT FLL IN/RMLL OUT	12 cm²
		1.2um	⩾90%	>1000mL/10min		
		5um	⩾90%	>1000mL/10min		
Kid Square filter Air–Vented	Clear /Amber	0.2um	Sterilizing–grade	>150mL/10min		6 cm²
		1.2um	⩾90%	>900mL/10min		
		5um	⩾90%	>1000mL/10min		
Baby Droplet filter Air–Vented	Clear /Amber	0.2um	Sterilizing–grade	>40mL/10min	1.5*3.0mm Tubing IN/OUT FLL IN/RMLL OUT	1.5 cm²
		1.2um	⩾90%	>300mL/10min		
		5um	⩾90%	>550mL/10min		

Needle Free Valve Extension Line With Back Check Valve

带无针加药口和单向阀延长管

- Safer Than Heparin Cap With Needle Free Valve
- Prevent Backward Fluid Of Blood
- No Leakage Under 300kPa
- Latex Free



①Needle free valve NFV01
②PVC Tube
③Back check valve BCV02
④Male luer lock
⑤Cap



MA045

Tub Size (I.D.xO.D.)
1-Way 1.3x2.3

Extension Line With Needle Free Valve

带无针加药口延长管

- Safer Than Heparin Cap With Needle Free Valve
- No Leakage Under 300kPa
- Latex Free



①Needle free valve NFV02 or NFV05
②PVC Tube
③Slide clamp
④Male luer lock
⑤Cap




MA046

Tub Size (I.D.xO.D.)
1-Way 1.3x2.3
1-Way 3.0x4.0



MA047

Tub Size (I.D.xO.D.)
2-Ways 1.3x2.3




①Needle free valve NFV01
②PVC Tube
③Back check valve BCV02
④Male luer lock
⑤Cap
⑥Connector




MA048

Tub Size (I.D.xO.D.)
2-Ways 1.3x2.3
2-Ways 3.0x4.0



①Needle free valve NFV02 or NFV05
②PVC Tube
③Slide clamp
④Male luer lock
⑤Cap
⑥Connector




①Needle free valve NFV01
②PVC Tube
③Back check valve BCV02
④Male luer lock
⑤Cap
⑥Connector



MA049

Tub Size (I.D.xO.D.)
3-Ways 1.3x2.3



①Needle free valve NFV02 or NFV05
②PVC Tube
③Slide clamp
④Male luer lock
⑤Cap
⑥Connector



MA050

Tub Size (I.D.xO.D.)
3-Ways 1.3x2.3
3-Ways 3.0x4.0

Accessories

Spike & Back Check Valve

Spike



MA051

双头塑针
Spike

- Double Ended Transfer Spike
- Material: ABS & PE



MA052

塑针
Spike

- For tubing O.D.4.1mm
- Material: ABS

塑针
Vented Spike

- For tubing O.D.4.0mm
- Material: ABS



MA053

塑针
Vented Spike

- For tubing O.D.4.0mm
- Material: ABS



MA054

Back Check Valve

BCV

单向阀
Back Check Valve (One-Way Valve)


- Back Pressure: > 300kPa
- Flow rate:100ml/min
- Latex Free

Product Descpription
Female-Male Ends
Male-Tube Ends 2.3*3.5mm (I.D.xO.D.)
Female-Tube Ends 2.3*3.5mm (I.D.xO.D.)
Tube-Tube Ends 2.3*3.5mm (I.D.xO.D.)



MA055 MA056 MA057 MA058

High Pressure Manifold & Stopcock



MA059 MA060 MA061

High Pressure Manifold

高压联板

- No Leakage under 500psi
- Smooth rotation, easy use
- Different color for choice

	Product Descpription
2 Ports	"ON" type with rotating adapter, Right port orientation
	"OFF" type with rotating adapter, Right port orientation
3 Ports	"ON" type with rotating adapter, Right port orientation
	"OFF" type with rotating adapter, Right port orientation
	"ON" type with pressure line, Right port orientation
	"ON" type with rotating adapter, left port orientation
	"OFF" type with rotating adapter, left port orientation
4 Ports	"ON" type with rotating adapter, Right port orientation
	"OFF" type with rotating adapter, Right port orientation

High pressure Stopcock

高压三通阀

- No Leakage under 1000psi Pressure
- Different color for choice
- Smooth rotation, easy use



MA062



MA063

Product Descpription
"ON" Type, Rotating Adapter, No Leakage under 1000psi Pressure
"ON" Type, Rotating Adapter, No Leakage under 500psi Pressure
"OFF" Type, Rotating Adapter, No Leakage under 1000psi Pressure
"OFF" Type, Rotating Adapter, No Leakage under 500psi Pressure

Accessories

Injection Site



MA064

嵌入式三通加药口合成胶
Y-injection site,latex-free

- Size: length=35mm, with easy handle
- Material: ABS, Isoprene rubber



MA065

嵌入式三通加药口合成胶
Y-injection site,latex-free

- Size: length=35mm, with easy handle
- Material: ABS, Isoprene rubber



MA066

嵌入式三通加药口合成胶
Y-injection site,latex-free

- Size:length=32.4mm,with easy handle
- Material:PC,Isoprene rubber
- Pre-pierced available



MA067

嵌入式三通加药口合成胶
Y-injection site,latex-free

- Size: length=35mm
- Material: ABS, Isoprene rubber



MA068

嵌入式三通加药口合成胶
Y-injection site,latex-free

- Size:length=38.9mm
- Material:PC,Isoprene rubber
- Pre-pierced available



MA069

嵌入式三通加药口合成胶
Y-injection site, latex-free

- Size: length= 35mm
- Material: ABS, Isoprene rubber

透明肝素帽
Transparent male luer lock injections site

- Heparin cap, latex-free
- Material: ABS, Isoprene rubber



MA070

八角透明肝素帽
Transparent male luer lock injections site

- Heparin cap, latex-free
- Material: ABS, Isoprene rubber



MA071

合成胶肝素帽
Male luer lock injection site

- Heparin cap, latex-free
- Material: ABS, Isoprene rubber



MA072

透明肝素帽
Transparent male luer lock injections site

- Heparin cap, latex-free
- Material: PC, Isoprene rubber
- Pre-pierced available



MA073

合成胶肝素帽
Male luer lock injection site

- Heparin cap, latex-free
- Material: PC, Isoprene rubber
- Pre-pierced available



MA074

乳胶泡合成胶
Flashback,latex-free

- Size: length=45mm
- Material: Isoprene rubber



MA075

Roller Clamp

长尾调节器
Precision V Roller clamp

- Size: length=56mm
- For tubing O.D.4.0mm
- Material：ABS



MA078



MA076

短尾调节器
Precision V Roller clamp

- Size: length= 56mm
- For tubing O.D.4.0mm
- Material: ABS

小调节器
Precision V Roller clamp

- Size: length= 45mm
- For tubing O.D.4.0mm
- Material: ABS



MA079



MA077

短尾调节器
Precision V Roller clamp

- Size: length=56mm
- For tubing OD 4.0-4.2mm
- Material: ABS

止液调节器
Roller clamp used on air stop infusion set

- Size: length= 56mm
- For tubing O.D.4.0mm
- Material: ABS



MA080

Accessories

Luer Lock



MA081

母螺旋
Female Luer Lock

- Size: For tube OD 2.5/3.0/4.0mm
- Material: ABS/PC
- Cap: HT105, PE



MA082

母螺旋
Female Luer Lock

- Size: For tube O.D.3.0/ 4.0/5.0/5.4mm
- Material: PC/ABS



MA083

母螺旋
Female luer lock

- Size: For tubing OD 4.0mm
- Material: PC



MA084

母螺旋
Female luer lock

- Size: For Tubing I.D. 4.0/4.7/6.4mm
- Material: PC



MA085

螺旋座
Male luer lock

- Size: length=32mm,for flashback
- Material: ABS
- Cap: HT102, PE



MA086

内外扣管式螺旋座
Male luer lock

- Size: length=40mm,for tube 3x4.1mm
- Material: ABS
- Cap: HT103, PE



MA087

公螺旋
Male Luer Lock for extension

- Size: For tube OD 2.5/3.0/4.0mm
- Material: ABS/PC
- Cap: HT104, PE



MA088

公螺旋
Male Luer Lock

- Size: For tubing I.D. 4.0/4.7/6.4mm
- Material: PC



MA089

公螺旋
Male luer lock

- Size: For Tubing O.D.4.0mm
- Material: ABS/PC



MA090

混药接头
Fluid Dispensing Connector

- Female to female ends
- Sterile, blister package



MA091

护帽
Cap

- Matarial: PE/PP
- L= 19mm
- Non-vented



MA092

三通
Connectors

- Size: For tube O.D. 2.3/4.0mm
- Material: PVC

Luer Lock



MA093

三联件/可脱卸螺旋座
Detachable spin luer lock

- Size: for tube OD 4.0mm
- Material: ABS
- Cap: HT106, PE



MA094

遮光三联件/可脱卸螺旋座
UV Detachable spin luer lock

- Size: for tube OD 4.0mm
- Material: ABS
- Cap: HT106, PE



MA095

三联件/可脱卸螺旋座
Distachable spin luer lock

- Size: for tube OD 4.0mm
- Material: ABS
- Cap: HT130,PP,blue/green/red With hydrophobic membrane 0.2/1.2/3.0μm



MA096

三联件/可脱卸螺旋座
Detachable spin luer lock

- Size: for tubing OD 2.0/2.2/2.4/2.5mm
- Material: ABS/PC
- Cap: HT107, PE



MA097

不可拆卸/可旋转螺旋座
Undetachable spin luer lock

- Size: for tubing OD 3.6/4.0mm
- Material: PC
- Cap: HT106



MA098

螺旋座
Male Luer Lock

- Material: ABS
- For Tube OD 2.9/4.0MM



MA099

带翅膀两通
Male luer slip

- Size: length=30mm, for flashback
- Cap: HT107, PE



MA100

小两通
Male Luer slip

- L=29mm
- Size: For Flashback
- Cap: HT107, PE



MA101

三联件两通
Male Luer slip

- L=28mm
- Size: For tube OD 3.0/4.0 mm
- Cap: HT107, PE

Cap



MA102

护帽
Cap

- Material: ABS
- For stopcock



MA103

护帽
Cap

- Material: PE
- For stopcock



MA104

带孔护帽
Cap With Hole

- Material: PP

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Blood Glucose Meter



MHMS001

Feature	Specification
Measurement Range	1.1-33.3 mmol/L(20-600 mg/dL)
Result Calibration	Plasma-equivalent
Sample	Fresh whole blood(Capillary)
Minimum Sample Size	1μL
Test Time	5 Seconds
On/Off Source	One CR 2032 3.0V coin cell battery
Battery Life	Minimum of 1,000 measurements (without considering data transfer and test reminder alarm)
Glucose Units of Measure	The Meter is pre-set to either millimoles Per liter(mmol/L) or milligrams per deciliter(mg/dL) depending on the standard of your country
Memory	Up to 500 records with time and date
Automatics shutoff	2 minutes after last action
Meter Size	83mm×57mm×22mm
Display Size	41mm×37mm
Weight	40g (with battery installed)
Operating Temperature	5-45°C
Operating Relative Humidity	20-90%
Hematocrit Range	25-60%

Portable Blood Lactic Test Meter



MHMS002

Feature	Specification
Measurement Range	0.5-25 mmol/L(9-450 mg/dL)
Sample	Fresh whole blood (Capillary)
Minimum Sample Size	0.7 μL
Test Time	20 Seconds
On/Off Source	One CR 2450 3.0 V coin cell battery
Battery Life	Minimum of 1,500 measurements (without considering test reminder alarm)
Lactate Units of Measure	The Meter is pre-set to either millimoles per liter (mmol/L) or milligrams per deciliter(mg/dL) depending on the standard of your country
Memory	Up to 500 records with time and date
Automatic shutoff	1 minute after last action
Meter Size	83mm×57mm×22mm
Display Size	40mm×36mm
Weight	56g (with battery installed)
Operating Temperature	5-45 °C
Operating Relative Humidity	20-80%
Hematocrit Range	20-60%

TRUST-WORTHY STABLE OXYGENATION

OXYGEN CONCENTRATORS

MHMS003





MHMS004





Home medical system



Failure detection | Medical grade | High oxygen concentration | Castors

Optional function

Nebulizer

- Flow Range: 0.5~ 5L /min(7F-5) 1~ 10L /min(7F-10)
- Oxygen Concentration: 95.5%~87%
- Maximum Limited Pressure: 70kPa
- Sound Level: 55 dB (A)(7F-5)
  <60dB(A)(7F-10)
- Input Power: 500 VA(7F-5) 850VA(7F-10)
- Minimum Operating Time: 30minutes

QTN: 1PCS/CTN
G.W./N.W: 29/27kgs(7F-5) 37.5/33kgs(7F-10)
Size: 49.5×43×78cm(7F-5) 57×49.5×80.5cm(7F-10)

MHMS005



MHMS007

Failure detection | Medical grade | High oxygen concentration | Castors

Ultra-silence | Infrared remote control system | Fashion appearance

- Flow Range: 0.5-3L/min.
- Oxygen Concentration: >90%.
- Maximum Limited Pressure: 50kPa
- Noise: <50dB(A)
- Input Power: 230VA

QTN: 1PCS/CTN
G.W./N.W: 11/9.8kgs
Size: 42×26×55cm

Failure detection | Medical grade | High oxygen concentration | Castors

Optional function

Nebulizer

- Flow Range: 0.5- 5L /min
- Oxygen Concentration: 95.5%~87%
- Maximum Limited Pressure: 70kPa
- Sound Level: ≤ 55 dB (A)
- Input Power: 400 VA
- Minimum Operating Time: 30minutes

QTN: 1PCS/CTN
G.W./N.W: 26/24kgs
Size: 56×39.5×71.5cm



MHMS006

Failure detection | Medical grade | High oxygen concentration | Castors

Optional function

Nebulizer

- Flow Range: 0.5- 3L /min
- Oxygen Concentration: 93%±3%
- Maximum Limited Pressure: 50kPa
- Sound Level: 55 dB (A)
- Input Power: 320 VA
- Minimum Operating Time: 30minutes

QTN: 1PCS/CTN
G.W./N.W: 26/24kgs
Size: 56×39.5×71.5cm



MHMS008

Home medical system

ELECTRONIC BLOOD PRESSURE MONITORS



MHMS009

- Large backlight LCD display
- 100 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Cuff storage
- Portable
- Double measuring method
- Selectable pressuring
- Anti-collision design
- Dual-mode of automatic and auscultation measurement

QTN: 10PCS/CTN
G.W./N.W.: 20.6/5.9kgs
Size: 66.5×40.5×33cm
Weight: 584g



MHMS010



MHMS011

- 80 groups of memory
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 8.8/3.5kgs
Size: 50×30×22cm
Weight: 251g



MHMS012

- Large LCD display
- 90 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 8.8/3.5kgs
Size: 50×30×22cm
Weight: 260g



MHMS013

- Voice broadcast function
- Large LCD digital display
- 99 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 7.3/3.6kgs
Size: 61.5×28.5×22cm
Weight: 270g



MHMS014

- Voice broadcast function
- Large Backlit LCD display
- 90 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 8.7/3kgs
Size: 61.5×28.5×22cm
Weight: 300g



MHMS015

- Voice broadcast function (Optional) (Voice can be turned off)
- Large LCD Display
- 74x2 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 8.3/3.8kgs
Size: 50×30×22cm
Weight: 294g



MHMS016

- Voice broadcast function (Voice can be turned off)
- Large LCD Display
- 60x2 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements
- Bluebooth (optional)
- Lithium battery

QTN: 10PCS/CTN
G.W./N.W.: 7.6/4.0kgs
Size: 50×30×22cm
Weight: 303g



MHMS017

- Indication for Position
- Large LCD display
- 60 groups of memory
- Indication for Position
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements
- Bluetooth(optional)

QTN: 10PCS/CTN
G.W./N.W.: 2.4/0.9kgs
Size: 38.5×23×11.5cm
Weight: 90g



MHMS018

- Indication for Position
- Large LCD display
- 60 groups of memory
- Indication for Position
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 2.4/0.9kgs
Size: 38.5×23×11.5cm
Weight: 90g



MHMS019

- Voice broadcast function
- Large Backlit LCD display
- 99 groups of memory
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements

QTN: 10PCS/CTN
G.W./N.W.: 8.4/2.9kgs
Size: 61.5×28.5×22cm (with 360 cuff)
Weight: 290g



MHMS020

- Voice broadcast function
- Large backlit LCD display
- 99×2 memory groups
- Indication for irregular heartbeats
- Detection for cuff wearring
- Indication for Movement Error
- Average of three measurements
- Bluetooth(optional)

QTN: 10PCS/CTN
G.W./N.W.: 9.6/3.3kgs
Size: 61.5×28.5×22cm
Weight: 310g



MHMS021

- Voice broadcast function
- Large LCD Display
- 74 groups of memory (YE8800AR)
- 60 groups of memory (YE8800C)
- Indication for Position (YE8800AR)
- Indication for irregular heartbeats (YE8800AR)
- Detection for cuff wearring (YE8800AR)
- Indication for Movement Error (YE8800AR)
- Average of three measurements
- Lithium battery / Dry battery

QTN: 10PCS/CTN
G.W./N.W.: 3.1/1.1kgs
Size: 53×24.5×13cm
Weight: 109g

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司



Auto-coding | Memory capacity | Average results

- Enzyme: GOD
- Unit: mg/dL or mmol/L
- Blood volume: 1 μL
- Measuring time: 8 seconds
- Measuring range: 1.1-33.3mmol/L(20-600mg/dL)
- Memory capacity: 250 test results
- Average results: 7days, 14days, 28days
- Hematocrit Range: 30%- 60%
- 1 Button cell

QTN: 20PCS/CTN
G.W./N.W.: 3.8/0.98kgs
Size: 59×24×18.5cm
Weight: 40g

MHMS022



Auto-coding | Memory capacity | Average results | Backlit LCD display | Voice Broadcast

- Enzyme: GOD
- Strip eject button
- Unit: mg/dL or mmol/L
- Blood volume 1μL
- Measuring time: 8 seconds
- Measurement range: 1.1-33.3mmol/L(20-600mg/dL)
- Memory capacity:300 groups
- Average results: 7days, 14days, 1 month, 2 months and 3 months
- Operation temperature 10°C-40°C
- Hematocrit range30%-60%
- 2 AAA batteries

QTN: 20PCS/CTN
G.W./N.W.: 4.8/1.1kgs
Size: 59×24×18.5cm
Weight: 50g

MHMS024



582

Auto-coding | Memory capacity | Average results

Optional function: Bluetooth | Backlit LCD display | Voice Broadcast

- Enzyme: GOD
- Strip reject button
- Unit: mg/dL or mmol/L
- Blood volume 1μL
- Measuring time: 8 seconds
- Measuring range: 1.1-33.3mmol/L(20-600mg/dL)
- Memory capacity: 250 groups
- Average results: 7days, 14days, 1 month, 2 months and 3 months
- Operation temperature 10°C- 40°C
- Hematocrit range 30%- 60%
- 2 AAA batteries

QTN: 20PCS/CTN
G.W./N.W.: 5.25/1.04kgs
Size: 59×24×18.5cm
Weight: 50g

MHMS023



Auto-coding | Memory capacity

- Enzyme: GOD
- Metering unit: mg/dL or mmol/L
- Blood volume: 1ul
- Measuring time: 8seconds
- Measurement range: 1.1-33.3mmol/L(20-600mg/dL)
- Memory capacity: 250 groups
- Average results: 7 days,14 days, 1 month, 2 months and 3 months
- Power: one 3.0V lithium button cell
- More function: Before/after meal function

QTN: 20PCS/CTN
G.W./N.W.: 4.57/1.5kgs
Size: 59 x 24x 18.5cm
Weight: 75g

MHMS025

Home medical system

Home medical system



MHMS026

Medical grade
Nebulizer rate adjustable
Soundless
portable
Small nebulizer particles

- Input power: DC 3.0V (two "AA" 1.5V alkaline batteries)
- Operation noise: approx. ≤50dB(A)
- MMD: 3.49μm
- Max nebulizing rate: ≥0.2ml/min
- Residual quantity: < 0.25ml
- Mask: Polypropylene, non plasticizer

QTN: 10PCS/CTN
G.W.: 4.7kgs
Size: 40.5×33.5×17cm

Medical grade
Nebulizer rate adjustable
Large drug container
LCD display
Timing turn-off
Soundless

- Power: AC100-240V,50/60Hz
- Ultrasonic frequency:1.7MHz± 10%
- Input power: ≤ 70VA
- MMD: 3.9μm
- Maximum nebulizing rate: ≥ 3mL/min
- Timing range:0-60 min
- Continuous loading time: ≥ 4h
- Fill volume of medicine cup: 30mL
- Fill volume of water container: 130mL

QTN: 4PCS/CTN
G.W.: 5.3kgs
Size: 65.5×25×23.5cm



MHMS027

Medical grade
Nebulizer rate adjustable
Soundless
portable
Small nebulizer particles

- Input power: DC 3.0V (two "AA" 1.5V alkaline batteries)
- Operation noise: approx. ≤50dB(A)
- MMD: 3.49μm
- Max nebulizing rate: ≥0.2ml/min
- Residual quantity: < 0.25ml
- Mask: Polypropylene, non plasticizer

QTN: 10PCS/CTN
G.W./N.W.: 4.7/0.97kgs
Size: 40.5×33.5×17cm



MHMS028



MHMS029

Medical grade
Nebulizer rate adjustable
Large drug container
Soundless
Timing turn-off

- Power supply: AC110-220V,50/60Hz
- Ultrasonic frequency: 1.7MHz ± 10%
- Input power: 50VA
- MMD: 3.9μm
- Maximum nebulizing rate: ≥3mL/min
- Timing range: 0-60min
- Continuous loading time: ≥ 4h
- Fill volume of medicine cup: 150mL
- Fill volume of water container: 350mL

QTN: 2PCS/CTN
G.W./N.W.: 4/3.5kgs
Size: 41.5×30×26.5cm

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

PORTABLE PHLEGM SUCTION UNIT



MHMS030

Over-flow protection | Suction liner | Oil-free pump | Wall-hung shelf

- Input power: 90VA
- Max Vacuum:≥ 0.08MPa
- Max Air Flow: 28±2 L/min (without jar);
  22±2 L/min(with jar)
- Operation noise: approx. 60dB(A) (without vacuum)
- Liquid Collection Jar: 1000mL, 1piece
- Operating time: 30 minutes on, 30 minutes off

- Power supply: AC 220V, 50Hz
- Input power: 150VA
- Max vacuum:≥0.08Mpa
- Max air flow: ≥20 L/min(with jar)
  32±2 L/min (with jar)
- Operation noise: approx. 50dB(A) (without vacuum)
- Power:≤150VA
- Liquid collection jar: 1000mL/pc
- Operating time: 30 minutes on, 30 minutes off

QTN: 4PCS/CTN
G.W./N.W.: 20.9/15.6kgs
Size: 80×42×31cm



MHMS031

SUCTION LINER



Oil-free pump | Suction liner | Vehicle use
Over-flow protection | Lithium battery | Wall-hung shelf

- DC power supply: AC 100-240V,50/60Hz or DC 12V
- Input power: 90VA
- Max Vacuum:≥ 0.08MPa
- Air Flow Rate: > 25±2l/min(with jar)
- Operation noise: approx 50db(A) (without vacuum)
- Operating time: 30 minutes on, 30 minutes off
- Running time of battery operation: Approx. 60 minutes



MHMS032

CORE TECHNOLOGY



Lightweight



High pressure



Adjustable



High efficiency



Double mute



Medical standards

Home medical system

Oil-free pump
Over-flow protection

- Input power: 90VA
- Max Vacuum:≥ 0.075MPa
- Max Air Flow:≥17 L/min (with jar);
- Operation noise: approx. 50dB(A) (without vacuum)(CE)
  approx. 57dB(A) (without vacuum)(Basic sets)
- Liquid Collection Jar: 1000mL, 1 piece
- Operating time: 30 minutes on, 30 minutes off

QTN: 2PCS/CTN
G.W./N.W.: 10/7.6kgs
Size: 54.5×37×31cm



MHMS033

Over-flow protection
Lithium battery
Oil-free pump
Vehicle use

- DC power supply: AC 100-240V,50/60Hz or DC 12V
- Input power: 44VA
- Air flow rate: > 15L/min(with jar)
- Operating time: 30 minutes on, 30 minutes off
- Running time of battery operation: Approx. 30 minutes

QTN: 2PCS/CTN
G.W./N.W.: 14.7/12kgs
Size: 54.5×37×31cm



MHMS034



MHMS035

Oil-free pump
Over-flow protection

- Input power: 90VA
- Max Vacuum: ≥ 0.075MPa
- Max Air Flow: ≥17 L/min (with jar);
- Operation noise: approx. 50dB(A) (without vacuum)
- Liquid Collection Jar: 1000mL, 1 piece
- Operating time: 30 minutes on, 30 minutes off

QTN: 2PCS/CTN
G.W./N.W.: 11/8kgs
Size: 52×46×34.5cm



MHMS036

Over-flow protection
Lithium battery
Oil-free pump
Vehicle use

- DC power supply: AC 100-240V,50/60Hz or DC 12V
- Input power: 90VA
- Air flow rate: ≥ 17L/min(with jar)
- Operating time: 30 minutes on, 30 minutes off
- Running time of battery operation: Approx. 30 minutes

QTN: 2PCS/CTN
G.W./N.W.: 14.8/12kgs
Size: 52×46×34.5cm

SUCTION APPARATUS

Electric Suction Apparatus

Oil-free pump · Over-flow protection · Foot switch · Large jar · Castors

- Power Voltage: AC220V , 50Hz
- Max negative pressure: > 80kPa
- Operation noise:<60 dB (A)
- Input power: 180VA
- Max air flow: 30±2 L/min (without jar)
  26±2 L/min (with jar)
- Liquid Collection Jar: 2500mL/pc, 2pieces

QTN: 1PCS/CTN
G.W./N.W.: 15.2/13.5kgs
Size: 40.5×40×56cm



MHMS037

Pedal Suction Apparatus

Portable · without power supply

- Max negative pressure value: >0.08MPa
- Negative pressure back-reduction while beingclosed: <0.005MPa/10min
- Liquid Collection Jar:1000mL
- Pedal pressure: < 245N
- Weight: 4.2kg

QTN: 1PCS/CTN
G.W./N.W.: 4.8/3.8kgs
Size: 39.5×27×31.5cm



MHMS038

Smaller, Lighter, and Portable

No power is needed to operate this product, making it an ideal equipment for remote areas, village clinic, home care, and situations where no power is present.





MHMS039

Electric Suction Apparatus

Oil-free pump · Over-flow protection · Foot switch · Large jar · Castors

- Power voltage: AC220V, 50Hz
- Max negative pressure: > 80kPa
- Operation noise:<60 dB (A)
- Input power: 180VA
- Max air flow: 20 L/min(with jar)
  40 L/min(with jar)
- Liquid collection jar: 2500mL/pc, 2pieces

QTN: 1PCS/CTN
G.W./N.W.: 19.5/17kgs
Size: 44.5×40×86cm



MHMS040

Manual Suction Apparatus

Portable · without power supply

- Max vacuum: > 0.04 MPa
- Max flow: > 20L /min
- Liquid Collection Jar: 200ml
- Weight: 202g

QTN: 5PCS/CTN
G.W.: 2.1/1.1kgs
Size: 31×20×22cm

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

THERMOMETER



MHMS041

Infrared Thermometer

Fast measurement | Vibration guidance | Silent mode selection | Measuring distance guidance | Backlit display

- Measurement range:32-43℃
- Temperature unit:℃/℉
- Dimension:149×38×42mm
- Response time: 1 second
- Auto shut off: 30 seconds
- Measure distance: 0-5cm

QTN: 40PCS/CTN
G.W./N.W.: 8.8/3kgs
Size: 57.5×36×16.5cm



MHMS042

Infrared Thermometer

Fast measurement | Automatic shutdown | Fever guidance | Backlit display

- Body measurement range: 32℃-43℃
- Environment measurement range: 10℃-40℃
- Object measurement range: 0℃-60℃
- Measure distance: 0-3cm
- Temperature unit: ℃/℉
- Time interval of each measurement<1s
- Automatic power off time:60s±10s
- Measurement duration<1s
- Memory retrieval: 20 memory groups
- Body temperature/Object temperature/ Environment temperature measurement

QTN: 40PCS/CTN
G.W./N.W.: 8.4/2.8kgs
Size: 57.5×35.1×15.4cm

Infrared Thermometer

Fast measurement | Vibration guidance | Measuring distance guidance | Backlit display

- Measurement range:32-43℃
- temperature unit:℃/℉
- Response time: 1 second
- Auto shut off: 30 seconds
- Measure distance: 0-5cm
- Memory retrieval: 10 memory groups

QTN: 40PCS/CTN
G.W./N.W.: 8.8/3kgs
Size: 57.5×36×16.5cm



MHMS043

Infrared Thermometer

Fast measurement | Automatic shutdown | Fever guidance | Backlit display

- Body measurement range: 32℃-43℃
- Environment measurement range: 10℃-40℃
- Object measurement range: 0℃-60℃
- Measure distance: 0-5cm
- Time interval of each measurement<1s
- Automatic power off time<2min
- Measurement duration<1s
- Memory retrieval: 12 memory groups
- Body temperature/Object temperature/ Environment temperature measurement

QTN: 40PCS/CTN
G.W./N.W.: 11/3kgs
Size: 62.5x40x16.5cm



MHMS044

www.y2mdt.com

Home medical system



MHMS045

Infrared Thermometer

Fast measurement | Memory retrieval | Object temperature measurement | Backlit display | Silent mode selection

- Measurement range:32-43℃
- Temperature unit:℃/℉
- Dimension:149*38*42mm
- Response time: 1 second
- Auto shut off: 60 seconds
- Measure distance: 0-5cm
- Measuring Color Indicator

QTN: 40PCS/CTN
G.W./N.W.: 5.9/2.4kgs
Size: 57.5×36×16.5cm



MHMS046

Infrared Thermometer

Fast measurement | Backlit display | Object temperature measurement | Memory retrieval

- Measurement range:32-43℃
- Temperature unit:℃/℉
- Response time: 1 second
- Auto shut off: 60 seconds
- Measure distance: 0-5cm
- human body and object

QTN: 40PCS/CTN
G.W./N.W.: 8.8/3kgs
Size: 57.5×36×16.5cm



MHMS047

Infrared Ear Thermometer

Fast measurement | Automatic shutdown | Fever guidance | Backlit display

- Body measurement range: 34℃-42.2℃
- Temperature unit: ℃/℉
- Time interval of each measurement≤12s
- Automatic power off time:60s±10s
- Measurement duration≤2s
- Number of earmuffs:20
- Memory retrieval: 10 memory groups

QTN: 40PCS/CTN
G.W./N.W.: 10/3kgs
Size: 67×37.5×26.5cm



MHMS048

Infrared Ear Thermometer

Fast measurement | Automatic shutdown | Fever guidance | Backlit display | Memory retrieval

QTN: 40PCS/CTN
G.W./N.W.: 7.1/2.5kgs
Size: 66×36.5×17.5cm



MHMS049

Infrared Ear Thermometer

Fast measurement | Automatic shutdown | Fever guidance | Backlit display | Memory retrieval

QTN: 40PCS/CTN
G.W./N.W.: 9.2/2.9kgs
Size: 66×36.5×17.5cm

Infrared Ear Thermometer

Fast measurement | Automatic shutdown | Fever guidance | Backlit display

- Body measurement range: 34℃-42.2℃
- Temperature unit: ℃/℉
- Time interval of each measurement≤12s
- Automatic power off time:60s±10s
- Measurement duration≤2s
- Number of earmuffs:20
- Memory retrieval: 6 memory groups

QTN: 40PCS/CTN
G.W./N.W.: 10/3kgs
Size: 67×37.5×26.5cm



MHMS050

(Oral use & Armpit use)

Buzzer | Replaceable battery | One key
Oral / armpit | Large LCD | Actual measurements



MHMS051

- Power supply voltage: internal power supply equipment, alkaline button battery (LR41, -10%~+5%)
- Temperature sensing part: thermistor
- Body temperature display and resolution: digital display, 0.1℃
- Waterproof rating: IP22
- Battery life: about 1000 times (measured 5-10 minutes/time)
- Measuring range: 32.0℃~42.9℃
- Unit of measurement: Celsius (℃)
- Memory function: memorizes the last measured value
- High temperature reminder: if the measured temperature is higher than 37.8℃, it will send out continuously and quickly "Di-di-di" alarm prompt

QTN: 50PCS/CTN
G.W./N.W.: 4.0/1.1kgs
Size: 45×34×16cm



MHMS053

*Storage cover

(Oral use & Armpit use)

Buzzer | Replaceable battery | One key
Oral / armpit | Large LCD | Actual measurements



MHMS052



MHMS054

*Storage cover


- Power supply voltage: internal power supply equipment, alkaline button battery (LR41, -10%~+5%)
- Temperature sensing part: thermistor
- Body temperature display and resolution: digital display, 0.1℃
- Waterproof rating: IP22
- Battery life: about 1000 times (measured 5-10 minutes/time)
- Measuring range: 32.0℃~42.9℃
- Unit of measurement: Celsius (℃)
- Memory function: memorizes the last measured value
- High temperature reminder: if the measured temperature is higher than 37.8℃, it will send out continuously and quickly "Di-di-di" alarm prompt

QTN: 50PCS/CTN
G.W./N.W.: 3.9/1.0kgs
Size: 45x34x16cm

FINGER PULSE OXIMETER



QTN: 40PCS/CTN
G.W./N.W.: 4.1/1.5kgs
Size: 45×26×15cm



- Measurementrange of SpO_2: 70%-100%
- Measurement range of pulse rate: 25bpm-250bpm
- Accuracy of SpO_2: 70%-100%: ±2%
- Accuracy of pulse rate:
  ±1% / ±1bpm (The result depends on the larger value)
- Power consumption: ≤40mA
- Operation environment: Temperature(C): 5-40
  Relative humidity: ≤80%
- Boot method: Open angle to boot
- Power supply: 2×1.5V AAA alkaline batteries
- Display mode: LED
- Dimension: 60×38×35mm
- Weight: 38g (without batteries)
- Automatic shutdown time: 8s

MHMS055



QTN: 40PCS/CTN
G.W./N.W.: 4.1/1.5kgs
Size: 45×26×15cm



- Measurement range of SpO_2: 70%-100%
- Measurement range of pulse rate: 25bpm-250bpm
- Accuracy of SpO_2: 70%-100%: ±2%
- Accuracy of pulse rate:
  ±1%/ ±1bpm(The result depends on the larger value)
- Power consumption: ≤40mA
- Operation environment: Temperature(C): 5-40
  Relative humidity: ≤80%
- Boot method: Open angle to boot
- Power supply: 2×1.5VAAA alkaline batteries
- Display mode: LED
- Dimension: 60×38×35mm
- Weight:38g (without batteries)
- Automatic shutdown time: 8s

MHMS056




- Measurementrange of SpO_2: 70%-100%
- Measurement range of pulse rate: 25bpm-250bpm
- Accuracy of SpO_2: 70%-100%: ±2%
- Accuracy of pulse rate:
  ±1% / ±1bpm(The result depends on the larger value)
- Power consumption: ≤40mA
- Operation environment: Temperature(C): 5-40
  Relative humidity: ≤80%
- Boot method: Push button to boot
- Power supply: 2×1.5V AAA alkaline batteries
- Dimension: 60×38×35mm
- Weight: 38g (without batteries)
- Automatic shutdown time: 8s



QTN: 40PCS/CTN
G.W./N.W.: 4.1/1.5kgs
Size: 45×26×15cm

MHMS057



- Measurementrange of SpO_2: 70%-100%
- Measurement range of pulse rate: 25bpm-250bpm
- Accuracy of SpO_2: 70%-100%: ±2%
- Accuracy of pulse rate:
  ±1% / ±1bpm (The result depends on the larger value)
- Power consumption: ≤30mA
- Operation environment: Temperature(C): 5-40
  Relative humidity: ≤80%
- Boot method: Push button to boot
- Power supply: 2×1.5V AAA alkaline batteries
- Display mode: OLED
- Dimension: 66×35×30mm
- Weight: 27g (without batteries)
- Automatic shutdown time: 8s



QTN: 40PCS/CTN
G.W./N.W.: 3.8/1.2kgs
Size: 45×26×15cm

MHMS058

Home medical system

OXYGEN INTAKE DEVICES

Oxygen flow range: 1~10L/min
High pressure part can support 15MPa when the flow is shut off.
Pressure shall be controlled between 0.2~0.3MPa.
Exhaust pressure of safety valve is 0.35±0.05MPa
Impurities of oxygen are generally eliminated by special filtration and humidification, making it more comfortable and safe for the patient.

QTN: 10PCS/CTN
G.W./N.W.: 9.3/4.8kgs
Size: 51.5×44×31.5cm



MHMS059



MHMS060

Input pressure 0.2~0.3MPa.
Flow regulation range 1-10 L/min.
Optional terminal medical connector.
The damp bottle can be removed, soaked and sterilized, as well as reused.
The scale on the flow tube is easy to read and the display is accurate.
Stepless regulation, easy to adjust the required flow.

QTN: 10PCS/CTN
G.W.:4.5 kgs
Size: 63×31.5×18.5cm

Wall-hung Oxygen Inhalator

Input pressure 0.2~0.3MPa.
Flow regulation range 1-10 L/min.
Optional terminal medical connector.
The handwriting of the flow tube is clear and the display is accurate.
Stepless regulation, easily adjust the required flow.
The maximum temperature resistance of the damp bottle is 120 ℃.
Relief valve exhaust pressure 0.35MPa.
The bottle is equipped with PE high-density filter element, which can be humidified evenly, filtered and silenced.

QTN: 10PCS/CTN
G.W.:7.2kgs
Size: 63×31.5×18.5cm



MHMS061



MHMS063

Buoy Type Oxygen Inhalator

QTN: 4PCS/CTN
G.W./N.W.: 5.3/3.6kgs
Size: 50×27×32.5cm



MHMS062

Oxygen Cylinder

QTN: 1PCS/CTN
G.W./N.W.: 7/6kgs
Size: 58×26×19.5cm



MHMS064

Oxygen Cylinder

QTN: 1PCS/CTN
G.W./N.W.: 15/13kgs
Size: 1PC/CTN 89×31×30.5cm

Home medical system

OXYGEN REGULATORS



MHMS065

- Input :3000PSI
- Output:50PSI
- Flux:12 levels in adjustment
- Inlet connection: CGA-870
- Outlet connection:1/4" OD hose barb

QTN: 1PCS/CTN
G.W./N.W.: 8.7/7.1kgs
Size: 40×15×35cm
Color can be customized:



MHMS066

- Input: 3000PSI
- Output: 50PSI
- Output flux more than 170/min from the
- DISS mouth
- Inlet connection: CGA-870

QTN: 1PCS/CTN
G.W./N.W.: 14.6/13.6kgs
Size: 42.5×32×20.5cm



- Input :3000PSI
- Output:50PSI
- Flux:12 levels in adjustment
- Inlet connection: CGA-870
- Outlet connection:
- 1/4" OD hose barb

QTN: 1PCS/CTN
G.W./N.W.: 14/13kgs
Size: 40×15×35cm



MHMS067



MHMS068

QTN: 1PCS/CTN
G.W./N.W.: 16/15kgs
Size: 40×15×35cm



MHMS069

- Input:3000PSI
- Output:50PSI
- Flux : 12 levels of adjustment
- Inlet connection: CGA-540
- Outlet connection: 9/16" - 18UNF

QTN: 1PCS/CTN
G.W./N.W.: 9.3/6.7kgs
Size: 29.5×17.5×43.5cm
Color can be customized:

- Input:3000PSI
- Output:50PSI
- Flux : 12 levels of adjustment
- Inlet connection: CGA-540
- Outlet connection: 9/16" -18UNF

QTN: 1PCS/CTN
G.W./N.W.: 10.9/8.9kgs
Size: 40×15×35cm
Color can be customized:



QTN: 1PCS/CTN
G.W./N.W.: 7.2/5.5kgs
Size: 29.5×17.5×43.5cm
Color can be customized:

MHMS070

Wheelchair Series



MHMS071



Thicken the Tube Wall



Aluminum Drop Back Handle

Fixed PU armrest and footrest. Alunminum drop back handle. Reticulated and breathable cushion. 6 *PU front wheel and 12 *PU rear wheel. With hand brake.



MHMS072



Brake Dust Cover



Fashion Foot-tape Design

Fixed PU armrest and footrest. Reticulated and breathable cushion. 6"front wheel and 22"rear wheel with solid tire. With hand brake.





Detachable and changeable soft seat.



折背机构:
Foldable backrest:Save room and can put in car boot.

(Fashionable,Dynamic,Light weight,For high quality of life)
Description:Fixed armrest,Fixed footrest,Drop down handle,6" PVC front wheel, 22" PU rear wheel,Aluminum footplate,Detachable soft seat,With hand brake, Pneumatic tires available.

MHMS073





Fixed armrest and footrest.Chrome-covered frame, PVC cushion.8"Front wheel and 24"rear wheel.

MHMS075





New designed brake convenient and safe.



Wide front wheel.



Detachable and changeable soft seat.

MHMS074

MHMS076



Fixed armrests, fixed footrest, Chrome-covered frame, PVC back cushion, 8-inch front wheels, 24-inch steel wire rear wheels seat width:20-inch.

MHMS077



Fixed armrest and footrest.Chrome-covered frame, Nylon cushion.8"Front wheel and 24" mag wheel.

Home medical system





Fixed armrest and footrest. Painted frame.Nylon cushion.
8"Front wheel and 22"rear wheel.

MHMS078



MHMS080



Detachable long armrests, height adjustable and detachable footrest. Retroverted high backet. Seat with commode. Chrome-covered frame. 8" PVC front wheel, 24" steel rear wheel.
可拆长扶手，可拆式升降脚，高靠背，车架电镀，PVC 座便式坐垫，可卸下 .8"PVC 前轮 ,24" 钢丝后轮。















STEEL WHEELCHAIR,detachable backrest & footrest, 8" front castor, 22" rear wheel.

MHMS079



MHMS081

Detachable long armrests, detachable lift-able feet, high backrest, spraying shelf, PVC cushion for seat, can be discharged, 8" front wheel, 24" steel rear wheel.

Home medical system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Home medical system



MHMS082

Flip up armrest and detachable footrest,Chrome-covered frame,Seat with commode.PVC cushion.8"Front wheel and 24" rear wheel.



MHMS083

Flip up armrest and detachable footrest,Chrome-covered frame,Seat with commode.PVC cushion.8"Front wheel and 24" rear wheel.

Multifunctional rehabilitation products



● Lifting Aid



● Walker



● Shower Chair



● Commode Chair



● Toilet Safety Frame



● Toilet Seat Raiser



MHMS084



Fixed armrest and footrest.Chrome-covered frame, PVC cushion.8"Front wheel and 24"rear wheel.

MHMS085



MHMS086

Asian Style



5" PVC wheels,when use will be more flexible



Tube diameter 25mm, tube wall thickness 1.2mm

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司



MHMS087



Plastic backplane, easy to wash without possession of pollution.will be more comfortable



MHMS089

European Style




MHMS088



Widening "H" tube, more fashionable, more stable.



5" PVC wheels,when use will be more flexible



Tube diameter 25mm, tube wall thickness 1.2mm



AS SHOWER CHAIR

- The shower head can be placed on the clip during bathing.
- The cane can be inserted into clip,and can be taken out to assist in standing.





AS COMMODE CHAIR

- Seat cover can be hung on the hook to prevent loss.
- Put the paper and towel on the hook for easy use.

把纸巾或者手巾挂在挂钩上，方便使用 .







AS TOILET SEAT

- Hang the seat cover on the hook,and take the bucket away to use as toilet chair.
- The user can support the product armrest to stand up.
- Adjust the height of the product and use it as a toilet seat raiser.

Home medical system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Rollator series



MHMS090

Aluminum Rollator
铝合金轻便型手推车
- Aluminum liquid coated frame/ 铝合金喷涂车架
- Detachable contoured padded backrest, add comfort and lumber support / 加厚软坐垫
- Easily squeeze and release hand brakes come with locking mechanism / 易挤压和释放带锁刹车
- Padded PVC soft seat/ 加厚 PVC 软坐垫
- Optional shopping bag and basket/ 可旋转购物袋和铁丝篮
- With 8" wheels/ 带 8 寸轮



MHMS091

Aluminum Rollator
铝合金轻便型手推车
- Aluminum liquid coated frame/ 铝合金喷涂车架
- Detachable contoured padded backrest, add comfort and lumber support / 加厚软坐垫
- Easily squeeze and release hand brakes come with locking mechanism / 易挤压和释放带锁刹车
- Padded PVC soft seat/ 加厚 PVC 软坐垫
- Optional shopping bag and basket/ 可旋转购物袋和铁丝篮
- With 6" wheels/ 带 6 寸轮

Walker Series



MHMS092



MHMS093



MHMS094



MHMS095



MHMS096



MHMS097

Home medical system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Walkina Stick Series



MHMS098



MHMS099



MHMS100



MHMS101 MHMS102 MHMS103



MHMS104 MHMS105 MHMS106



MHMS107 MHMS108 MHMS109 MHMS110 MHMS111 MHMS112



MHMS113 MHMS114 MHMS115 MHMS116 MHMS117

Home medical system

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Fixed sleeve and belt series


MHMS118


MHMS119


MHMS120


MHMS121


MHMS122


MHMS123


MHMS124


MHMS125


MHMS126


MHMS127


MHMS128


MHMS129


MHMS130


MHMS131


MHMS132


MHMS133


MHMS134


MHMS135


MHMS136


MHMS137


MHMS138


MHMS139


MHMS140


MHMS141


MHMS142


MHMS143


MHMS144


MHMS145


MHMS146


MHMS147

Home medical system


MHMS148


MHMS149


MHMS150


MHMS151


MHMS152


MHMS153


MHMS154


MHMS155


MHMS156


MHMS157


MHMS158


MHMS159

Waistline series


MHMS160


MHMS161


MHMS162


MHMS163


MHMS164


MHMS165

Medical sling traction belt series


MHMS166


MHMS167


MHMS168


MHMS169


MHMS170


MHMS171

Home medical system


MHMS172


MHMS173



MHMS174

Traction belt series


MHMS175


MHMS176


MHMS177


MHMS178


MHMS179


MHMS180


MHMS181


MHMS182


MHMS183

Traction belt series


MHMS184


MHMS185


MHMS186


MHMS187


MHMS188


MHMS189


MHMS190


MHMS191


MHMS192

Abdominal belt series


MHMS193


MHMS194


MHMS195

Home medical system


MHMS196


MHMS197


MHMS198


MHMS199


MHMS200


MHMS201


MHMS202


MHMS203


MHMS204

Fixed sleeve and belt series


MHMS205


MHMS206


MHMS207


MHMS208


MHMS209


MHMS210


MHMS211


MHMS212


MHMS213


MHMS214


MHMS215


MHMS216


MHMS217


MHM218


MHMS219


MHMS220


MHMS221


MHMS222

Home medical system


MHMS223


MHMS224


MHMS225


MHMS226


MHMS227


MHMS228


MHMS229


MHMS230


MHMS231


MHMS232


MHMS233


MHMS234


MHMS235


MHMS236


MHMS237

First aid kit


MHMS238

- Medical tape 2.5cm(1")
- Adhesive plaster 76 x 25mm (3"x 1")
- Adhesive plaster finger strip 120 x 20mm
- Adhesive plaster 76 x 19mm (3" x 3/4")
- Adhesive plaster 10cm x 6cm (4 "x 2.4")
- Butterfly fingertip adhesive plaster 76 x 45mm
- First aid dressing bandages 8 x 10cm
- First aid dressing bandages 10 x 12cm
- Sterile burn dressing 40 x 60cm
- Exam gloves
- Emergency blanket 210 x 160cm silver/gold
- Cleansing wet wipes 20x12cmScissor 13cm
- First aid kit manual
- Nylon bag 18 x 12.5 x 5cm(7"x 5" x2")
- PP box 19 x 13.5 x 5.5cm(7.5" x5.3" x2.1")


MHMS239

- Medical tape 2.5cm(1")
- Adhesive plaster 10cm x 6cm (4 "x2.4")
- Butterfly fingertip adhesive plaster76 x 45mm
- Knuckle adhesive plaster 76 x 38mm
- Adhesive plaster 76 x 25mm (3" x 1")
- Adhesive plaster finger strip 120 x 20mm
- First aid dressing bandages,6 x 8cm
- First aid dressing bandages,8 x 10cm
- First aid dressing bandages,10x 12cm
- Sterile burn dressing 40 x 60cm
- Sterile burn dressing 60 x 80cm
- Exam gloves
- Conforming elastic bandage 6cm x 4m
- Conforming elastic bandage 6cm x 8m
- Emergency blanket, 210 x 160cm silver/gold
- Sterile wound dressing 10x 10cm (4"x4"),pack of 2
- Triangular bandage
- Stainless steel scissors 15cm
- Cleansing wet wipes
- First aid manual
- Nylon bag 25x 13 x6.5cm(10"x5.1"x2.6")
- PP box 26x 17 x8cm(10.2" x 6.7" x3")



- Medical tape 2.5cm(1")
- Adhesive plaster 10cm x 6cm (4 "x 2.4")
- Butterfly fingertip adhesive plaster 76x 45mm
- Knuckle adhesive plaster 76 x 38mm
- Adhesive plaster 76 x 25mm (3" x 1")
- Adhesive plaster finger strip 120 x 20mm
- First aid dressing bandages,6 x 8cm
- First aid dressing bandages,8 x 10cm
- First aid dressing bandages, 10 x 12cm
- Sterile burn dressing 40 x 60cm
- Sterile burn dressing 60 x 80cm
- Exam gloves
- Conforming elastic bandage 6cm x 4m
- Conforming elastic bandage 6cm x8m
- Emergency blanket, 210 x 160cm silver/gold
- Sterile wound dressing 10 x 10cm (4"x4"),pack of 2
- Triangular bandage
- Stainless steel scissors 15cm
- Cleansing wet wipes
- Reflective warning triangle 41cm
- Reflective vest
- First aid manual
- First aid bag 25 x 13 x 6.5cm(10" x 5.1" x2.6")

MHMS240



- Adhesive plaster 10cm x 6cm (4 "x 2.4")
- Knuckle adhesive plaster 76 x 38mm
- Adhesive plaster finger strip 120 x 20mm
- Adhesive plaster 76 x 19mm (3" x 3/4")
- Adhesive plaster 76 x 25mm (3" x 1")
- Medical tape 2.5cm(1")
- First aid dressing bandages,6 x 8cm
- First aid dressing bandages,8 x 10cm
- First aid dressing bandages,10 x 12cm
- Sterile burn dressing 60 x 80cm
- Sterile wound dressing 10 x 10cm (4" x 4"), pack of 1
- Sterile eye pad
- Instant cold pack
- Emergency blanket, 210 x 160cm silver/gold
- Conforming elastic bandage 6cm x 4m
- Conforming elastic bandage 8cm x 4m
- Triangular bandage
- Stainless steel scissors 15cm
- CPR face mask
- Exam gloves
- Garbage plastic bag
- Broschure
- First aid manual
- ABS box 33.5 x 24.5 x 12.5cm(13" x 9.5" x 5")

MHMS241

- Medical tape 2.5cm(1")
- Elbow/knee adhesive plaster 50 x 100mm
- Knuckle adhesive plaster 76 x 38mm
- Adhesive plaster finger strip 120 x 20mm
- Adhesive plaster 76 x 19mm (3" x 3/4")
- Adhesive plaster 76 x 25mm (3" x 1")
- First aid dressing bandages,6 x 8cm
- First aid dressing bandages,8 x 10cm
- First aid dressing bandages,10 x 12cm
- Sterile burn dressing 60 x 80cm
- Sterile wound dressing 10 x 10cm (4" x 4")
- Sterile eye pad
- Instant cold pack
- Conforming elastic bandage 6cm x 4m
- Conforming elastic bandage 8cm x 4m
- Triangular bandage
- Trauma shears 15cm (6")
- CPR face mask
- Exam gloves
- Emergency blanket, 210 x 160cm silver/gold
- Garbage plastic bag
- Content list
- First aid manual
- PP box 27 x 26 x 9cm (10.6" x 10.2" x 3.5"),
- ABS box 29 x 20 x 12cm(11.4" x 7.8" x 4.7")



MHMS242



- Adhesive plaster finger strip 120 x 20mm
- Spot adhesive plaster 22mm (7/8")
- Alcohol prep pads
- Antiseptic cleansing wipes
- Sting relief pads
- Conforming elastic bandage 8cm x 4m
- Medical tape 1.25cm(1/2")
- Triangular bandage 96 x 96 x 136cm
- Cotton tip applicator
- Safety pins 3.8cm
- Metal tweezers 12.5cm
- Scissors 15cm
- Emergency towel
- Whistle
- Swiss card
- Hand driven flash light
- Emergency blanket, 210 x 130cm
- silver/silver
- First aid bag 20 x 13 x 5cm
- (7.9" x 5.1" x 2")


MHMS243

Dental system



MDS001

Dental Bib




MDS004

Bib Dispenser



MDS007

Barrier Film



MDS010

Barrier Film Dispenser



MDS002

Bib Holder Silicon



MDS005

Bib Holder Silicon




MDS008

Light Cure Sleeve



MDS011

3-Way Syringe Sleeve



MDS003

Bib Holder Metal



MDS006

Bib Holder Plastic



MDS009

Camera Sleeve



MDS012

Chair Sleeve

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Dental system



MDS013

Tray Sleeve



MDS016

Cotton Roll Dispenser



MDS019

Impression Gun



MDS022

Intraoral Tips



MDS014

Suction tips



MDS017

Surgical Aspirator



MDS020

Mixing Tips



MDS023

Dynamic Tips



MDS015

Saliva Ejector



MDS018

HVE Evacuator Tips



MDS021

Applicator / Applier



MDS024

Composite Gun



MDS025

Mixing Wells



MDS028


Retainer Box

MDS031



Micro Applicator

MDS034



Disposable Mirror



MDS026


Denture Box



MDS029

Denture Cleaning Brush

MDS032



Dental kit

MDS035



Air Water Syringe Tips



MDS027

Instrument Cleaning Brush



MDS030

Burs Cleaning Brush

MDS033



Air Water Syringe Tips

MDS036



Capillary Tips



MDS037

Articulating Paper



MDS040

Articulating Paper



MDS043

Prophy Anglel



MDS046

Prophy Point



MDS038

Prophy Cup



MDS041

Prophy Cup



MDS044

Composite Brush



MDS047

Polishing Brush Set



MDS039

Prophy Brush Nylon Flat



MDS042

Prophy Brush Cup



MDS045

Polishing Brush Set



MDS048

Rubber Cup Set

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Dental system



MDS049

Wooden wedges




MDS052

Plastic Wedges



MDS055

Bite Block



MDS058

Cheek Retractor



MDS050

Wooden wedges




MDS053

Plastic Wedges



MDS056

Lip Retractor



MDS059

Lip Retractor



MDS051

Trainer




MDS054

Hand Mirror




MDS057

Cheek Retractor



MDS060

Cheek Retractor



MDS061

Cheek Retractor



MDS064

Cheek Retractor



MDS067

Photo Mirror Glass



MDS070

Reflactor



MDS062

Cheek Retractor



MDS065

X-Ray Film Holder



MDS068

Retraction Cord



MDS071

Matrix Band Roll



MDS063

Film Mount



MDS066

Photo Mirror Steel



MDS069

Matrix Band Retainer



MDS072

Rubber Dam



MDS073

Rubber Dam Frame



MDS076

Mouth Gag



MDS079

Polishing Disc



MDS082

Polishing Disc



MDS074

Light Cure Shield



MDS077

Mirror Light



MDS080

Polishing Disc & Strip kit



MDS083

Silicon Polisher RA/CA



MDS075

Dental Floss



MDS078

Dental floss



MDS081

Silicon Polisher HP



MDS084

Silicon Polisher HP

Dental system



MDS085

Composite Finishing Kit



MDS088

Amalgam Polishing Kit



MDS091

Screw Post



MDS086

Denture Polishing Kit

MDS089

Shade Guide 16color



MDS092

Endo Clean



MDS094

Endo Block



MDS087

Shade Guide 19color




MDS090

Shade Guide 29color



MDS093

Endo Ring



MDS095

Endo Ruler

MDS096



Plastic Tay Divided

MDS099



Plastic tray

MDS102



Ortho Wax

MDS105



Dental Unit

MDS097



Stainless Steel Tray

MDS100



Tray Cover Paper

MDS103



Mobile Dental Clinic

MDS106



Dental Stool

MDS098



Disposable Plastic Tray

MDS101



Chain Elastic

MDS104



Resin Teeth

MDS107



Teeth Model

MDS108



Anatomical Model

MDS111



Root Canal Study Teeth

MDS114



Dental Wax

MDS109

Surgical Study Model

MDS112



Stick Wax

MDS115



CAD/CAM Wax Discs

MDS110




Crown Wax

MDS113



Wax Wire Roll

MDS116



Temporary Crown

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

Dental system

MDS117



Impression Tray

MDS120



Impression Tray

MDS123




Impression Tray Steel

MDS126



Mixing Bowl

MDS118



Impression Tray

MDS121



Fluoride Tray


MDS124



Spatula

Mixing Pad

MDS119



Bite Tray / Triple Tray

MDS122



Plastic Coated Tray

MDS125



Dappen dish Plastic

MDS128



MDS024

Dappen Dish Glass

MDS129



Synthetic Resin Teeth J

MDS132



Synthetic Resin Teeth S

MDS135



Alloy Pin Porcelain Teeth

MDS138



Dental Unit

MDS130



Synthetic Resin Teeth D

MDS133



Synthetic Resin Teeth B

MDS136



Desensitizer

MDS139




Zinc Polycarboxylate Cenment

MDS131



Synthetic Resin Teeth D

MDS134



.Golden Pin Porcelain Teeth

MDS137



Glass Ionomer Cenment

MDS140



Reinforced Glass Ionomer cement TYPE II

Yangzhou Meditech Import And Export Co., Ltd.
扬 州 美 迪 泰 进 出 口 有 限 公 司

MDS141



Reinforced Glass Ionomer Cenment

MDS143



Zinc-Phosphate Cenment

MDS146



Denture Base Resin TYPE II

MDS149



Teeth Acrylic

MDS142



Eugenol

MDS144



Eugenol Cement

MDS147



Fibered Denture Base Resin

MDS150



Aliginate Impression(color changing)

MDS143



Temporary Stoppings

MDS145



Denture Base Resin TYPE I

MDS148



Modelling Composition

MDS151



Moulding Compound

Dental system

MDS152



Silver Alloy Capsules

MDS155



Sifver Alloy Ag-43 Capsules

MDS158



Porcelain Fu to Metal

MDS161



Gold Colored Casting Alloy

MDS153



Silver Alloy Ag-69 Capsules

MDS156



Silver Alloy

MDS159



Sheet Wax

MDS162



Base Plate Wax(for general use)

MDS154



Fusible Alloy

MDS157



High Strength Chromium-Cobalt Alloy

MDS160



Base Plate Wax(for high temperature climate use)

MDS163



Stippled Wax

Dental system

MDS164



Dopping Wax

MDS165



Wax Wire

MDS166



Dental Gypsum Product

MDS167



Wax for Crown & Bridge

MDS168



Inlay Wax

MDS169



Base Plate

MDS170



Investment For Low And Medium Fusing Alloys

MDS171



Pickling Solution

MDS172



Soldering Flux Paste

MDS173



Seperating Fluid

MDS174



Tray Cleaning Agent (Liquor)

MDS175



Polishing Paste

Dental system

MDS176



Tray Cleaning Agent (Powder)

MDS179



Stainless Steel Ligature

MDS182



Abrasive Point With Handles

MDS173



Abrasive Wheels (For Dental Lathe)

MDS177



Gypsum solution

MDS180




Matrix Band

MDS183



Trimming Stones

MDS178



Dental Stainless Steel Wire

MDS181



Abrasive Wheels

Dental system

Animal system

CONTINUOUS INJECTORS

MAY001



NL101 Double barrel continuous injector

Description

- Left is 0.5ml , right is 1.0ml
- Double barrel
- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Plastic handle
- Light weight
- Easy to operate

MAY002



NL102 1ml-A Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chorme plated
- Highly accurate valve system
- Light weight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY003



NL103 1ml-B Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY004



NL104 1ml-C Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY005



NL105 1ml-D Continuous injector

Description

- 1ml continuous injector with bottle holder
- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY006



NL106 1ml-E Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for small dosage injection
- Easy to operate

MAY007



NL107 2ml-A Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY008



NL108 2ml-B Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY009



NL109 2ml-C Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate
- NL109-1 2ml
- NL109-2 10ml

MAY010



NL110 2ml-D Continuous injector

Description

- 2ml continuous injector With bottle holder
- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate
- NL110-1 2ml
- NL110-2 5ml

MAY011



NL111 2ml-E Continuous injector

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY012



NL112 2ml-F Continuous injector

Description

- Luer-lock adaptor with bottle holder
- Brass raw material with chrome plated
- Highly accurate valve system
- Light weight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for small-dosage injection
- Easy to operate

MAY013



NL113 Automatic syringe

Description

- Automatic syringe with tubing refilling
- Self-refilling with luer lock adaptor
- Polycarbonate heavy duty body
- Transparent barrel
- Ergonomic shape handle system
- High calibration accuracy
- Can be sterilized at 130°C

NL113-1 5ml-A automatic syringe
NL113-2 10ml-A automatic syringe

MAY014



NL114 Automatic syringe

Description

- automatic syringe with bottle holder
- Self-refilling with luer lock adaptor
- Polycarbonate heavy duty body
- Transparent barrel
- Ergonomic shape handle system
- High calibration accuracy
- Can be sterilized at 130°C

NL114-1 5ml-B automatic syringe
NL114-2 10ml-B automatic syringe

MAY015



NL115 Automatic syringe with tube refiling

Description

NL115-1 1ml automatic syringe
NL115-2 2ml automatic syringe
NL115-3 5ml automatic syringe

MAY016



NL116 Automatic syringe with bottle holder

Description

NL116-1 1ml automatic syringe
NL116-2 2ml automatic syringe
NL116-3 5ml automatic syringe

Animal system

MAY017



NL117 2ml automatic syringe

Description

- 2ml automatic syringe with tube refilling
- Self-refilling with luer lock adaptor
- Polycarbonate heavy duty body
- Transparent barrel
- Ergonomic shape handle system
- High calibration accuracy
- Can be Sterilized at 130°C

MAY018



NL118 0.75ml automatic syringe

Description

- 0.75ml automatic syringe with tube refilling
- Self-refilling with luer lock adaptor
- Polycarbonate heavy duty body
- Metal barrel
- Ergonomic shape handle system
- High calibration accuracy
- Can be Sterilized at 130°C

MAY019



NL119 3ml Automatic Inoculator

Description

- New second generation automatic inoculator for poultry
- Dosage: 3cc
- Smart & humanized design, light weight ensuring a more safe & efficient inoculation.
- Made from the best material, oil-proof, non-corrosive
- All parts & accessories can be autoclaved
- Easy to operate
- One set of disposable syringe as free replacement

MAY020



NL120 6ml Automatic Inoculator

Description

- New second generation automatic inoculator for poultry
- Dosage: 6cc
- Ergonomic shape handle for easy operation
- Double needles, more efficient
- Made from the best material, oil-proof, non-corrosive
- All parts & accessories can be autoclaved
- One set of disposable syringe as free replacement

VETERINARY SYRINGES

MAY021



NL201 Metal syringe

Code	Spec.	Code	Spec.
NL20110	10ml	NL20130	30ml
NL20120	20ml	NL20150	50ml
NL20120-B	20mlB	NL201100	100ml

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Glass tube easy for cleaning
- Adjustable rubber piston rod
- Shockproof packaging with instruction paper

MAY022



NL202 20ml High-accuracy syringe

Description

- Luer-lock adaptor
- Brass raw material with chrome plated
- Glass tube easy for cleaning
- Adjustable rubber piston rod
- Shockproof packaging with instruction paper

MAY023



NL203 Revolver syringe

Code	Spec.
NL203-1	10ml revolver syringe dosage 0.25ml, 0.5ml and 1.0ml
NL203-2	30ml revolver syringe dosage 1.0--5.0ml
NL203-3	50ml revolver syringe dosage 1.0-5.0ml
NL203-4	20ml revolver syringe dosage 1.0-5.0ml

Description

- All metal parts are made of brass material, nickel or chrome plated;
- With calibration
- Marks on glass barrel; perfect dose adjustment;
- Suitable for the inoculation of livestock.
- Clean well with silicone oil & rubber washer can be replaced regularly.

MAY024



NL204 50ml Pistol syringe

Code	Spec.
NL204-1	50ml pistol syringe with plastic handle
NL204-2	50ml pistol syringe with metal handle

Description

- Plastic handle is light and economic;
- Metal handle is strong and durable;
- Graduated barrel is made of TPX, which is able to endure high temperature and chemical corrosion.
- Its simple dosage sleeve can be easily adjusted from 1 to 5cc;
- The dosage is extremely accurate



MAY025

NL205 Plastic steel syringes without dose nut

Description

- Durable syringe with luer lock adaptor;
- Ergonomic design;
- Reusable;
- High quality plastic(PC or TPX) with UV additive;
- Color of plastic piston, cover and handle are favorable;
- Transparent barrel with engraved scale or transparent scale are favorable;
- Sterilized by boiled water.

Code	Spec.	Code	Spec.
NL20505P	5ml(PC)	NL20505T	5ml(TPX)
NL20510P	10ml(PC)	NL20510T	10ml(TPX)
NL20520P	20ml(PC)	NL20520T	20ml(TPX)
NL20530P	30ml(PC)	NL20530T	30ml(TPX)
NL20550P	50ml(PC)	NL20550T	50ml(TPX)



MAY026

NL206 Plastic steel syringes with dose nut

Description

- Durable syringe with luer lock adaptor;
- Ergonomic design;
- Reusable ;
- Metal rod with engraved scale;
- High quality plastic(PC or TPX) with UV additive;
- Color of plastic piston, cover and handle are favorable;
- Transparent barrel with engraved scale or transparent scale are favorable;
- Sterilized by boiled water .

Code	Spec.	Code	Spec.
NL20610P	10ml(PC)	NL20610T	10ml(TPX)
NL20620P	20ml(PC)	NL20620T	20ml(TPX)
NL20630P	30ml(PC)	NL20630T	30ml(TPX)
NL20650P	50ml(PC)	NL20650T	50ml(TPX)



MAY027

NL207 100ml Plastic steel syringe with rubber drenching nozzle

Description

- Durable syringe with luer lock adaptor or rubber drenching nozzle;
- Ergonomic design;
- Reusable;
- High quality plastic(PC or TPX) with UV additive;
- Color of plastic piston, cover and handle are favorable;
- Transparent barrel with engraved scale or transparent scale are favorable;
- Sterilized by boiled water.







MAY028

NL212 50ml Pistol syringe

Description

- Aluminum casting body with chrome plated
- Brass luer-lock with chrome plated
- With calibration
- Glass tube easy for cleaning
- Suitable for the inoculation of livestock
- Clean well with silicone oil & rubber washer can be replaced regularly.



MAY029



NL213 60ml Plastic drencher gun

Description

- 60ml plastic drencher gun with super nylon PP material handle, white barrel.
- Silicon gel tube with the length of 120cm.
- Extra spring regard as tightening the joint of gun and tube.
- Adjustable dosage 2.5ml, min 10ml and max 60ml.
- Ergonomic shape handle system.
- Logo printing available, color available.
- Each piece with individual OPP bags, 25pcs per carton.

MAY030



NL214 Stainless steel drencher gun

Description

- Stainless steel material barrel.
- With extra Teat cannula.
- Each piece with blister packaging.

Code	Spec.
NL214-1	50ml
NL214-2	100ml

MAY031



NL216 Long Arm Continuous Injector

Description

- Luer-lock adaptor
- Long arm handle designed for big grumpy animals to prevent any possible danger
- Material: Brass with chrome plated cylinder, steel alloy arm, stainless steel push rod

Code	Spec.
NL216-1	10ml
NL216-2	20ml

Code	Spec.
NL216-3	30ml
NL216-4	50ml

MAY032



NL215 Automatic animal continuous syringe drencher gun

Description

- Super chrome plated aluminum alloy drenching nozzle.
- Ergonomic shape handle system, for longtime operation.
- High transparent barrel with clear scale.
- Each piece with blister packaging.

Code	Spec.
NL21510	10ml continuous syringe drencher gun
NL21520	20ml continuous syringe drencher gun
NL21530	30ml continuous syringe drencher gun
NL21550	50ml continuous syringe drencher gun

MAY033



NL217 Metal drencher gun

Description


- Material: Brass with chrome plated cylinder, quartz glass with accurate graduation
- Accessories included

Code	Spec.
NL217-1	5ml
NL217-2	10ml

Code	Spec.
NL217-3	20ml
NL217-4	30ml

VETERINARY NEEDLES

MAY034




NL301 Luer-lock hub veterinary needles

Description

- SUS304 stainless steel pipe
- Luer lock brass rectangle hub
- Pipe & hub rivet connection in five direction
- Very sharp needle with tri-beveled
- 1 dozen per plastic box, 1 gross per white box.
- 50 grosses with one export carton
- Diagonal straight line length 7.5mm





Length of hub is favorable from 11mm, 14mm, 18mm, 20mm

Item No.	Needles Gauge and Length		BOX/Case/Carton
	D×L (G×inch)	D×L (mm×mm)	
NL301142	14G×2"	2.0×50	12/144/7200
NL30114112	14G×1 ½"	2.0×40	12/144/7200
NL301141	14G× 1 "	2.0×25	12/144/7200
NL3011434	14G×3/4"	2.0×20	12/144/7200
NL3011458	14G×5/8"	2.0×15	12/144/7200
NL301152	15G×2"	1.8×50	12/144/7200
Nl30115112	15G×1 1/2"	1.8×40	12/144/7200
NL301151	15G× 1 "	1.8×25	12/144/7200
NL3011534	15G×3/4"	1.8×20	12/144/7200
NL3011558	15G×5/8"	1.8×15	12/144/7200
NL301162	16G×2"	1.6×50	12/144/7200
NL30116112	16G×1 1/2"	1.6×40	12/144/7200
NL301161	16G×1"	1.6×25	12/144/7200
NL30134	16G×3/4"	1.6×20	12/144/7200
NL3011658	16G×5/8"	1.6×15	12/144/7200
NL30118112	18G×1 1/2"	1.2×40	12/144/7200
NL301181	18G×1 "	1.2×25	12/144/7200
NL3011834	18G×3/4"	1.2×20	12/144/7200
NL3011858	18G×5/8"	1.2×15	12/144/7200
NL3011812	18G×1/2"	1.2×13	12/144/7200
NL30120112	20G×1 1/2"	0.9×40	12/144/7200
NL301201	20G× 1 "	0.9×25	12/144/7200

Item No.	Needles Gauge and Length		Colour Code	BOX/Case/Carton
	G×inch	mm×mm		
NL302142	14G×2"	2.0×50	Brown	100/1000/4000
NL30214112	14G×1½"	2.0×40	Brown	100/1000/4000
NL302141	14G×1 "	2.0×25	Brown	100/1000/4000
NL3021434	14G×3/4	2.0×20	Brown	100/1000/4000
NL3021458	14G×5/8	2.0×15	Brown	100/1000/4000
NL302162	16G×2"	1.6×50	Grey	100/1000/4000
NL30216112	16G×1½"	1.6×40	Grey	100/1000/4000
NL302161	16G×1 "	1.6×25	Grey	100/1000/4000
NL3021634	16G×3/4	1.6×20	Grey	100/1000/4000
NL3021658	16G×5/8	1.6×15	Grey	100/1000/4000
NL302182	18G×2"	1.2×50	Green	100/1000/4000
NL30218112	18G×1½"	1.2×40	Green	100/1000/4000
NL302181	18G×1 "	1.2×25	Green	100/1000/4000
NL3021834	18G×3/4	1.2×20	Green	100/1000/4000
NL3021858	18G×5/8	1.2×15	Green	100/1000/4000
NL3021812	18G×½	1.2×13	Green	100/1000/4000
NL30220112	20G×1½"	0.9×40	Pink	100/1000/4000
NL302201	20G×1 "	0.9×25	Pink	100/1000/4000
NL3022034	20G×3/4	0.9×20	Pink	100/1000/4000
NL3022012	20G×1/2	0.9×13	Pink	100/1000/4000

MAY035





NL302 Aluminum hub needles

Description

- SUS304 stainless steel pipe
- High-accuracy luer lock alunimum hub
- Ultra-sharp,tri-bevelled, anti-coring needle
- Each piece with color-coded cartridges.
- 100pcs with one neutral box (OEM packaging is favorable)

MAY036



NL304 Backbone needle

Description

- Brass material with chrome plated
- Packed in plastic box

MAY037



NL305 Teat cannula

Description

Teat cannula with luer lock adaptor
NL305-1 60/80mm teat cannula
NL305-2 80/100mm teat cannula
NL305-3 100/120mm teat cannula

Material: brass bottom and stainless steel pipe with chrome plated
Size: ¢2.5mm

MAY038



NL306 Double needle (Air needle)

Description

Double needles also called air needle. with double wall for air intake.
Olive tip for PVC 4/7 tubing.

NL306-1 double needle
Material: brass cannula with nickel plated
Size: ¢3mmX100mm

NL306-2 double needle
Material: brass cannula with nickel plated
Size: ¢3mmX200mm

MAY039



NL320 Veterinary PVC disposal medical infusion I.V. set

Description

- Disposal for single use.
- The clear drip chamber is easy for dripping speed.
- Transparent PVC tube with roller clamp for easy adjusting the flux.
- With intravenous sterile needle.
- We customize the PVC tube length if needed.
- Each set with one neutral OPP bag.

Item No.	Needles Gauge and Length		Colour Code	BOX/Case/Carton
	G×inch	mm×mm		
NL30714112	14G×1 ½"	2.0×40	Brown	100/10000
NL307141	14G× 1 "	2.0×25	Brown	100/10000
NL30716112	16G×1 1/2"	1.6×40	Grey	100/10000
NL307161	16G× 1 "	1.6×25	Grey	100/10000
NL30718112	18G×1 1/2"	1.2×40	Pink	100/10000
NL307181	18G× 1 "	1.2×25	Pink	100/10000
NL3071834	18G×3/4"	1.2×20	Pink	100/10000
NL3071858	18G×5/8"	1.2×15	Pink	100/10000
NL3071812	18G×1/2"	1.2×13	Pink	100/10000
NL30720112	20G×1 1/2"	0.9×40	Yellow	100/10000
NL307201	20G× 1 "	0.9×25	Yellow	100/10000
NL3072034	20×3/4"	0.9×20	Yellow	100/10000
NL3072058	20G×5/8"	0.9×15	Yellow	100/10000
NL3072012	20G×1/2"	0.9×13	Yellow	100/10000
NL30721112	21G×1 1/2"	0.8×40	Green	100/10000
NL307211	21G× 1 "	0.8×25	Green	100/10000
NL3072134	21G×3/4"	0.8×20	Green	100/10000
NL3072158	21G×5/8"	0.8×15	Green	100/10000
NL3072112	21G×1/2"	0.8×13	Green	100/10000
NL30722112	22G×1 1/2"	0.7×40	Bue	100/10000
NL307221	22G× 1 "	0.7×25	Bue	100/10000
NL3072234	22G×3/4"	0.7×20	Bue	100/10000
NL3072258	22G×5/8"	0.7×15	Bue	100/10000
NL3072212	22G×1/2"	0.7×13	Bue	100/10000
NL30723112	23G×1 1/2"	0.6×40	Orange	100/10000
NL307231	23G× 1 "	0.6×25	Orange	100/10000
NL3072334	23G×3/4"	0.6×20	Orange	100/10000
NL3072358	23G×5/8"	0.6×15	Orange	100/10000
NL3072312	23G×1/2"	0.6×13	Orange	100/10000
NL30725112	25G×1 1/2"	0.5×40	Red	100/10000
NL307251	25G× 1 "	0.5×25	Red	100/10000
NL3072534	25G×3/4"	0.5×20	Red	100/10000
NL3072558	25G×5/8"	0.5×15	Red	100/10000
NL3072512	25G×1/2"	0.5×13	Red	100/10000

Other sizes are also available

MAY040



NL307 Disposable Hypodermic needle


Description

- Stainless steel cannula;
- Translucent, colour-coded luer lock hub;
- Ultra-sharp, tri-bevelled, anti-coring;
- Blister packaging;
- Sterile, non-pyrogenic;
- Silicone coating assures ease of penetration,
- Minimizing animal discomfort

NL308 Disposal Syringe

Description

- Plastic sterile syringe
- Latex free, luer lock or luer slip, with or without needle
- We could supply 1ml,2ml,3ml,5ml,10ml,20ml,30ml,50ml
- PE or blister packing



MAY041

MAY042



NL309 Round hub veterinary needles

Description

- SUS304 stainless steel pipe
- Luer lock brass round hub
- Pipe & hub rivet connection in five direction
- Very sharp needle with tri-beveled
- 1 dozen per plastic box,1 gross per white box
- 50 grosses with one export carton
- Small or big knurl for your choice

Hub diameter is 8mm or 8.5mm

Item No.	Needles Gauge and Length		BOX/Case/Carton
	D×L (G×inch)	D×L (mm×mm)	
NL309142	14G×2"	2.0×50	12/144/7200
NL30914112	14G×1 ½"	2.0×40	12/144/7200
NL309141	14G× 1 "	2.0×25	12/144/7200
NL3091434	14G×3/4"	2.0×20	12/144/7200
NL3091458	14G×5/8"	2.0×15	12/144/7200
NL309152	15G×2"	1.8×50	12/144/7200
Nl30915112	15G×1 1/2"	1.8×40	12/144/7200
NL309151	15G× 1 "	1.8×25	12/144/7200
NL3091534	15G×3/4"	1.8×20	12/144/7200
NL3091558	15G×5/8"	1.8×15	12/144/7200
NL309162	16G×2"	1.6×50	12/144/7200
NL30916112	16G×1 1/2"	1.6×40	12/144/7200
NL309161	16G×1"	1.6×25	12/144/7200
NL30934	16G×3/4"	1.6×20	12/144/7200
NL3091658	16G×5/8"	1.6×15	12/144/7200
NL30918112	18G×1 1/2"	1.2×40	12/144/7200
NL309181	18G×1 "	1.2×25	12/144/7200
NL3091834	18G×3/4"	1.2×20	12/144/7200
NL3091858	18G×5/8"	1.2×15	12/144/7200
NL3091812	18G×1/2"	1.2×13	12/144/7200
NL30920112	20G×1 1/2"	0.9×40	12/144/7200
NL309201	20G× 1 "	0.9×25	12/144/7200




MAY043

NL310 Brass rectangle hub Needle

Description

- SUS304 stainless steel pipe
- 6*6mm square hub
- Pipe & hub rivet connection in five direction
- Very sharp needle with tri-beveled
- 1 dozen per plastic box, 1 gross per white box. 50 grosses with one export carton



Item No.	Needles Gauge and Length		BOX/Case/Carton
	D×L (G×inch)	D×L (mm×mm)	
NL310142	14G×2"	2.0×50	12/144/7200
NL31014112	14G×1 ½"	2.0×40	12/144/7200
NL310141	14G× 1 "	2.0×25	12/144/7200
NL3101434	14G×3/4"	2.0×20	12/144/7200
NL3101458	14G×5/8"	2.0×15	12/144/7200
NL310152	15G×2"	1.8×50	12/144/7200
Nl31015112	15G×1 1/2"	1.8×40	12/144/7200
NL310151	15G× 1 "	1.8×25	12/144/7200
NL3101534	15G×3/4"	1.8×20	12/144/7200
NL3101558	15G×5/8"	1.8×15	12/144/7200
NL310162	16G×2"	1.6×50	12/144/7200
NL31016112	16G×1 1/2"	1.6×40	12/144/7200
NL310161	16G×1"	1.6×25	12/144/7200
NL31034	16G×3/4"	1.6×20	12/144/7200
NL3101658	16G×5/8"	1.6×15	12/144/7200
NL31018112	18G×1 1/2"	1.2×40	12/144/7200
NL310181	18G×1 "	1.2×25	12/144/7200
NL3101834	18G×3/4"	1.2×20	12/144/7200
NL3101858	18G×5/8"	1.2×15	12/144/7200
NL3101812	18G×1/2"	1.2×13	12/144/7200
NL31020112	20G×1 1/2"	0.9×40	12/144/7200
NL310201	20G× 1 "	0.9×25	12/144/7200



MAY044

NL311 Chromic Catgut

Description

- High quality absorbable suture with one needle
- USP 2/0
- Metric: 3.5
- 1/2 circle round bodied 30mm
- Length: 75cm
- CE0197
- Package: 12pcs per box, 50boxes per carton



MAY045

NL312 Catgut chromic absorbable suture

Description


- Sterile catgut suture.U.S.P
- USP 2/0
- Metric: 3.5
- Length: 50m
- CE0197&ISO09001
- Package:40boxes per carton

Animal system


NL313 Medical Suture Needles

Description

- Material: high quality stainless steel
- Needle shape: straight round shape, rectangular triangle shape, circular arc shape
- Validity: 2 years



MAY046



DRENCHING CANNULAS

MAY047



NL401 / NL402 120XΦ6mm Drenching cannula

Description

120XΦ6mm Drenching cannula
NL401 Brass drenching cannula with chrome plated;
NL402 Brass drenching cannula without any plating;
NL401-1/NL402-1 match with plastic steel syringe adaptor ;
thread model match with plastic steel syringe directly.

NL401-1/NL402-1 luer lock adaptor model
NL401-2/NL402-2 thread model (M6X1mm)

MAY048



NL403 105XΦ10mm Drenching nozzle

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

M10X1.5mm thread.
NL403-1 with chrome plated
NL403-2 without any plating

MAY049



NL404 180XΦ10mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

M10X1.5mm thread
NL404-1 with chrome plated
NL404-2 without any plating

MAY050



NL405 180XΦ12mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

M12X1.5mm thread.
NL405-1 with chrome plated
NL405-2 without any plating

MAY051



NL406 150XΦ14mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

M14X1.5mm thread
NL406-1 with chrome plated
NL406-2 without any plating

Animal system

MAY052



NL407 150XΦ16mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

M16X1.5mm thread.
NL407-1 with chrome plated
NL407-2 without any plating

MAY055



NL408 180XΦ18mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

M18X1.5mm thread.
NL408-1 with chrome plated
NL408-2 without any plating

MAY053



NL409 220/140XΦ10mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Each piece with one aluminium nut;
- Strong silicon O-ring protect leaking;

NL409-1 with chrome plated
NL409-2 without any plating

MAY056



NL410 Drenching cannula with special nut

Description

- Drenching cannula is made of brass raw material;
- Each piece with one special nut;
- Strong silicon O-ring protect leaking;

M10X1.0mm thread.
NL410-1 200XΦ10mm drenching cannula
NL410-2 105XΦ10mm drenching cannula

MAY054



NL411 190XΦ6mm Drenching cannula

Description

- Drenching cannula is made of brass raw material;
- Luer lock model match with plastic steel syringe adaptor;

NL411-1 with chrome plated
NL411-2 without any plating

MAY057



NL412 40XΦ0.9mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

NL412-1 straight 40XΦ0.9mm bird drench nozzle
NL412-2 bent 40XΦ0.9mm bird drench nozzleg

MAY060



NL413 65XΦ1.2mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

NL413-1 straight 65XΦ1.2mm bird drench nozzle
NL413-2 bent 65XΦ1.2mm bird drench nozzle

MAY058



NL414 115XΦ1.6mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

NL414-1 straight 115XΦ1.6mm bird drench nozzle
NL414-2 bent 115XΦ1.6mm bird drench nozzle

MAY061



NL415 215XΦ3.0mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

NL415-1 straight 215XΦ3.0mm bird drench nozzle
NL415-2 bent 215XΦ3.0mm bird drench nozzle

MAY059



NL416 Bird Spoon

Description

- Material: Stainless Steel 304

NL4161: Dia.3.5x18.5cm(handle 12cm)
NL4162: Dia.2.5x13.5cm(handle 9cm)

Animal system

Animal system

MEASURES

MAY060



NL501 Digital veterinary thermometer

Description

- Flexible tip and fixed tip are all available;
- Range 90°F-109.9°F ±.2°F or 32°C-43.9°C ±.1°C depend on scale selection;
- Replaceable 1.55v (LR41) type battery provides up to 1,500 measureme;
- Specially designed housing with lanyard attachment for enhanced removal;
- Integral carry case;
- Safe-Test Alarm / Memory / Beeper

NL501-1 Fixed tip digital thermometer
NL501-2 Flexible tip digital thermometer

MAY061



NL502 Thermometer electronic

Description

- Temperature measuring within 15 seconds.
- Calibrated, max, tolerance of 0.1°C(32~42°C)0.2F(89.6~107.6F)
- Measuring range 32°C~42°C(89.6F~107.6)
- Special design by ergonomic contoured shape for veterinary use
- Four digit display for accurate temperature measurement
- Instant conversion between celsius and Fahrenheit
- Come with batteries, blister packaging

MAY062



NL516 Digital veterinary thermometer

Description

- Digital thermometer for large animal in °C/F
- With integral case

MAY063



NL527/NL528 Milk thermometer –floating

Description

- Material: PS
- Boil proof
- With suspension eye
- For safety, fluids in thermometer are either kerosene or alcohol based and do not have mercury

NL527 length: 29cm, measure range:-10-110°C
NL528 length: 35cm, measure range:-10-120°C

MAY064



NL506 Maximum-Minimum Thermometer

Description

- Mercury thermometer shows the maximum and minimum temperature
- Easy reset button on the front
- Comes with hanger hole for easy mounting with a nail or hook
- NL506-1 Maximum-Minimum Thermometer in °F
- NL506-2 Maximum-Minimum Thermometer in °C

MAY065



NL507 Garden thermometer-Wooden

Description

- Birch base; no mercury; filled with kerosene;
- Double scale Celsius and Fahrenheit;
- Measure range: -30-50°C or -20- 120°F
- Blister packaging

NL507-1 Square head wooden thermometer
NL507-2 Round head wooden thermometer

MAY066



NL508 Garden thermometer-Plastic

Description

- Plastic base; no mercury; filled with kerosene;
- Double scale Celsius and Fahrenheit;

NL508-1 -20~50°C
NL508-2 -40~50°C
NL508-3 -30~50°C

MAY067



NL517 Electronic Thermometer

Description

- Electronic thermometer, hygrometer and clock
- Measuring Range:-50C~70C or -58F~158F; 10%RH~99%
- Accurcy: +/-1C or +/-2F, +/-5%RH
- Display Resolution: 0.1C or 0.1F, 1%RH
- C/F Swich
- Max/Min Temperature Records
- Date/Time display
- Operating Voltage: 1.5V(AAA)

NL517-1 Electronic thermometer with wire
NL517-2 Wireless electronic thermometer

MAY068



NL503 Metal Hygrometer

Description

- High accuracy
- Metal face, can do white, yellow, blue colors
- Easy of Operation

MAY069



NL504 Anemometer

Description

- NL504 Electronic portable anemometer wind meter measures
- Measuring wind speed & temperature.
- Digital anemometer GM816 with hoister or without hoister.
- Accuracy of air velocity: +-5%
- Resolution: 0.2C;0.1m/s
- Spare battery prepared.
- Individual blister packaging offer.

MAY070



NL509 Cattle Hand Counter

Description

- Cattle hand counter is lightweight and durable;
- Designed to fit comfortably in the palm of your hand;
- Convenient metal ring slides onto finger for a stable grip;
- Nickel plated.

MAY071



NL510 Digital counter

Description

- Digital counter is lightweight and durable;
- Easy reset button on the front
- String easy for carry
- Memory and digital screen easy for reading.

MAY072



NL512 Hanging Weigh Scale

Description

- For general purpose use in the home, farm, or shop;
- Easy to read dial protected by plastic cover;
- Dial approx. 6.5" in diameter;
- Zero dial helps maintain accuracy;
- Metal "S" hooks above and below facilitates hanging; portable;
- Measures in pounds and kilos.

NL5121	11 lb / 5 kg capacity with 1 lb / 20 gm gradations
NL5122	22 lb / 10 kg capacity with 2 lb / 50 gm gradations
NL5123	55 lb / 25 kg capacity with 4 lb / 100 gm gradations
NL5124	110 lb / 50 kg capacity with 8 lb / 200 gm gradations
NL5125	220 lb / 100 kg capacity with 1 lb / 500 gm gradations

MAY073



NL513 Hanging clasp scale

Description

NL5131	12kg / 26.4lb
NL5132	25kg / 55lb
NL5133	50kg / 110lb
NL5134	100kg / 220lb

MAY074



NL514 Hanging scale with steel tape

Description

- Definition: ±0.25kg / ± 0.50lb
- Equipped with hooks on both top and bottom
- With 1 meter / 39 inch long steel tape
- Ideal weighing application, agriculture, hardware, fishing, general industrial needs.

MAY075



NL5151 Single head stethoscope

Description

- Anodized aluminium chestpiece;
- Brass chrome plated binaural;
- White plastic or soft material ear tips;

MAY076



NL5152 Double head stethoscope

Description

- Anodized aluminium chestpiece;
- Brass chrome plated binaural;
- white plastic or soft material ear tips;
- Y-PVC tube is assorted colors: black, yellow, red, pink, orange, green, white, gray, brown, lavender.etc.

MAY077



NL5153 Sprague Rappaport stethoscope

Description

- Silver plated head, standard PVC tubing;
- Comes complete with a clear multi pocket.
- Each set with one spare parts bag
- Color of tube is available;

MAY078



NL511 Combi tape measuring

Description

- Tape placed in a plastic casing.;
- The tape (1.50 m/5.05 ft) coils up automatically with a push button;
- Metric and Inch double unit.
- OEM printing is favorable

NL5111 Length measuring
NL5112 Weight & Length measuring

Animal system

MAY079




NL520/NL521 Supreme Funnel – 160mm & 235mm

Description

- Easy to use funnels suitable for agriculture, manfacturing and automotive industries
- High impact resistant UV stabilised polypropylene
- Easy grip side handle makes pouring simple
- Removable filter
- Flexible screw on nozzle
- Chemical resistant formulation
- Available in two sizes: 160mm & 235mm diameter

MAY080



NL524 Chemical Measuring Cylinders

Description

- Very useful for measuring liquids
- Top quality and resistant to most chemicals
- Graduations in 5ml increments

NL5241 Measuring Cylinder 100ml
NL5242 Measuring Cylinder 250ml
NL5243 Measuring Cylinder 500ml

MAY081



NL525 Chemical Measuring Jugs

Description

- Excellent quality and resistant to most chemicals
- These jugs are designed to ensure safety
- Made from food-grade polypropylene that is suitable for food contact
- Extra wall thickness to ensure strength and durability
- The dual purpose non-drip spout allows controlled pouring
- Extra space between the full measure and the top of the jug reduce the risk of spillage
- Raised and printed graduations

NL5251 Measuring Jug 300ml
NL5252 Measuring Jug 500ml
NL5253 Measuring Jug 1 Litre
NL5254 Measuring Jug 2 Litre
NL5255 Measuring Jug 3 Litre
NL5256 Measuring Jug 5 Litre

MAY082



NL526 Chemical Measuring Bucket

Description

- Material: PE with UV additive
- Resistant to most chemicals
- V shaped spout for excellent pouring control
- Easy and safe to hold
- Raised measuring graduations
- Available in two sizes – 15 Litres & 25 Litres

NL5261 Measuring Bucket 15L
NL5262 Measuring Bucket 25L

MAY083



NL518 250mm(10") Rain Gauge

Description

- Round shape 250mm(10") rain guage
- Strong PP material in Overflow tube and funnel, with UV additive.
- High definition clearance of inner measuring tube, for easier scale observation.
- The mounting bracket could be mounted in any vertical post or horizontal holes.
- Any color customized.
- Each with individual color box, 12pcs per carton.
- Graduation in mm & inch at the same time

MAY084



NL519 150mm(6") Rain Gauge

Description

- Dual scale - measures 6" and 150mm
- Flat base for easy cleaning
- Wedge shape allows for easy reading of even light rainfall
- Built tough to survive harsh storms, virtually unbreakable
- Accurately measures rainfall
- Quick and easy to install
- UV resistance, non-yellowing, and won't rust for longer life

MAY085



NL522 17" Rain Gauge with ground spike

Description

- Material: PS
- Size: dia.8cm x 43.5cm(long, spike length included)
- Easy to install
- Conical reservoir rain gauge has a sturdy spike at the base---spike it into the ground and the water level can be clearly read from the scale on the side

MAY086




NL523 5inch Garden Plastic Rain Gauge

Description

- Material: PS
- Size: 310*70*38mm
- Measures up to 5" of rainfall.
- Mounts easily on walls or stakes into the ground
- Easy to read : numbers are magnified by over 35%.
- Easy setup: integrated hang hole for easy mounting or stake sets easily into the ground.
- Weather resistant acrylic.

Animal system

IDENTIFICATIONS




MAY087

NL601 large size ear tags

Description

- Size: W72 X H58.5mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6011 large size ear tag without number
NL6012 large size ear tag with laser printing number
(English letter or number is available)



MAY088

NL602 Medium size ear tags

Description

- Size: W58 X H44mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6021 Medium size ear tag without number
NL6022 Medium size ear tag with laser printing number
(English letter or number is available)




MAY089

NL603 Small size ear tags

Description

- Size: W41 X H26mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6031 small size ear tag without number
NL6032 small size ear tag with laser printing number
(English letter or number is available)



MAY090

NL604 Quadrate ear tags

Description

- Size: W52 X H18mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 2,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6041 quadrate ear tag without number
NL6042 quadrate ear tag with laser printing number
(English letter or number is available)



MAY091

NL605 Small size insurance ear tags

Description

- Size: W42 X H26mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6051 small size insurance ear tag without number
NL6052 small size insurance ear tag with laser printing number
(English letter or number is available)



MAY092

NL606 Big size insurance ear tags

Description

- Size: W65 X H50 mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6061 big size insurance ear tag without number
NL6062 big size insurance ear tag with laser printing number
(English letter or number is available)



MAY093

NL607 Spike ear tags

Description

- Size: L82 X W14mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 2,000pcs per carton
- Fitting for our ear tag applicator NL611

NL6071 spike ear tag without number
NL6072 spike size ear tag with laser printing number
(English letter or number is available)



MAY094

NL608 Easy ear tags

Description

- Size: L72 x W8mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 5,000pcs per carton

NL6081 easy ear tag without number
NL6082 easy size ear tag with laser printing number
(English letter or number is available)



MAY095

NL609 Electronic ear tag for goat with FDX chip

Description

- Material:,TPU
- Frequancy:134.2khz
- Chip style:EM4305 import chip
- Lifetime:5-10 years
- Size:D31.4*H12mm
- Reading data:20-50cm
- Chip capacity:256bits
- Working tempreture:0-50°C

NL6091 Electronic ear tag without number
NL6092 Electronic ear tag with laser printing number
(English letter or number is available)



MAY096

NL610 Electronic ear tag for goat with HDX chip

Description

- Size: 30.4*11.5mm
- Material: TPU
- Material: polyurethane with UV additive.
- Packaging:10sets per line, 1,000pcs per carton.
- Fitting for ear tag applicator NL611
(English letter or number is available)



MAY097

NL624 Round ear tag

Description

- Size: diameter 30mm
- Material: polyurethane with UV additive

NL6241 Round ear tag without number
NL6242 Round ear tag with laser printing number
(English letter or number is available)




MAY098

NL625 Triangle ear tag

Description

- A whole set of ear tag including male part and female part
- Size:5.5*7.5CM
- Material:TPU
- With zink alloy pin

NL6251 Triangle ear tag without number
NL6252 Triangle ear tag with laser printing number
(English letter or number is available)



MAY099

NL627 Big size ear tag for cow

Description

- Size: W77*H110mm
- Material: polyurethane with UV additive.
- Packaging:10sets per line, 1,000pcs per carton.
- Fitting for ear tag applicator NL611

NL6271 big size ear tag without number
NL6272 big size ear tag with laser printing number
(English letter or number is available)




MAY100

NL628 Medium size ear tag for cow

Description

- Size: W60*H80mm
- Material: polyurethane with UV additive.
- Packaging:10sets per line, 1,000pcs per carton.
- Fitting for ear tag applicator NL611

NL6281 Medium size ear tag without number
NL6282 Medium size ear tag with laser printing number
(English letter or number is available)



MAY101

NL629 Small size ear tag for cow

Description

- Size: W45*H60mm
- Material: polyurethane with UV additive.
- Packaging:10sets per line, 1,000pcs per carton.
- Fitting for ear tag applicator NL611

NL6291 Small size ear tag without number
NL6292 Small size ear tag with laser printing number
(English letter or number is available)

MAY102



NL611 Ear tag applicator

Description

- A must for applying Global ear tags
- Removable black plastic clip for applying electronic ear tags.
- Deep jaw makes proper placement easier.
- Grip is designed to ease hand fatigue from repeated use.
- Each ear tag applicator with two super quality pin.
- Sandy surface for protecting slipping.
- Packaging: each piece with one blister packaging.
OEM packaging is available

MAY103



NL619 RFID ear tag reader

Description

- ARM(STM32) processor
- Working frequency:134.2KHz/125KHz
- Storage temperature:-30℃-65℃
- Operating temperature:-30℃-50℃
- Certificates:CE,RoHS
- Continuous working hours:12 hours

MAY104



NL613 Ear notches

Description

- Suitable for full grown livestock.
- Available as a V or U shape.
- Notch up to 22mm deep, 20mm wide at base.
- Comes with adjustable depth gauge.
- Length 19cm

NL6131 "U"shape ear notch
NL6132 "V"shape ear notch

MAY105



NL631 One Piece Tag applicator

Description

- A must for applying global ear tags
- Deep jaw makes proper placement easier
- Sandy surface for protecting slipping
- 1PC/blister card

MAY106



NL626 Animal ID Microchips Transponder syringe

Description

- Animal-identification system ISO 11784/11785
- Microchip frequency: 134.2KHz
- Storage temperature: -20℃ to +50℃; operation temperature: 0℃ to 50℃
- With 5 years guarantee
- Weight: 6.86g, length: 111mm, width: 50mm

NL6261 tag: 1.4x8mm
NL6262 tag: 2.12x12mm

MAY107



NL612 Nail cutter

Description

- Material: steel with zinc or chrome plated
- With rubber handle
- Each piece with one neutral box
- OEM packaging is available

Animal system

MAY108




NL616/617 Plastic Leg Strap

Description

- Plastic leg strap
- Material:Polyurethane and EVA material available for choice

NL6161 36x3cm
NL6162 37x3.2cm
NL617 59x3cm



MAY109

NL618 Leg Tag Velcro

Description

- Velcro leg bands for temporary identification
- Apply by wrapping around cows legs and pressing to secure velcro
- Leg bands are reusable and easy to clean
- Available in Blue, Green, Orange, Pink, Red and Yellow and mixed colors

NL6181 37 x 5cm
NL6182 37 x 2.5cm



MAY110

NL634 Fluorescent Flagging Tape

Description

- Highly visible flagging tape is non-adhesive plastic marking ribbon used for surveying, mapping, tagging, roping off areas or any other marking applications.
- Knots without tearing. Hand-tearable and UV stabilized.
- Size: 1"*100M/Roll
- Material: PVC
- Color: Flo Yellow, Flo Orange, Flo Pink, Flo Lime, Flo Rocket Red, Flo Blue, Flo Green



MAY111

NL621 Poultry leg ring

Description

- Material:PP
- 100pcs with a plastic box

NL6211 weight:0.25g size: height:8mm,ID:8mm,OD:11.5mm
NL6212 weight:0.32g size: height:9mm,ID:12mm,OD:15mm
NL6213 weight:0.67g size: height:10.5mm,ID:16mm,OD:20mm
NL6214 weight:1.0g size: height:10.5mm, ID21mm, OD:23mm



MAY112

NL622 Ear tag marking crayon

Description

- Material: 50% soft wax, 20%white oil, and filling material
- Capacity: 65-70g
- Melting point: 48℃
- Color: red, yellow, blue, green, black are all available



MAY113

NL632 Marking Spray Top Marker

Description

- For marking cattle, horse, goats or pigs
- Capacity: 400ml / tin (tinφ65x158mm)
- Color intensive and quick-drying
- Marking in best quality



MAY114

NL623 Ear tag mark pen

Description

- High quality mark pen in bold word
- Double-end mark pen



MAY115

NL630 Cattle neck tag with collar

Description

- Material:TPU
- Color:customized
- Number:0-9 numbers



MAY116

NL633 Cow/Goat Bell

Description

- Made of steel with a copper finish
- The bell can be heard at long distances

NL633-1 Cow Bell: 10.5 x 6.7 x 14.5cm
NL633-2 Goat Bell: 7.5 x 6 x 8cm



MAY117

NL620 Marking Collar

Description

- With zinc plated roller buckle
- Belt width: 40mm
- Length: 90cm, 120cm, 135cm available

NL6201 90 x 4cm green/ white
NL6202 120 x 4cm green/white
NL6203 135 x 4cm green/white

Animal system

NIPPLE DRINKERS

MAY118



NL701 ½" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable;
- Complete stainless steel body is produced by CH22 stainless steel hex rod;
- With diameter 6mm pin;
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems;
- NBR 90 O-ring is permanent and protect leaking;
- Individual packing or bulk packing is favorable;
- Stamping or laser printing logo is favorable.

MAY119



NL702 ½" Brass piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable.
- Complete brass body is produced by CH22 stainless steel hex rod.
- With diameter 6mm pin(stainless steel pin or brass pin).
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking.
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY120



NL703 ½" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable;
- Complete stainless steel body is produced by CH22 stainless steel hex rod;
- With diameter 5mm pin;
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems;
- NBR 90 O-ring is permanent and protect leaking;
- Individual packing or bulk packing is favorable;
- Stamping or laser printing logo is favorable.

MAY121



NL704 ½" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, with 2 sides milling opener;
- With diameter 5mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY122



NL705 ½" Brass piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete brass body is produced by diameter 21mm rod.
- with diameter 6mm pin(stainless steel pin or brass pin).
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY123



NL706 ½" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, with 4 side milling ope
- With diameter 5mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY124



NL707 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod,
- with diameter 6mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY125



NL708 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY126



NL709 NL710

NL709 / NL710 3/8" Piglet nipple drinker

Description

- G-3/8" thread (European pipe thread) or NPT-3/8" (Amercian pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue.
- With diameter 12mm / 7mm pin.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY127



NL711 NL712

NL711 3/8" Brass piglet nipple drinker
NL712 3/8" Stainless steel piglet nipple drinker

Description

- G-3/8" thread (European pipe thread) or NPT-3/8" (Amercian pipe thread) is favorable
- Complete brass / stainless body is produced by diameter 17mm rod,
- With diameter 5mm / 6mm pin.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY128



NL713 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY129



NL714 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY130



NL715 / NL716 / NL717 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue.
- With diameter 8mm/8mm/12mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY131



NL718 / NL719 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Stainless bottom and stainless pipe is connected by the thread and thread glue.
- With diameter 12mm / 8mm pin.
- With big cutter
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY132



NL720 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue.
- With diameter 12mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY133



NL721 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete brass body is made from diameter 22mm rod
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY134



NL722 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is made from diameter 22 rod
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY135



NL723 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is made from diameter 25 hex rod.
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY136



NL724 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is made from CH25 hex rod,
- With diameter 12mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY137



NL725 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is made from CH22 hex rod.
- With diameter 17mm pin
- With two holes
- Adjustable plastic filter with stainless steel netting;
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

Animal system

MAY138



NL726 / NL728 ½" Brass nipple drinker
NL727 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- complete brass / stainless steel body is made from CH22 hex rod.
- With diameter 17mm pin; With two / three holes
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY139



NL729 ½" Stainless steel nipple drinker
NL730 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is made from CH22 hex rod.
- With diameter 17mm pin
- With slit
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable.
- Stamping or laser printing logo is favorable.

MAY140 MAY141 MAY142 MAY143



Description

- Complete body is made from brass round rod
- Cut by CNC machine
- With NBR-90 O-ring

MAY144 MAY145 MAY146



Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod / diameter 21mm rod,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY147



NL735 / NL736 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY148



NL738 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY149



NL741 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by thread and thread glue,
- With diameter 12mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY150



NL742 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod,
- With diameter 12mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY151



NL743 3/4" Stainless steel nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (Amercian pipe thread) is favorable
- Stainless steel bottom and pipe is connected by thread and thread glue,
- With diameter 8mm pin.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

Animal system

MAY152



NL744 3/4" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH25 hex rod,
- With diameter 12mm pin.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY153



NL745 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Stainless steel bottom and pipe is connected by the thread and thread glue,
- With diameter 8mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY154



NL746 / NL747
½" Female stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- complete stainless steel body is produced by diameter 21mm rod, CH22 hex rod.
- with diameter 8mm pin.
- with special plastic filter
- NBR 90 O-ring is permanent and protect leaking
- individual packing or bulk packing is available.
- stamping or laser printing logo is available.

MAY155



NL748 ½" Female brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- complete brass body is produced by CH22 hex rod,
- with diameter 8mm pin.
- with special plastic filter
- NBR 90 O-ring is permanent and protect leaking
- individual packing or bulk packing is available.
- stamping or laser printing logo is available.

MAY156



NL749 ½" Stainless steel antifreeze valve

Description

- made from stainless steel CH22 hex rod
- cut by CNC machine
- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- with NBR-90 O-ring

MAY157



NL750 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete brass body is made from brass die-casting,
- With special diameter 10mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY158



NL751 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Brass body is made from brass die-casting,
- With special diameter 10mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY159



NL752 1/4" Rabbit nipple drinker

Description

- G-1/4" thread (European pipe thread) or NPT-1/4" (Amercian pipe thread) is favorable
- Stainless steel body is made from stainless steel round rod,
- With diameter 5mm pin.
- Inner with stainless steel ball
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY160



NL753 / NL754 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Brass body is made from brass die-casting,
- With professional pin
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY161



NL755 ½" Brass nipple drinker
NL756 ½" Female brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable;
- Complete brass body is produced by CH22 stainless steel hex rod;
- With diameter 8mm pin(stainless steel pin or brass pin);
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems;
- NBR 90 O-ring is permanent and protect leaking;
- Individual packing or bulk packing is favorable;
  Stamping or laser printing logo is favorable.

MAY162



NL757 ½" Female stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod,
- With diameter 12mm pin.
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY165



NL758 ½" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod,
- With cap botton.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY163



NL759 ½" Ball type nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod,
- With ball bite.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY166



NL760 3/4" Ball type nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (Amercian pipe thread) is favorable
- Complete stainless steel body is produced by CH25 hex rod,
- With ball bite.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY164



NL761 3/4" Ball type nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (Amercian pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue,
- With ball bite.
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY167



NL762 / NL763 / NL764 ½" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue,
- With diameter 8mm/8mm/12mm pin
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY168



NL765 / NL766 3/4" Nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (Amercian pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue,
- With diameter 8mm pin, 12mm pin
- With stainless steel netting.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY169



NL767 ½" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Complete body is produced by diameter 21 round rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available.
- Stamping or laser printing logo is available.

MAY170



NL768 Automatic steel ball poultry water nipple drinker for chicken

Description

- Stainless steel and plastic material, with one steel ball inside.
- With 360 degree sensitivity, no rusty, leakage and guarantee water flux smoothly.
- Easier to been dismounted and replaced.
- Adjust the right amount of water flux to meet different climate and room conditions.

MAY171



NL773 Poultry water nipple drinker

Description

- Stainless steel and plastic material, with one steel ball inside.
- With 360 degree sensitivity, no rusty, leakage and guaranteen water flux smoothly.
- Easier to been sidmointed and replaced.
- Poultry water nipples can easy install on the pipe or bucket,saving much labor.



Animal system

BOWLS AND FEEDERS

MAY172



NL801/NL802 Stainless steel piglet feeder

Description

- Stainless steel piglet feeder is made of SUS304 stainless steel.
- Push and turn bottom for any slotted flooring.
- Easy to empty and clean and will last forever.
- Can be used for feed or drink.
- Zinc or plastic handle is available.
- Single, double or "J" hook is available.

NL801-1	Diameter 23 x 12cm deep
NL801-2	Diameter 30 x 4cm deep
NL802	Diameter 30 x 4cm deep

MAY173



NL803 Cast iron push button drinking bowl

Description

- Big enough for sows. Small enough for weaners.
- Easy to clean.
- Simple to operate.
- Cheap as can be.
- Simple push-button operation is trouble free, and
- Leaves the bowl clear for easy removal of straw ordirt.
- Integral flow control in valve.
- Cast iron bowl with brass valve.
- Bowl opening 12cm x 15cm.
- Weight:2.1kgs

MAY174



NL804 S Cast iron drinking bowl

Description

- Cast iron drinking bowl with black powder coating
- Smooth surface and edge protect animal cutting
- With professional brass valve systems
- Stainless steel hook easy for assembling
- Save water
- Two pieces with one neuter box.
- Weight:2.90kgs

MAY175



NL805 M Cast iron drinking bowl

Description

- Cast iron drinking bowl with black powder coating
- Smooth surface and edge protect animal cutting
- With professional brass valve systems
- Stainless steel hook easy for assembling
- Save water
- Two pieces with one neutral box.

MAY176



NL806 Plastic drinking bowl

Description

- Plastic drinking bowl with UV additive;
- with brass valve systems;
- Economy drinking bowl ideal for pigs, goats, deers;
- Stainless steel hook easy for assembling;
- Kinds of color is available(normal color green or black)
- Packaging: 2pcs per neutral box.
- OEM packaging is available

MAY177



NL807 Enameled drinking bowl

Description

- Cast iron drinking bowl with strong brass valve systems,
- Production finishing: powder coating
- Smooth finishing, round edge
- Flip paddle safety and suitable for animals.
- Professional design easy for cleaning
- Capicity: 2L
- Packaging: each piece with one neutral box.
  wooden pallet or wooden case packaging

MAY178



NL808 Plastic drinking bowl

Description

- Plastic drinking bowl with UV additive;
- With stainless steel nipple drinker;
- Save water
- Professional hook easy for assembling
- Stainless steel netting filter

MAY179



NL821 Water bowl

Description

- Capicity:2.5L
- Material:PP+UV or Nylon
- Connect thread: 1/2" BSP or 1/2" NPT
- Water inlet connector top or bottom is available.
- Color:normal clor green.
- We also can produce any color according to client's demand.

MAY180



NL816 Stainless steel drinking bowl

Description

- Material: 1.0mm thickness SUS304 stainless steel;
- Stainless steel pipe with 1/2" connection
- G 1/2" thread (European thread), NPT 1/2" thread (American thread) is available;
- Smooth edge protect animal cutting
- Professional design save water, no water waste

NL8161	Small size drinking bowl Size: W15 x H 21 x D 9cm
NL8162	Medium size drinking bowl Size: W19 x H 27 x D 11cm
NL8163	Large size drinking bowl Size: W21 x H 29 x D 16cm
NL8164	Obliquitous drinking bowl Size: W21 x H 29 x D 16cm/8cm

MAY181



NL826 Pig Feeding bowl

Description

- Material: S.S. 304
- Size: 42 x 35cm
- Deep: 23.5cm,28kgs,thickness 1mm

MAY182



NL817 Semi-automatic feeder for sow

Description

- Material:Stainless steel 304
- Size:39 x 19 x 27cm
- Capacity:13kgs
- Can adjust the leakage rate, control the sow feeding time

MAY183



NL820 Round type stainless steel drinking bowl

Description

- Material:1.0mm thickness SUS304 stainless steel
- Stainless steel pipe with 1/2" connection G1/2" thread(European thread),NPT 1/2" thread(American thread)is available
- Smooth edge protect animal cutting
- Professional design save water,no water waste

NL8201	Small size round type drinking bowl Size: D12.5 x 14cm Kilo:0.35kgs,Deep13cm
NL8202	Middle size round type drinking bowl Size: D15 x 27cm Kilo:0.45kgs, Deep 16cm
NL8203	Large size round type drinking bowl Size: D17.5 x 20cm Kilo:0.55kgs, Deep 18cm
NL8204	Extra large size round type drinking bowl Size:D21.5 x 24cm Kilo:0.85kgs, Deep 20cm

MAY184



NL822 65L Automatic dry wet pig feeder

Description

- Material: HDPE bucket with S.S.304 bottom
- Size: 725 x 470 x 980mm weight: 18.6kg
- Bucket size: top mouth diameter 460,bottom mouth diameter98
- Thickness 3mm, height 655mm, bucket weight 2.8kg
- S.S. bottom size: 540 x 405 x 81mm, weight: 2.2kg

MAY185



NL823 100L Automatic dry wet pig feeder

Description

- Material: HDPE bucket with S.S.304 bottom
- Size: 900 x 620 x 1120mm weight: 23kg
- Bucket size: top mouth diameter 600,bottom mouth diameter 89
- Thickness 3.5mm, bucket weight 4.9kg
- S.S. bottom size: 700 x 473 x 101mm, weight: 3.21kg



MAY186

NL810-M Stainless steel float water bowl

Description

- It's made of 1.0mm thickness Stainless steel sheet;
- With hinged lid easy for maintenance;
- A feature of this bowl is the sloping to thefront bottom, which brings
- Any debris forward foreasy cleaning.
- Nylon float systems assembly. No drain incorporated.
- Inlet Left or right side.
- Dimensions: 26cmL x 26cmW x 11cmD. Capacity 2.5 litres.
- Packaging: OEM packaging is available

NL810-M-1 S.S.304 metal bowl with metal hinge with hole
NL810-M-2 S.S.304 metal bowl with metal hinge without hole
NL810-M-3 S.S.304 metal bowl with nylon hinge with hole
NL810-M-4 S.S.304 metal bowl with nylon hinge without hole



MAY187

NL810-P Nylon float water bowl

Description

- It's made of PA66 Nylon with UV additive;
- This bowl achieves the benefits of several otherwater bowls. Fully
- Resistant to corrosion in anywater.
- Heavy duty plastic bowl is livestock-friendly.
- lid for easy maintenance to float systmsassemby.
- Drain incorporated. Inlet on left side only.
- Dimensions: 28cmL x 27cmW x 12cmD. Capacity 4 litres.
- Packaging: OEM packaging is available.

NL810-P-1 Nylon float water bowl with S.S.304 hinge
NL810-P-2 Nylon float water bowl with nylon hinge



MAY188

NL809 Rubber tank

Description

Horse feeder

T110 G.W.: 14KGS (130 x 80) x (96 x 45) x 62 380L 100.39 US gal.
T40 G.W.: 7.5KGS (102 x 74) x (82 x 45) x 37 150L 39.63 US gal.
T30 G.W.: 5.5KGS (89 x 63) x (69 x 45) x 33 115L 30.38 US gal.
T10 G.W.: 3KGS (72 x 51) x (56 x 36) x 27 60L 15.85 US gal.



MAY189

NL852 Automatic float valve

Description

- Made of PE and PP
- The automatic float valve features a longer, deeper float which gives more leverage



MAY190

NL811 Adjustable dog feeding bowl

Description

- Material: square steel tube(25 x 25 x 1mm) with powder coating;
- Color of powder coated is available(normal color: black)
- Adjustable distance from 15cm to 35cm;
- Each set with two stainless steel bowl,
- Diameter of stainless steel bowl: 25cm
- Thickness of stainless steel sheet: 0.5mm
- Size: 35 x 35 x 42cm
- Detachable feeding bowl saves space;
- Packaging: each set with one neuter box, 4 boxes per carton
- OEM packaging is available



MAY191

NL812 Wall type dog feeding bowl

Description

- Material: square steel tube(25 x 25 x 1mm) with powder coating;
- Color of powder coated is available(normal color: black)
- Adjustable distance from 15cm to 35cm;
- Each set with two stainless steel bowl,
- Diameter of stainless steel bowl: 21cm
- Thickness of stainless steel sheet: 0.5mm
- Size: 35 x 35 x 42cm
- Detachable feeding bowl saves space;
- Packaging: each set with one neuter box, 4 boxes per carton
- OEM packaging is available



MAY192

NL845 3L Milk bucket

Description

- Material:PP
- Easy installation
- Durable
- Dimension: D210 x H220mm



MAY193

NL846 Feeding bucket with screw valve

Description

- Material :PP
- Complete with super-teat and valve
- With impressed measuring scale and metal handle
- Acid-proof,food-proof,easy to clean
- Dimension: 8L D280 x H310mm

MAY194



NL814 Straight type poultry drinkers

Description

- Straight type poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

NL8141-L	1.0L poultry drinker Size: D15 x H20.5cm
NL8141-S	1.0L poultry drinker Size: D10 x H20cm
NL8141-M	Galvanized base Size: D23 x H25cm
NL8141-MG	Glass bottle body and galvanized base Size: D33 x H28.5cm
NL8142	4.0L poultry drinker Size: D23 x H25cm
NL8143	8.0L poultry drinker Size: D33 x H28.5cm
NL8144	1.0L poultry feeder Size: D15 x H24cm
NL8144-M	Galvanized base Size: D15 x H20.5cm
NL8144-MG	Glass bottle body and galvanized base Size: D15 x H24cm

MAY195



NL815 Poultry feeders

Description

- Gear box feeder is made of super quality plastic,
- With UV additive
- Professional design
- Kinds of color is available
- Screen printing is available

NL8151	1.5kg poultry feeder Size: D21 x H22cm
NL8152	3.0kg poultry feeder Size: D27 x H24cm
NL8153	5.0kg poultry feeder Size: D30 x H29cm
NL8154	8.0kg poultry feeder Size: D37 x H38cm

MAY196



NL818 Poultry drinkers with leg

Description

- Poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

NL8181	2.5L ball type poultry drinkers
NL8182	4L ball type poultry drinkers
NL8183	4L straight type poultry drinkers
NL8184	8L straight type poultry drinker

MAY197



NL813 Ball type poultry drinkers

Description

- Ball type poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

NL8131	0.6L poultry drinker	Size: D11.5 x H12cm
NL8132	1.3L poultry drinker	Size: D15 x H15.5cm
NL8133	4.0L poultry drinker	Size: D19 x H24cm
NL8134	6.5L poultry drinker	Size: D25 x H29cm
NL8135	12.0L poultry drinker	Size: D28 x H33cm
NL8136	2.5L poultry drinker	Size: D19 x H25cm

MAY198



NL819 Poultry feeders with lid

Description

- Poultry feeder is made of super quality plastic
- With UV additive
- Professional design
- Kinds of color is available
- Screen printing is available

NL8191	3KG, poultry feeders
NL8192	5KG, poultry feeders
NL8193	8KG, poultry feeders

MAY199



NL835 1Gallon poultry drinker

Description

- Straight type poultry drinker with super quality plastic
- With UV additive
- Professional jar top design accords with human screw power.
- High quality PP material as jar and base
- Kinds of base color is available
- Logo embossment or label sticker service offered
- Colors are available

MAY200



NL843 5KG Feeder with leg and cover

Description

- Poultry feeder is made of super quality plastic
- With UV additive
- Professional design
- Kinds of color is available
- Screen printing is available
- Dimension: D280 x H300mm

Animal system

MAY201



NL859 Eco poultry drinkers with leg

Description

- Poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

NL8591 10L straight type poultry drinkers
NL8592 14L straight type poultry drinkers

MAY202



NL854 Pigeon plastic drinker

Description

- Material:PP
- Non-toxic,odorless,flexible and durable
- Color:White/Green, kinds of color is available

NL8541 1.5L pigeon drinker H210 x D170mm
NL8542 2.5L pigeon drinker H230 x D170mm
NL8543 3.5L pigeon drinker H300 x D170mm
NL8544 4.5L pigeon drinker H350 x D170mm
NL8545 5.5L pigeon drinker H290 x D250mm
NL8546 6.5L pigeon drinker H310 x D250mm
NL8547 7.5L pigeon drinker H340 x D250mm
NL8548 8.5L pigeon drinker H370 x D250mm
NL8549 10L pigeon drinker H420 x D250mm

MAY202



NL856 Poultry feeding tray

Description

- Material: Virgin Polypropylene with PE
- It can easily to handle with day-old chicks. loading the feeds on the tray and let chicks eating easily.
- Red and white color for choice

NL8561 dia:35cm height:2.5cm
NL8562 dia:43cm height:3cm
NL8563 dia:51cm height:3.5cm
NL8564 dia:62cm height:4cm
NL8565 dia:80cm height:4cm

MAY203



NL824 Galvanized poultry feeder

Description

- Material:Galvanized metal

NL8241 9kgs D36.5 x D23.5 x H29.5cm T:0.6mm
NL8242 12kgs D36.5 x D23.5 x H35.5cm T:0.6mm
NL8243 15kgs D36.5 x D23.5 x H44.5cm T:0.6mm
NL8244 20kgs D36.5 x D23.5 x H52.5cm T:0.6mm
NL8245 2kgs D24.5 x D15 x H19cm T:0.6mm

MAY204



NL825 Galvanized poultry drinker

Description

- Material:galvanized metal and stainless
- Steel 304 for choice

NL8251	2L	D24.5 x D15 x H19cm	T:0.6mm
NL8252	3L	D24.5 x D15 x H27cm	T:0.6mm
NL8253	9L	D36.5 x D23.5 x H27cm	T:0.6mm
NL8254	13L	D35 x D23 x H37cm	T : 0.6mm
NL8257	5L	D25 x D15 x H42cm	T : 0.6mm

MAY205



NL857 Galvanized feeder with hanging

Description

- Material: galvanized
- Design makes for easy 3 position height adjustment
- Features rolled edges for safety &convenient hanger &carry handle.
- Could be nested one by one

NL8571 15lb Galvanized feeder, feeds 15-30 birds H280 x D300mm
NL8572 30lb Galvanized feeder, feeds 30-50 birds H390 x D350mm

MAY206



NL848 Galvanized poultry feeder

Description

- Material:galvanized
- 9kgs capacity
- With protective ring
- Size is H330 x D320mm

MAY207



NL849 Galvanized poultry feeder

Description

- Material:galvanized
- 9kgs capacity
- With anti-waste ring
- Size is H340 x D350mm

MAY208



NL850 Galvanized poultry feeder

Description

- Material:galvanized
- With metal cap and handle

NL8501 6kgs poultry feederH290 x D280mm
NL8502 9kgs poultry feederH320 x D280mm

MAY209



NL853 Galvanized corner feeder

Description

- Material:galvanized
- Size:W120 x W120 x H160mm
- Thickness:0.35-0.4mm

MAY210



NL828 Galvanized D-cup feeder

Description

- Material: galvanized steel

NL8281 galvanized D-cup feeder Φ16 x H6.5CM
NL8282 galvanized D-cup feeder Φ23 x H10CM
NL8283 galvanized D-cup feeder Φ38 x H15CM

MAY211



NL830 Galvanized water bucket

Description

- Material: galvanized steel
- Spray surface for choice

NL8301 Water bucket, Galvanized, 6L
weight: 0.826kg
NL8302 Water bucket, Galvanized, 12L
weight: 1.176kg

MAY212



NL829 Plastic poultry feeding long trough

Description

- Material: PP
- Kinds of colors are available.
- Label sticker service offered.
- Kinds of color is available

NL8291 16holes feeding trough-S
weight:96g, Size:300 x 100 x 70mm
NL8292 20holes feeding trough-M
weight 138g, Size: 365 x 100 x 70mm
NL8293 28holes feeding trough-L
weight 180g, Size:500 x 100 x 70mm

MAY213



NL831 Galvanized chicken manger

Description

- Material: galvanized steel

NL8311 Chicken manger, galvanized-XS
Size: 300 x 75 x 73mm
NL8312 Chicken manger, galvanized-S
Size: 500 x 75 x 73mm
NL8313 Chicken manger, galvanized-M
Size: 500 x 130 x 155mm
NL8314 Chicken manger, galvanized-L
Size:750 x 130 x 155mm
NL8315 Chicken manger, galvanized-XL
Size:1000 x 130 x 155mm

MAY214



NL827 Galvanized feeding trough

Description

- Material: galvanized steel

NL8271 feeding trough 300 x 145 x 132
NL8272 feeding trough 450 x 145 x 132
NL8273 feeding trough 600 x 145 x 132

MAY215



NL836 Galvanized long feeder trough with hole

Description

- Material: galvanized steel

NL8361 galvanized feeder with holes-S
weight:420g, Size: 330 x 95 x 75mm thickness
NL8362 galvanized feeder with holes-M
weight:470g, Size: 395 x 95 x 75mm thickness
NL8363 galvanized feeder with holes-:L
weight:650g, Size: 505 x 95 x 75mm thicknes

MAY216



NL837 Galvanized long feeder trough with rail

Description

- Material: galvanized steel

NL8371 galvanized feeder with pole- S
weight: 370g, Size: 330 x 100 x 55mm
NL8372 galvanized feeder with pole-M
weight: 431g, Size: 395 x 100 x 55mm
NL8373 galvanized feeder with pole-L
weight: 554g, Size: 505 x 100 x 55mm

MAY217



NL838 Galvanized long feeder plain trough

Description

- Material: galvanized steel

NL8381 galvanized feeder without pole and cap-S weight:250g, Size: 330 x 95 x 75mm
NL8382 galvanized feeder without pole and cap-M weight:270g, Size: 395 x 95 x 75mm
NL8383 galvanized feeder without pole and cap- L weight:350g, Size 505 x 95 x 75mm

MAY218



NL841 Poultry treadle trough feeder

Description

- Galvanized steel with powder coated or aluminum
- On and OFF design makes it rat proof as lid will close automatically when chicken step off the treadle.
- 5kgs or other size could be customized.
- Dimension: W560 x D360 x H185mm

MAY219



NL847 Poultry treadle trough feeder

Description

- Galvanized steel with powder coated
- 10kgs or other size could be customized.
- Dimension: W300 xD290 xH415 mm

MAY220



NL851 Single hole nesting box

Description

- Material:PP
- Removes easily from wall for cleaning
- Will not rust, rot or corrode
- Mounts securely with slide-type screw holes
- Ventilation holes help provide fresh air

NL851-1 L size nesting box 51*42*31cm
NL851-2 S size nesting box 30*27*25cm

MAY221



NL852 Outdoor aluminum chicken house

Description

- Material: aluminum, MDF board
- Product size:263 x 81 x 110cm
- Easy to assemble, fashionable design
- With instruction brochure and assembly guide of each set

MAY222



NL855 Wooden chicken house

Description

- Dimensions:1900 x 750 x 1050mm
- Wooden housing for chickens with a weatherproof opening lid to the main unit and nest box.
- There is an inner house including perches and a removable collection tray.
- Access door to the house and a full height door to the main area.

MAY223



NL861 8eggs Incubator

Description

- Dimension(L*W*H):26.5*29*31cm
- Working environment: temperature 23-27degree is the best
- Humidity: 40%-50% is the best
- Voltage: 110V/220V-240V
- Power: 60W
- Control system: intelligent PID
- Temperature control accuracy: no more than 0.1degree

MAY224



NL862 12eggs Incubator

Description

- Dimension(L*W*H):42*26*23cm
- Working environment: temperature 23-27degree is the best
- Humidity: 40%-50% is the best
- Voltage: 110V/220V-240V
- Power: 80W
- Control system: intelligent PID
- Temperature control accuracy: no more than 0.1degree

MAY225



NL863 24eggs incubator

Description

- Dimension:52 x 44 x 31cm
- Working environment: temperature 23-27degree is the best
- Humidity: 5%RH is the best
- Voltage: 110V/220V-240V
- Power: 100W
- Control system: intelligent PID
- Temperature control accuracy: no more than 0.1degree

OTHERS

MAY226



NL901 Plastic scoop

Description

- Plastic scoop is made of ABS or PP
- Kinds of color is available
- Somatological handle

NL9011 plastic scoop 35*15*9cm
NL9012 plastic scoop 21*13.5*15cm
NL9013 plastic scoop 35*16*8.5cm

MAY227



NL9014 Plastic scoop

Description

- Material: PP
- High quality plastic scoop
- Printing or insert logo is available
- Color: red, yellow, blue, green, white

NL9014-1: capacity 1.0L, weight: 140g
NL9014-2: capacity 2.0L, weight: 240g

MAY228



NL902 Aluminium ice scoop

Description

- Ice scoop is made of Aluminium
- Serve for ice and dry good
- Secure finger grip handle
- Mirror polish surface

NL9021 Small size ice scoop 24oz
NL9022 Medium size ice scoop 38oz
NL9023 Large size ice scoop 58oz
NL9024 Extra large size ice scoop 85oz

MAY229



NL939 Aluminium ice scoop

Description

- Ice scoop is made of aluminium
- Serve for ice and dry good
- Secure finger grip handle
- S,M,L sizes are all available
- Mirror polish surface

NL939-1 Small size ice scoop 24oz
NL939-2 Medium size ice scoop 58oz
NL939-3 Large size ice scoop 85oz

MAY230



NL983 Galvanized scoop

Description

- Material:galvanized sheet

NL983-1: 2L Size: φ12××H24CM
NL983-2: 4.5L Size: φ17××H28.5CM

MAY231



NL903 Hoof knives

Description

- Excellent quality hoof knives are made of high quality alloy steel 4CV14
- Treated to reduce or prevent corrosion.
- Hardwood handle is securely riveted to the blade.
- These knives feature an extra-fine tip,
- Ideal for exploration of holes in the hoof without creating a major excavation.
- A different shape hoof knife used for planing off flat areas of over-grown hoof, without skinning your knuckles.

NL903-R right side hoof knife
NL903-L left side hoof knife
NL903-D double side hoof knife

MAY232



NL904 Hoof trimmer

Description

- A well-priced hoof trimmer most suitable for the non-professional farrier.
- Head design features a flat hammering surface.
- Pointed handles are useful for cleaning hoof and for stone removal.
- Flush-cut type jaws.
- Length 30cm. Weight 730gm.

MAY233



NL959 Duckbilled clincher

Description

- Material:45# steel,with PVC handle
- Size:14"

MAY234



NL905 Hand shear

Description

- Smallest size B&B shear, ideal for dagging and trimming of lambs.
- also very useful for any clipping work on other animals - dogs, cows, horses.
- Length 30cm . Blades 9cm long.

MAY235



NL907 Bloodless castration tools

Description

- High quality castration tools. For use only by experienced herdsmen or under the supervision of a veterinarian.
- Dimensions are length , and jaw width.
- Supplied complete with service spanner.

37cm: For bulls 1-2 years old.
52cm: For large mature cattle.

MAY236



NL908 Piglet tooth cutter

Description

- Piglet tooth cutter is made of hard alloy steel 4cv14
- With spring sheet
- Length of tooth cutter 14cm
- Hardness of blade 56-58HRC
- Each piece with one neutral box
- OEM packaging is available

MAY237



NL909 Tail cutter

Description

- Knives are made of hard alloy steel
- Sandy handle is made of soft plastic
- Metal lock part easy for operation
- Color for handle is available (normal color: black)
- Packaging: each piece with one neutral box
- OEM box is available

MAY238



NL910 Bull leaders

Description

NL9101 bull leader with chain

- This design features a chain closure, and lockinghook, for quick and easy action in all conditions.
- Chain is 40cm long, with large end-link for attachment of rope (not supplied).
- Pliers are alloy steel, length 20cm.
- Packaging: each piece with one neuter box

NL9102 bull leader without chain

- The old favourite bull holder you don't need adegree to work.
- Pliers are alloy steel, length 20cm.
- Packaging: each piece with one neutral box

MAY239



NL911 Bull rings

Description

- Bull rings are made of brass.
- Long lasting, totally proven in use.
- Thumbscrew-type locking pin, broken off when tight,
- Reveals cross-slot for screw driver.

NL9111	64X8mm
NL9112	70X8mm
NL9113	80X8mm

MAY240



NL912 OB Chain handle

Description

- Strong stainless steel handle to use with our calving chains.
- Hooks in end loops or between any links.
- Top quality manufacture.
- Plastic grip. Two required for correct use.
  NL9122-1 30" OB chain with nickel plated
  NL9122-2 30" stainless steel OB chain

- Tested to over 500kg. Hardened,
- Oval end loop for easy internal use. Supplied as each.
  NL9123-1 60" OB chain with nickel plated
  NL9123-2 60" stainless steel OB chain

- Tested to over 500kg. Hardened,
- Oval end loop for easy internal use. Supplied as each.

MAY241



NL913 Rumen Magnet with plastic cage

Description

- Used worldwide as an effective remedy for hardware disease.
- Classic northern hemisphere style with spaces for accumulating hardware within the plastic cage.
- Color of plastic is available
- Packaging: 10pcs with one neutral box, 200pcs per carton
- OEM packaging is available
  NL9131 100X37mm
  NL9132 100X25mm

MAY242



NL914 Stainless steel rumen magnet

Description

- Used worldwide as an effective remedy for hardware disease.
- The outer of rumen cow magnet is made of SUS304 sheet
- Bright, metal finish, non-toxic, non-corrosive in use
- Inner with strong magnet
- Size: dia ½" X 3" long
- Packaging: 12pcs with one neutral box,
  (OEM packaging is available)

MAY243



NL915 Heavy-duty rumen magnet

Description

- Durable Its durable structure boasts plated, solid steel end caps for corrosion prevention and a solid steel connector rod through the core to reduce breakage in shipping and handling.
- No plastic parts involved.
- Stronger Magnetizaton before assembly creates a consistent pulling force from each section along the length of the magnet and enhances its overall strength.
- Superior Characteristically, These qualities make it easier for the magnet to travel to the stomach and stay there.
- Size: 1-7/8"(48MM)
- Packaging: 12pcs per neutral packaging.

MAY244



NL916 Ceramic rumen magnet

Description

- This rectangular rumen magnet is made of Ceramic 5 (Strontium Ferrite) magnet material.
- Its special magnetization pattern causes nails and other sharp metal objects line up along the length of the magnet where they are no longer a danger to the cow.
- Rounded corners ensure safe and easy passage to the reticulum.
- Size: ½" x 3/4" x 2-3/4" long.
- Packaging: 12pcs per foam box.

MAY245



NL926 Rumen Magnet with plastic cage

Description

- Used world wide as an effective remedy for hardware disease
- Classic northern hemisphere style with space for accumulating hard ware with the plastic cage
- OEM packaging is available

MAY246



NL981 Plastic Balling Gun

Description

- Economical, reusable semi-disposable balling gun made of durable plastic.
- For Calf/Lamb/Colt - made of low-density plastic ensures gentle touch.
- Material: plastic

MAY247



NL972 Wirerope

Description

- High quality wirerope
- Suitable for NL917 saw wire handle

NL972-1 Stainless steel wirerope 12m x 1.35mm, with white plastic box, Size:7.7 x 7.7 x 2.7cm
NL972-2 Galvanized steel wirerope, zinc-coated wire, 12m x 1.35mm, without box

MAY248



NL917 Saw wire handle

Description

- economy stainless steel handles are very comfortable to use.
- Simple screw action clamps wire into groove.
- Length 10.5cm

MAY249



NL918 Nylon pulleys

Description

- Pulley shell is made of stainless steel SUS 304
- Pulley is made of PA66, with UV additive
- With strong stainless steel hook
- Color of pulley is available (normal color is yellow)

NL9181 Nylon pulley Ø20mm with closed hook
NL9182 Nylon pulley Ø40mm with big open Hook
NL9183 Nylon pulley Ø44mm with hook
NL9184 Nylon pulley Ø90mm without hook
NL9185 Iron pulley Size:1-7/8"(48MM)
NL9186 Iron pulley Size:3-1/2"(89MM)
NL9187 Nylon pully size Ø90mm with galvanized holder, total size:15.5 x 9.5 x 4.5cm
NL9188 Nylon pully siza Ø20mm with galvanized holder

MAY250



NL919 Pig holders

Description

- "S" or "T" shape handle
- It's made of stainless steel pipe.
- Strong steel string with PVC coating protecting animals hurting
- Professional locker design easy for operation.

NL9191 stainless steel pig holder with locker("S" handle)
NL9192 stainless steel pig holder with locker ("T" handle)
NL9193 economy pig holder

MAY251



NL920 Sorting paddle

Description

- Sorting paddle consists of a hollow 30cm x 16cm paddle
- With noise-making beads inside.
- Lightweight, highly visible and noisy.
- Nice soft rubber grip or PPR grip.
- Metal grip with paint spray or soft PPR grip available
- Color of paddle is available.

NL9201 107cm sorting paddle
NL9202 122cm sorting paddle
NL9203 75cm sorting paddle

MAY252



NL937 Pig sorting board

Description

- HDPE material
- Ideal for weaners to market-ready pigs
- Also ideal for fully grown sows or boars

NL937-1 pig sorting board 120X76CM Size:L
NL937-2 pig sorting board 94X76CM Size:M
NL937-3 pig sorting board 76X46CM Size:S

MAY253



NL938 Short handle plastic pig Sorting paddle

Description

- Material: high quality plastic
- Length 50cm
- Whip animals by sound
- 4 plastic flaps rattle when strike, ratting sounds, to drive animal more easily
- Animals won't feel painful owing to the sponge on the paddle

MAY254



NL927 Warm mat for piglets

Description

- Warm mat for piglets(adjustable)
- Material:glass fiber reinforced plastic
- Size:50*90cm
- 220V*150W

MAY255



NL930 Dog collar

Description

- Material: high quality nylon or stainless steel
- With foam pad, zinc alloy metal fasteners
- Colors are available

NL930- 1 size: 1.5x40cm Nylon
NL930- 2 size: 2.0x50cm Nylon
NL930- 3 size: 2.5x60cm Nylon
NL930- 4 size: 2.5x70cm Nylon
NL930- 5 size: 4.0x66cm Stainless steel

MAY256



NL941 Dog mask

Description

- Material: leather belt
- Pet muzzle
- Strong and durable

NL941-1 dia:6.0cm NL941-2 dia:7.0cm
NL941-3 dia:8.0cm NL941-4 dia:9.5cm
NL941-5 dia:11.0cm NL941-6 dia:12.5cm
NL941-7 dia:14.5cm

MAY257



NL945 Stainless steel dog mask

Description

- Stainless steel material with PU belt
- Stop barking, prevent biting
- Strong and durable

MAY258



NL946 Plastic dog mask

Description

- Material: plastic
- Stop barking, prevent biting
- Strong and durable

MAY259



NL960 Collapsible Pet Bowl

Description

- Material:Silicon
- Size:19*12*18cm
- Capacity:1000ml
- Weigh:160g
- Color:Blue/Green/Red/Yellow

MAY260



NL928 Infrared lamp

Description

- Color:clear, red, blue, green, yellow.
- Waterproof, hard glass
- Lifetime:3500hrs
- Accpt OEM
- Each piece with one polybag, then with one middle box, 12boxes with one export carton

NL9281 infrared lamp 220V, 100W
NL9282 infrared lamp 220V, 150W
NL9283 infrared lamp 220V, 175W

MAY261



NL957 Infrared lamp BR-38

Description

- Color: red and transparent
- BR-38
  Each item with one polybag, then put in a white middle box
  OEM package is available

NL9571 240V 100W
NL9572 240V 150W
NL9573 240V 175W

MAY262



NL958 Ceramic Lamp

Description

- Material: Ceramic
- Color: white or black

NL9581-1 "T" shape 220V 75W
NL9581-2 "T" shape 220V 150W
NL9581-3 "T" shape 220V 250W
NL9582-1 "cone" shape 220V 75W
NL9582-2 "cone" shape 220V 150W
NL9582-3 "cone" shape 220V 250W

MAY263



NL971 Aluminium lamp shade

Description

- Material: Aluminium
- With thick aluminium sheet
- Durable and high quality

NL971-1 5m cable+2m chain+3way switch(100%,50% and off)
NL971-2 5m cable+2m chain+2way switch(on and off)
NL971-3 5m cable+2m chain (NO SWITCH)

MAY264



NL973 Polishing lamp shade turn outside

Description

- Material: aluminium with polishing
- Without wire guard
- With ceramics lamp holder

NL973-1 5m cable+2m chain+3way switch(100%,50%and off)
NL973-2 5m cable+2m chain+2way switch(on and off)
NL973-3 5m cable+2m chain (NO SWITCH)

MAY265



NL974 Polishing lamp shade turn inside

Description

- Material: aluminium with polishing
- With wire guard
- With ceramics lamp holder

NL974-1 5m cable+2m chain+ 3 way switch(100%,50% and off)
NL974-2 5m cable+2m chain+ 2 way switch(onand off)
NL974-3 5m cable+2m chain (NO SWITCH)

MAY266




NL954 Golden alu lampshade

Description

- Size:21.5*31cm;220V/50HZ,275W;E27
- Lampshade holder:Alu alloy
- 2.5M cable+ 2M chain+3ways switch(100%,50% and off)

MAY267



NL955 Golden alu lampshade

Description

- Size:30*32cm;220V/50HZ,275W;E27
- lampshade holder:Alu alloy
- 2.5M cable+ 2M chain+3ways switch(100%,50% and off)

MAY268



NL931/NL943 Animal feeding bottle 2.0L

Description

- Animal feeding bottle 2.0L
- Made of nontoxic plastic material
- With feeding teat,used for livestock

NL931 slip type teat feeding bottle
NL943 screw type teat feeding bottle

MAY269



NL933/NL944 Animal Feeding bottle with handle

Description

- Animal feeding bottle 2.0L
- Made of nontoxic plastic material
- With feeding teat,used for livestock

NL933 Slip type teat feeding bottle
NL944 Screw type teat feeding bottle

MAY270



NL934 Animal feeding bottle 2.5L with handle

Description

- Animal feeding bottle 2.5L
- Made of nontoxic plastic material
- With feeding teat,used for livestock
- Two teats for choice

NL934-1 Slip type teat feeding bottle
NL934-2 Screw type teat feeding bottle

MAY271



NL935 Animal feeding bottle 2.5L

Description

- Animal feeding bottle 2.5L
- Made of nontoxic plastic material
- With feeding teat, used for livestock

MAY272



NL952 Animal feeding bottle 3L with exhaust event one the handle

Description

- Material:PE
- Capacity:3L
- With feeding teat, used for livestock

MAY273



NL979 Feeding bottle with teat for lamb 1L

Description

- Capacity:1L
- Material:PE

MAY274



NL978 Piglet teething ring

Description

- Robust teething ring to reduce aggression in the pig shed
- Soothes and distracts
- Bite-resistant material
- Material:PE
- Size:14*18cm chain length around 70cm

NL978-1 Plastic
NL978-2 Metal

MAY275



NL929 Plastic weaner

Description

- Plastic weaner for cow calves
- It is easy to adjust the screw, can use again.
- Avoid the mavericks suck behavior, avoid spreading the disease
- Used to prevent the calves to suck the breast
- Used to prevent calves to lick bellybutton of each other

NL929-1 Size: S 9x8cm
NL929-2 Size: L 10.5x9cm

MAY276



NL925 Teat dip cups

Description

- As well as pre-dipping and post-dipping of teats atmilking time to reduce mastitis infections, teat dip cups are very useful for treatment of black-pock and other teat lesions.
- Capacity:300ml

NL9251 Teat no-return dip cup
NL9252 Teat nunc dip cup
NL9253 Teat foaming dip cup

MAY277



NL924 Teats

Description

NL9241 teat system for lamp feeding bucket
NL9242 spare teat for lamp feeding bucket
NL9243 Lamb feeding teat

- The lamb feeding teat is known around the world. it is ideal for new-born lambs, kids and other small animals.
- Made of soft latex rubber.Cap will fit all standard PET plastic 'pop' bottles (28mm thread).
- The lamb feeding teat features a cone tip which is cut off at lower levels to provide faster flow.
- A ball valve allows air inlet to the bottle.
- NL9244 Feeding rubber teat with monolayer
  This calf teat has been marketed in the world for many years. It is generally fitted into a 20-21mm diameter drilled hole in any plastic or metal container.
- NL9245-1 Teat Calf Soda Bottle
  Real rubber teat to fit most soda bottles. Cut an X in the tip with razor blade or knife, or melt hole with hot nail. Long lasting, heavy duty teat

NL9245-2 Feeding rubber teat
NL9246 Feeding rubber teat
NL9247 Feeding rubber teat
NL9248 Feeding rubber teat
NL9249 Feeding rubber teat

MAY278



NL936 Fake poultry egg

Description

- Made of high quality ceramic or plastic
- White color or natural color for choice

NL9361	Ceramic egg, size is 5.5 x 4.2CM Packed in blister paper
NL9363	Plastic egg with sandy in it, size is 6 x4.2CM Packed in opp bag or blister paper
NL9364	Plastic egg without sandy in it, size is 6 x4.2CM Packed in opp bag or blister paper
NL9365	Plastic pigeon egg, size is xx packed in opp bag or blister paper

MAY279



NL942 Electric sheep clipper

Description

- Delivered in a carrying case and with comb and cutter
- Light and easy to handle
- Power:350W, Speed: 2600Rpm, Frequency: 50/602Hz
- Voltage:230V
- Machine dimension:35*10*8.5cm
- Net weight:1.9KGS

MAY280



NL975 Surgical blade handle

Description

- High quality surgical blade handle
- Use for handle surgical blade
- 100pcs per inner box

NL976 Surgical blade

Description

- High quality surgical blade
- With full sizes to choose
- 100pcs per inner box
- Stainless steel material or carbon steel material for choice

MAY281



NL990 Hand winch

Description

- For pulling and moving of loads
- Stable toothed wheel construction
- Internally lubricated reel and toothed wheel rings
- Easy-to-turn, mould-cast lever
- Translation ratio (toothed wheel ratio) 3:1

MAY282



NL977 Electric beak cutter

Description

- This machine is applicable to quickly cut chicken beak
- Stanch blood for chicken with different ages
- Voltage applicable:220V±10%
- Power consumption:200-250W
- Temperature of movable knife:600-800℃
- Time of stopping knife and stanching blood: 0-4 seconds
- Weight: 8.5kg

MAY283



NL984 Cow lifting frame

Description

NL984-1:for medium and smaller breeds to max.900kg
NL984-2:for tall breeds and beef cattle to max.1500kg

MAY284



NL980 Animal handing rope

Description

- Soft, safe, non-burning animal handing rope
- Easily machine washed(cold water) and improves with every wash
- Excellent lunging or thowing rope. Keep hidden when not in use
- Length 5m or 9m.etc
- With eye splices at both ends

MAY285



NL964 Cow immobilizer standard

Description

- Material:Carbon steel
- When positioned correctly, this restraint prevents animals from thrashing around
- Adjustable for different animal sizes
- The 45° offset of the hole series and the ø9 mm thick locking bolts ensure ergonomic length adjustment and prevent inadvertent opening



MAY286

NL987 Piglet tooth grinder

Description

- Material:diamond grinding hear+alloy sheath
- Voltage:220V 50/60HZ,Power:130W
- Rotating speed:8000-32000r/min
- Quick and painless for newborn piglets grinding teeth
- Can reduce the oral odor,improve animal food intake
- Can prevent the pig hurt when fighting each other,and reduce the risk of piglet death
- Packed in independent box.convient to carry



MAY287

NL961 Lamb blanket

Description

- For protecting newborn lambs in cold weather
- Helps reduce hypothermia and mortality rates
- Wind and water repellent
- Pulls over the head and secured around all four legs
- One size fits all,red color



MAY288

NL962 Ewe spoon with 3 tie feature

Description

- Material :PP
- With strap
- Help to prevent the existing problem of it tilting upwards once inside
- The product can be kept clean using warm soapy water
- Avoid usingabrasive cleaners on the plastic as any resulting scratches may harbour bacteria.
- The bearing retainer can be sterilized chemically or in boiling water.
- Different color for choice



MAY289

NL963 Tail clamp for cows

Description

- Made of light metal,galvanized
- Easy,safe and quick to put on



MAY290

NL940 Garden pressure sprayer

Description

- Made of high quality new raw plastic
- Capacity:1.5L, 1L, 2L
- Prefect pump spayer with off-stream-spray-off function
- Print logo is available

NL940-1:1.5L
NL940-2:1L
NL940-3:2L



MAY291

NL947 Plastic garden pressure sprayer

Description

- Long-spraying head
- More flux,better atomizing
- Practical, safe and labor saving
- Reasonable design, simple and portable
- Suitable for garden and household cleaning
- Capacity:5Liter, 8Liter, 10Liter
- Working pressure: 2-3 bar

NL947-1 5L
NL947-2 8L
NL947-3 10L



MAY292

NL948 Plastic garden pressure sprayer

Description

- Longi-spraying head
- More flux,better atomizing
- Practical, safe and labor saving
- Reasonable design, simple and portable
- Suitable for garden and household cleaning
- Capacity:12Liter 16Liter 20Liter
- Working pressure 2-4 bar

NL948-1 12L PE
NL948-2 16L PP
NL948-3 20L PE

Animal system

AI EQUIPMENTS

MAY293



NL1001 Liquid Nitrogen Containers

Description

- High-strength aluminum alloy structure, light empty weight
- Hinged handle (except YDS-5-200) is portable
- The lockable device can be installed to the container lid upon costomers' requirement so as to protect biological samples stored (limit for 30mm, 50mm,80mm calibers)
- Encoding system is applied on canisters for easy recognition and convenient accessing of samples
- More than 5-year vacuum quality guarantee is ensured with the multi-layer thermal isolation design

Model	Unit	YDS-1-30	YDS-2-30	YDS-3	YDS-5-200	YDS-6	YDS-10	YDS-10-80	YDS-10A	YDS-13
Capacity	L	1.0	2.0	3.15	5.0	6.0	10.0	10.0	11.0	13.0
Empty Weight	kg	2.0	2.9	3.4	5.3	5.0	6.2	6.5	6.8	7.0
Full Weight	kg	2.8	4.6	5.9	9.3	9.9	14.3	14.6	15.7	17.5
Neck Diameter	mm	30	30	50	200	50	50	80	50	50
Outer Diameter	mm	180	217	224	287	287	303	303	287	303
Height	mm	320	365	425	325	445	530	545	615	615
Static Evaporation Loss Mass	L/d	0.067	0.067	0.105	1.667	0.100	0.100	0.175	0.100	0.103
Static Holding Time	mm	15	30	30	3	60	100	57	110	126
Canister OuterDiameter	mm	26	19	38	—	38	38	63	38	38
Canister Height(single/double)	Nos	120	120	120	—	120	120	120	120/276	120/276
Number of Canisters: n	0.5ml	1	3	3~6	—	3~6	3~6	3~6	3~6	3~6
Straw Holding	0.5ml	52	90	132×n	—	132×n	132×n	360×n	132×n	132×n
Capacity(single level)	0.25ml	110	204	298×n	—	298×n	298×n	846×n	298×n	298×n
Straw Holding	0.5ml	—	—	—	—	—	—	—	214×n	214×n
Capacity(double level)	0.25ml	—	—	—	—	—	—	—	472×n	472×n

MAY294



NL1002 Semen Gun

Description

- Made by high quality stainless steel.
- It can be used in straw semen AI and there are three specifications of 0.25ml, 0.5ml and universal.
- Its special is to lock sheath by a wire lock and easy to lock and unlock sheath.
- Spring type locking system or imv type to choose.
- Spring type for 0.25ml, 0.5ml and universal.
- IMV type for 0.25ml, 0.5ml.
- Spring type locking system

MAY295




NL1003 Foam tip catheters

Description

NL1003-1 small size foam tip catheter without cover
NL1003-2 small size foam tip catheter with cover
NL1003-3 big size foam tip catheter without cover
NL1003-4 big size foam tip catheter with cover

- Foam tip, injuries excluded, flexible
- Each piece with one polybag, 50pcs with one big polybag,
- Private packaging, OEM packaging is available,
- Blue, yellow.etc color is available;
- Match up with NL1025

MAY296



NL1020 Spiral catheters

Description

- Foam tip,injuries excluded,flexigle
- Each piece with one polybag,10pcs with one big polybag
- Private packaging,OEM packaging is available
- Different color is available

NL1020-1 Foam tip catheters without cover
NL1020-2 Foam tip catheters with cover

MAY297



NL1023 AI Sheaths

Description

- Material:PP or PVC pipe with inner set
- Length:445mm
- Color:transparent

MAY298



NL1025 PVC Catheters tube

Description

- A long section of PVC tubing designed for extending the length between the sponge catheter and the semen bottle, semen tube or semen bag
- Match up with NL1003, NL1020

MAY299



NL1033 Disposable pig Semen Catheter for Artificial Insemination

Description

- Material of tube : PP
- Material of foam tip: EVA
- Used for : Multiparous sow
- Colour : yellow,blue
- Package: 500pcs/caton

MAY300



NL1005 Ear tag cutter

Description

- Very handy knife for removing ear tags, but also great twine cutter. Many other uses on the farm.
- Length 20cm, with 3cm long double razor sharp
- Stainless steel cutting blades.
- Safe for your pocket.



MAY301

NL1004 Semen bottle

Description

- Semen bottle is made of food grade material
- Scale on body easy for checking
- Color of cap is available

NL1004-1 40ml semen bottle
NL1004-2 60ml semen bottle
NL1004-3 80ml semen bottle
NL1004-4 100ml semen bottle

MAY302

NL1018 Semen bag

Description

- Semen bag with filter paper 2L
- Thickness :0.055mm (18gm/pcs)
- Square easures :240mmx240m
- Composition:Polypropylene homopoly
- Properties: Obstetric Appliances
- Easy to tear when collecting semen

MAY303



NL1022 Semen bag

Description

- Material: PP
- Capability: 100ml
- Application: artificial insemination
- Feature: Moisture Proof, with holes to die cut
- Packaging:250pcs in one roll

MAY304



NL1021 Cast padding bandage

Description

- The Most Effective,Safe and Widely Used Products in Orthopaedics
- 100% Cotton
- Highly Absorbent

NL1021-1 Cast padding bandage size:6 x 3M
NL1021-2 Cast padding bandage size:10 x 3M

MAY305



NL1026 Semen filter paper

Description

- 100% cotton material
- Filtering paper function: filter boar
- Make sure the semen pure & clean
- Offers the flexibility needed to adapt to any collection setup.
- The special seams will not tear out with excessive get output
- Semen filters are also super colostrum filters
- Non-spermicidal, fast flow, and excellent gel retention.

MAY306



NL1035 Ice Package

Description

- Easy to carry
- PU Foam Insulation layer
- For keeping warm and cold
- Convenient handle for portable use
- Size: 38 x 22.5 x 27cm
- Capacity: 13L

MAY307



NL1036 Electronic Ice Package

Description

- Capacity: 12L
- Voltage: 220V
- Vehicle voltage:24V
- Power: vehicle 60-75W
- Cryogenic temperature: -5℃
- Heating temperature: 55*65℃
- Inner size: 350 x 175 x 200mm, outer size:410 x 290 x 295mm
- Weight: 5.3kg

MAY308



NL1037 Semen Collection Cup

Description

- Material:plastic
- Capacity:450ml or 1000ml for choice
- New PU thermal insulation material could keep warm with 6hours
- Outer shell material is PE, pressure resistance, long service time

NL10371 Basic funds 500ml
NL10372 Basic funds 1000ml
NL10373 37 degree constant temperature 1000ml

MAY309



NL1038 Laboratory thermostatic water bath 6 holes

Description

- Powder:1500w
- The temperature control accuracy :RT-100°C
- Size is:47 x 31 x 13cm,digital display
- Used to provide precise and constant temperature and auxiliary heating for gene amplification in laboratory, medical and industry.

MAY310



NL1006 Arm length glove

Description

- Shoulder gloves is 92cm length;
- 35% EVA and 60% LDPE
- Super sensitive and very strong,
- 28 microns thickness;
- 100pcs with one dispenser box;
- Green, orange.etc different color is available;
- OEM packaging is favorable.

MAY311



NL1030 Arm length long gloves

Description

- 125cm length, link with neck and 12g in weight
- 30% EVA plus 70% LDPE
- Super sensitive, flexibility and strong in using, it could hold 1L water pressure testing.
- 50pcs gloves per dispenser box,green color box or neutral white box available.
- Factory direct price and OEM color design available.

MAY312



NL1007 Nitrile disposable glove

Description

- 100pcs gloves per dispenser box;
- Recommended for milking;
- Powder-free;
- Hypo-allergenic;
- Higher resistance to chemicals than latex;
- Antiseptic;
- Excellent quality gloves for veterinarians, dairy farmers, pig producers, semen collection and for other hygiene purposes.

MAY313



NL1008 Disposable examination vinyl gloves

Description

- 100pcs per dispenser box,
- Powdered or powder free;
- Size: S,M, L, XL;
- Color: transparent or other colors
- OEM packaging is available.

MAY314



NL1024 Latex examination gloves

Description

- 100pcs gloves per dispenser box
- Powder or powder-free
- Protection from unwanted or dangerous substances.
- Easy donning and helps prevent roll back.
- Softness provides superior comfort and natural fit
- Beaded cuff makes donnings easy
- Ambidextrous and straights fingers
- Gloves sizes: Small, Medium, Large
- OEM packaging is available



MAY315

NL1017 Boot sheets

Description

- Material:EVA+PE,
- Color:blue and white is available

NL1017-1:Boot sheets
thickness:0.07mm,size:45 x 45cm,N/W: 16g/PC
NL1017-2:Boot sheets
thickness:0.12mm,size:45 x 45cm,N/W:28g/PC



MAY316

NL1032 Overshoe

Description

- Material:PP+CPE
- Size:40 x 16cm



MAY317

NL1014 Castrating band

Description

- silicon material
- strong, nontoxic
- applied with castrating band applicator
- 500pcs per polybag. less than 15kgs per export carton

NL10141 Plastic steel castrating band applicator
The applicator is especially suitable for the breeder with a small number of animals to dock or castrate.It is a perfectly satisfactory tool at a very low price.No need to pay more if you do not need more. Pins open to 45mm/40mm x 34mm (sides).

NL10142 Zinc alloy (steel) castrating band applicator
Applicators are made in many places in many different qualities.Ours is high quality at a low price, guaranteed to give very good service. Smoothand easy operation. Check it for yourself. Pins open to 50mm/40mm x 30mm (sides)

NL10143 Castrating band -O ring
Material: High quality import rubber
Size: outer dia: 13.5mm, inner dia: 5mm



MAY318

NL1027 Artificial insemination holder

Description

- Made of high quality plastic
- With light weight and easy to use
- Flexible and adjustable
- Hold the flank of sow, improve the absorption of semen by sow

MAY319



NL1009 Non-woven self-adhesive bandage

Description

- Excellent tear resistance, shock-absorbing under strenuous activity,firm support, non-slip;
- When applied correctly the bandage provides safe support without blocking the blood flow, easy to apply, even on difficult areas, suitable for all animals:
- Very porous lightweight bandage, barely perceptible, skin breathes while the wound is healing:
- Self-adhesive, therfore no grips, does not stick to the coat, easy to remove using bandage scissors, providing support, protection and security;
- Size: 2.5cm x 4.5m, 5cm x 4.5m, 7.5cm x 4.5m, 10cm x 4.5m, 15cm x 4.5m for choice
- Color: different color is available;
- Packaging: 12 rolls in convenient sale box. OEM packaging is available.

MAY320



NL1010 Bandage scissor

Description

- Special lower blade on these is for slipping down
- Inside bandage to prevent injury to body underneath whilst cutting.
- Useful cutting almost anythingelse. 19cm o.a.

MAY321



NL1011 Veterinary I.V. set

Description

- Transparent vial holder and tube is made of silicon,
- White clamp for easy adjusting the flux;
- Brass+chrome plated connection
- Luer lock adaptor with needle
- Each set with one neutral box , 100pcs per carton (OEM packaging is available)

MAY322



NL1012 Veterinary I.V. set

Description

- Yellow vial holder and tube is made of super quality latex,
- White clamp for easy adjusting the flux;
- Brass+chrome plated connection
- Luer lock adaptor with needle;
- Each set with one neutral box, 100pcs per carton (OEM packaging is available)

MAY323



NL1016 XSZ-N107 Series Biological Microscope

Description

- XSZ-N107 series microscope is improved on the basis of XSZ-107BN series such as adding Anti-mould device and some decoration. It looks nice and much modern.

		N106	N107	N207	N107E	N107CCD
Viewing Head	Monocular Head Inclined at 45°, 360° Rotatable	●				
	Sliding Binocular Head Inclined at 45°, 360° Rotatable; Anti-mould		●			
	Compensation Free Binocular Head Inclined at 30°, 360° Rotatable; Anti-mould			●		
	Trinocualr Head for Photography				●	
	Trinocular Head for Video Camera (C Mount)					●
Eyepiece	Wide Field Eyepiece WF10×、P16 ×	●	●	●	●	●
Objective	Achromatic Objective 4×、10×、40×（S）、100×(S, Oil)	●	●	●	●	●
Nosepiece	Quadruple Nosepiece	●	●	●	●	●
Stage	Double Layer Mechanical Stage 140×140mm/ 75×50mm	●	●	●	●	●
Focusing	Coaxial Coarse & Fine Adjustment, Moving Range 28mm, Fine Division 0.002mm	●	●	●	●	●
Condenser	Abbe NA 1.25 with Iris Diaphragm & Filter	●	●	●	●	●
	Dark Field Condenser NA 0.9 (Dry)	○	○	○	○	○
	Dark Field Condenser (Oil) NA 1.25-1.36	○	○	○	○	○
Illumination	Built-in Illumination, Halogen Lamp 6V/20W	●	●	●	●	●
	Plan-concave Mirror	●	●	●	●	●
	Kohler lighting fixtures	○	○	○	○	○

Note: ● Standard Outfit, ○ Optional

MAY324



NL1015 N-800M Laboratory Biological Microscope

Description

- With Infinite Optical System, Kohler Illumination, Providing Excellent Optical Quality and making Image Perfect.
- With Low and Forward Position Coaxial Focus System, Focusing Knobs and Brightness Adjustable Knob within reaching Location, Stable Integral Structure, Reasonable Ergonomic Design, Making.
- Operator Feel More Comfortable and Effective.

Specification



NDFA-D Dark Field Condenser (Dry)



NPHA Turret Phase Contrast Kit



NDFA-O Dark Field Condenser (Oil)



Polarization Attachment

Features

		N-800M
Viewing Head	Seidentopf Binocular Head	○
	Seidentopf Trinocular Head	●
Eyepiece	Extra Wide Field Eyepiece EW10×/ 22	●
Nosepiece	Backward Quintuple Nosepiece	●
	Backward Sextuple Nosepiece	○
Objective	Infinite Plan Achromatic Objective 4×	●
	10×	●
	20×	○
	40×	●
	100×	●
	Objectives for Dark Field 100×	○
Condenser	Swing-out Condenser NA 0.9/ 0.25	●
Stage	Double Layers Mechanical Stage 185×142/ 75×55	●
Illumination	External Illumination, Aspherical Collector, Halogen Lamp6V/ 30W	●
	50W/ 100W Power Supply	○
Photo Attachment		○
Video Adapter	C Mount 1×	○
	C Mount 0.5×	○
Filter	Blue Filter	●
	Green Filter	●
Multi Viewing Attachments	Multi Viewing Attachments for 5 persons	○
	Multi Viewing Attachments for 3 persons	○
	Multi Viewing Attachments for 2 persons	○
Polarization Attachment		○
Phase Contrast Kit	Turret Phase Contrast Kit	○
Dark Field Attachment		○
Epi-fluorescent Attachment		○
Temperature Controlled Stage		○
Drawing Attachment		○

Note: ● Standard Outfit ○ Optional

Specification



Comfortably observing with compensation free trinocular head Inclined at 30°
Suitable for observer with wide interpupillary range of 48-75mm



Larger viewing area with extra wide field eyepiece EW10×/ 22
Focus control with diopter adjustable



Big operating space with backward quintuple nosepiece



Rectangle double layers mechanical stage 1 85×142mm, moving range 75×55mm, comfortable operation with low position adjustable knobs



Perfect image with infinite plan achromatic objective



Overcoming illumination asymmetry at low magnification observation



With aspherical condenser and Kohler illumination, providing enough, even and high contrast illumination for various objective observations.



External illumination, halogen lamp 12V/ 30W, brightness adjustable

MAY325



NL1039 Microscope Cover Glass

Description

- Material:medical glass
- Size is 18*18mm,thickness is 0.13-0.17mm
- 100pcs per neutral pack

MAY326



NL1040 Microscope Slides

Description

- Material:medical glass
- Size is 76 x 25mm(3 x 1"),thickness is 1.0-1.2mm
- 50pcs per neutral pack

MAY327



NL1028 Veterinary B-Ultrasound Scanner

Description

- High resolution linear/convex ultrasound scanner
- Adopts micro-computer control and digital scan converter
- Video output and high speed USB PORT
- Jet molding enclosure with hand-held structure
- Different probe suitable for different animals
- Dimension: 265(L) x 153(W) x 46(H) mm
- Weight: 0.8kg
- Specification:7000AV
- Three heads are available

MAY328



NL1029 Ultrasound gel

Description

- Main material: water-soluble high polymer
- 20ml/250ml/5L to choose

MAY329



NL1031 Mastitis Test Paddle

Description

- For a quick mastitis detection.
- Material: strong plastic
- Color: White or Black

ANIMAL TRAPS

NL1101 Folding mouse traps

MAY330



NL1101-1
Small size folding mouse traps
Mesh: 1/2"X1/2"
Size: 16X10X8cm

NL1101-2
Middle size folding mouse traps
Mesh: 1"X1/2"
Size: 23X13X10cm

NL1101-3
Large size folding mouse traps
Mesh: 1"X1/2"
Size: 30X16X13cm

Description

- Galvanized wire or powder coated wire is available;
- Particular design is easy for catching;
- Folding traps can save a lot of transport fees;
- Packaging: bulk packaging or private packaging is available.

NL1102 Economy mouse traps

MAY331



NL1102-1
Small size economy mouse traps
Mesh: 1/2"X1/2"
Size: 16X10X8cm

NL1102-2
Middle size economy mouse traps
Mesh: 1"X1/2"
Size: 23X13X10cm

NL1102-3
Large size economy mouse traps
Mesh: 1"X1/2"
Size: 30X16X13cm

Description

- Galvanized wire or powder coated wire is available;
- Economy traps is much stronger than folding mouse traps;
- Particular design is easy for catching;
- Packaging: bulk packaging or private packaging is available.

NL1103 Multifunctional mouse traps

MAY332



Description

- Galvanized wire or powder coated wire is available;
- Particular design is easy for catching;
- Packaging: bulk packaging or private packaging is available.

NL1103-1
Small size multifunctional mouse traps
Mesh: 1/4"X1/4"
Size: 18.5X10.5X6.5cm

NL1103-2
Big size multifunctional mouse traps
Mesh: 1/4"X1/4"
Size: 30X15X12cm

NL1103-3
Middle size multifunctional mouse traps
Mesh:1/4"X1/4"
Size:21X13X9cm

NL1103-4
Two holes multifunctional mouse traps
Mesh:1/4"X1/4"
Size: 40X25X20cm

MAY333



NL1104 Semicircular mouse trap

Description

- Size: 41.5X23.5X16cm; esh: 1/2"X1/2"
  Galvanized wire or powder coated wire is available;
- Particular design is easy for catching;
- Packaging: bulk packaging or private packaging is available.

MAY334




NL1105 Collapsible animal trap

Description

- Different sizes of collapsible traps are available for different animals. from mouse to raccoons;
- Collapsible, easy to set, bait and release for consumer friendly operation;
- Assembles and collapses in minutes, no tools needed;
- Folding trap can save a lot of transport fees;
- Galvanized wire or powder coated is available;
- Size: 76.2X30.5X30.5cm

MAY335



NL1106 Collapsible animal trap

Description

- Different sizes of collapsible traps are available for different animals. from mouse to raccoons;
- Collapsible, easy to set, bait and release for consumer friendly operation;
- Assembles and collapses in minutes, no tools needed;
- Folding trap can save a lot of transport fees;
- Galvanized wire or powder coated is available;
- Size: 66X30X23.5cm

MAY336



NL1109 Wooden Base Mouse Trap

Description

- Made of galvanized wire mesh and high quality wooden base.
- Suitable for catching little mouse.
- NL1109-1 Size:27X9.5X9cm
- NL1109-2 Size:11.5X5.5X5.5cm

Animal system

MAY337



NL1110 Leg mouse trap

Description

- Galvanised against rust.
- Jaw spread:4"
- Effecient to trap target animals.

MAY338



NL1111 Leg mouse trap

Description

- Galvanised against rust.
- Jaw spread:4"
- Effecient to trap target animals.

NL1111-1 Leg mouse trap
NL1111-2 Leg mouse trap with PVC coated
NL1111-3 Leg mouse trap with rubber

MAY339



NL1112 Mouse trap

Description

- ABS + PC material
- With insert cart packing

MAY340



NL1113 Mouse trap

Description

- ABS + PC material
- With insert blister packing
- 2pcs in one pack

MAY341



NL1114 Mouse trap

Description

- ABS + PC material
- With card packing
- 2pcs one card

MAY342



NL1116 Mouse trap

Description

- Size:10x5x5.5cm
- Plaster material
- With blister paper packing
- 2pcs in one pack

MAY343



NL1117 Mouse trap

Description

- Size:26*16*4.5cm
- Gavanized iron material
- 1pc in color box

MAY344



NL1115 Mouse trap

Description

- Size:14x6.5x8cm
- Plaster material
- With blister paper packing

MAY345



NL1123 Plastic mouse trap

Description

Material: plastic
NL1123-1 S size: 9.5*4.5*1.5cm, 40g/pc
NL1123-2 L size: 14.5*8*2cm, 100g/pc

MAY345



NL1118 Mouse trap

Description

- Size:26*15*4.5cm
- Gavanized iron material
- 1pc in color box

Animal system

MAY346



NL1119 Metal mouse trap

Description

NL1119-1 size:17x8cm,1pc in poly bag with card
NL1119-2 size:12x6cm,2pc in poly bag with card
NL1119-3 size:9.5x4.5cm,6pc in poly bag with card

MAY347



NL1120 Wooden mouse trap

Description

Size S: 9.8*4.8*0.6cm,25g/pc, 2pcs in one poly bag with card
Size M: 12.3*6*0.7cm,45g/pc, 2pcs in one poly bag with card
Size L: 17.3*8*1cm,100g/pc, 2pcs in one poly bag with card

MAY348



NL1121 Photocatalyst Mosquito & Fly trap

Description

- Chemicals free
- Smokeless
- Odorless
- Air and Bacteria Purifier
- Economical
- Quiet Operation with Escape-proof Net
- Tripartite Systerm: UV light, Tio2 , Heat
- Voltage: AC220~240V
- Power: 26W
- G.W.: 1.8KG
- N.W.: 1.3KG
- Dimention: 25.5*21.5*35CM
- Material: ABS
- Effective Area : 100-120 CM2

MAY349




NL1124 Fly trap

Description

- Plastic fly trap for lawn,garden ,camping and farm
- Complete with attractant,just add water and hang
- No pesticides,effective and responsible

FARM EQUIPMENTS—FENCE & INSULATORS



MAY350 MAY351 MAY352 MAY353

NL12101 Fence Post

Description

- It's made of square steel pipe
- With powder coating
- Length: 105cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12102 Fence Post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 122cm, size can also be made as customer's requirement
- U shape foot can be used in the ground directly
- With reflexible mark at the top
- Packaging: bulk packaging with pallet

NL12103 Fence Post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 120cm, size can also be made as customer's requirement
- With reflexible mark at the top
- Packaging: bulk packaging with pallet

NL12105 Fence Post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 113cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- Packaging: bulk packaging with pallet

NL12111 Rebar steel fence post

Description

- It's made of rebar steel rod
- Be widely used for large animals
- Length: 106cm, size can also be made as customer's requirement
- Frame finishing: Powder coated
- Packaging: bulk packaging with pallet

NL12112 Round steel fence post

Description

- It's made of round steel rod
- Provide quick, easy, low-cost installation for electric fence Frame finishing: Powder coated
- Length: 110cm, size can also be made as customer's requirement
- Color is available
- Different color is available
- Packaging: bulk packaging with pallet

NL12113 Rebar steel fence post

Description

- It's made of rebar steel rod
- Length: 105cm, size can also be made as customer's requirement
- Frame finishing: Powder coated
- Packaging: bulk packaging with pallet

NL12115 Rebar steel fence post

Description

- It's made of rebar steel rod
- Length: 110cm, size can also be made as customer's requirement
- Frame finishing: Powder coated
- Packaging: bulk packaging with pallet



MAY354 MAY355 MAY356 MAY357



MAY358 MAY359 MAY360 MAY361

NL12104 Fence Post

Description MAY357

- It's made of round steel rod
- Powder coating or hot drop galvanized i
- Length: 122cm, size can also be made a requirement
- With step can be entered into the ground directly
- Packaging: bulk packaging with pallet

NL12107 Fence Post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 106cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- With insulating pigtail handle
- Packaging: bulk packaging with pallet

NL12110 Plastic fence post

Description

- It's made of PP material with UV resistance
- For all commonly available tapes, ropes, stranded or solid wires
- Length: 152cm
- High stability through additional longitudinal struts
- Packaging: bulk packaging with pallet

NL12114 Steel pigtail fence post

Description

- It's made of PP material with UV additive
- With white finishing
- Length: 105cm, size can also be made as customer's
- requirement
- With step can be entered into the ground directly
- With insulating pigtail handle
- Packaging: bulk packaging with pallet

Animal system

NL12116 Steel T-Post

Description

- It's made of robust steel
- Green/White painted
- Length: 152cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12117 Steel Y-post

Description

- It's made of Y-shaped steel rod
- Well suited for soft, moist or deep grounds
- Length: 135cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12106 Post driver

Description

- It's made of round steel pipe
- Powder coating or hot drop galvanized is available
- Length:106cm, for driving in posts
- Packaging: bulk packaging with pallet



MAY362 MAY363 MAY364

MAY365



NL12201 Fence gate handle

Description

- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire
- Polywire or a replacement handle for patriot spring gate in permanent and temporary fence
- 20pcs per polybag

MAY366



NL12202/NL12203 Fence gate handle

Description

- Safety hood and body formed as one from diameter 40mm.
- Steel pipe, totally weight 330 grams
- Spring size: diameter 5/16" X 4-1/2 long
- Insulating grip size: diameter 2-1/4" X 5-1/2" long
- All metal parts are assembled permanently

MAY367



NL12204/NL12205 Fence gate handle

Description

- Fully insulated electric fence spring gate handle
- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire, polywire or a replacement handle for patriot spring gate in permanent and temporary fence.

MAY368



NL12223 Spring gate

Description

- It's made of high tension steel
- With zinc plating
- One side with closed hook, another side with open hook
- Outside with insulating PVC

MAY369



NL12222 Spring gate

Description

- Insulated gate handle
- Material:steel or stainless steel
- Finish:zinc plated and powder coated
- Extends up to 5 metre

MAY370



NL12228 Fence gate handle

- Material: PP with UV resistance
- Galvanised steel spring extends up to 5m
- Open the fences access without ground contact being made

WOOD POST INSULATORS

MAY371



NL12206 / NL12207 Fence insulator

- For attaching rope products to wood posts and trees
- Prevents the possibility of the conductor escaping from the insulator

MAY375



NL12209 / NL12210 Fence insulator

- For attaching rope products to wood posts and trees
- Self-screw with zinc plated, easy for entry

MAY372



NL12213 / NL12215 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of nylon with UV additive

MAY376



NL12214 Fence insulator

- For attaching rope products to wood posts and trees

MAY373



NL12229 Fence insulator

- It's made of carbon steel with zinc plating
- With insulating pigtail handle
- Easy for electric wire
- Bulk packaging

MAY377



NL12224 Fence insulator

- It's made of carbon steel with zinc plating
- With insulating pigtail handle
- Easy for electric wire

MAY374



NL12230 Ring insulator

- Ring insulator extra, with support inside insulating part
- Very high dielectric strength and support with wood thread

MAY378



NL12231 Tape insulator

- Ideal for polytapes up to 20 mm
- Sturdy galvanised 6 mm support

WOOD POST INSULATORS

MAY379



NL12232 Ring insulator

- Metal rod flush flat and plastic RADIUS design, more solid and durable
- For polywire and wire, screws on wood

MAY380



NL12216 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of nylon with UV additive

MAY381



NL12233...NL12241 Offset fence insulator

- Offset ring insulator for ropes and tapes, with support of 22 cm length
- Keeps live wires away from the posts

MAY382



NL12242 Screw-in or nail on insulator

- Screw-in or nail-on insulator, tape passes through
- Easy straining of hot tape over longer runs of fence

MAY383



NL12243 Rope insulator

- Rope Insulator, screw in or nail on, heavy-duty insulator made of break-proof plastic
- Ideal for electric ropes up to 8 mm and premium horse wire

WOOD POST INSULATORS

MAY384



NL12244 Rope insulator
- Rope insulator Euro cord, ideal for steel wires
- Professional insulator for permanent fencing

MAY388



NL12245 Rope insulator
- Rope Insulator Euro Cord, screw in or nail on
- Ideal for electric ropes up to 8 mm and premium horse wire

MAY385



NL12246 Pinlock insulator
- Heavy-duty insulator
- Ideal for all ropes up to ø 8 mm poly wires and steel wires

MAY389



NL12247 Pinlock insulator
- Heavy-duty insulator
- Ideal for all ropes up to ø 8 mm poly wires and steel wires

MAY386



NL12248 Staple insulator
- One-piece moulding reduces risk of shorting
- Can be added after the wire has been laid out
- UV-stabilised for long life

MAY390



NL12249 Tape insulator
- Wide tape insulator with all round reinforcement
- For nail-on and screw-in

MAY387



NL12250 Combi-insulator
- Galvanised 6 mm metal support for tapes up to 40 mm and ropes up to 6 mm
- Improved clip mechanism thanks to 2 locking points

MAY391



NL12251 Insulator for tapes
- Insulator for Tapes up to 40 mm, screw-in or nail-on insulator
- Tape passes through – thus easy straining of hot tape over longer runs of fence

WOOD POST INSULATORS

MAY392



NL12252 Clip insulator easy tape
- Insulator Ranger for screwing in or nailing on, UV stabilized
- Can also fix with cable ties, for tapes up to 40mm, ropes up to ø8mm

MAY395



NL12253 Clip insulator easy tape
- The slip-proof rubber pad holds tapes up to 40 mm eliminating tape wear
- Allows fatigueless integration in already installed fence systems

MAY393



NL12254 Clip insulator easy tape
- For tapes up to max. 40 mm as well as polywires up to Ø 6 mm
- Ideal fence line insulator, improved clip mechanism thanks to 2 locking points

MAY396



NL12255 Screw bit for insulator
- For drills and battery screwdrivers
- Easily screwed in due to its round shape
- Suitable for all ring insulators

MAY394



NL12256 Steel ring insulator tool
- Use to install ring insulators onto wood posts
- Works with a drill
- Galvanized steel for corrosion resistance

Animal system

TEE POST INSULATORS



MAY397

NL12208 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of nylon with UV additive



MAY398

NL12258 Angle post insulator

- Angle post insulator for angle steel posts with 2mm and 3mm



MAY399

NL12260 T-Post tape insulator

- T-Post tape insulator for tapes and ropes, simplifies fastening to the T-post
- Top-quality posts in varying lengths, easily driven in, for durable application



MAY400

NL12262 Pinlock insulator

- Pinlock insulator for rope, poly wire and wire
- Insulator with wooden thread for twines and permanent fencing twines



MAY401

NL12257 Combi-insulator

- Unites four different conductive material applications in one insulator
- It has proven its worth more than a hundred thousand times



MAY402

NL12259 Pinlock insulator

- Pinlock insulator for rope, poly wire and wire
- Insulator with wooden thread for twines and permanent fencing twines



MAY403

NL12261 T-Post pinlock insulator

- Top-quality T-Posts in varying lengths, easily driven in, for durable application
- Insulators are fastened by clipping firmly to the T-Post at the desired heights



MAY404

NL12263 T-Post tape insulator

- T-Post tape insulator for tapes up to 50 mm
- Improved clip system - simplifies fastening to the T-post

TEE POST INSULATORS



MAY405

NL12264 Vario classic ring insulator

- Vario classic ring insulator
- Fast and tool-free installation, impact-resistant plastic

ROUND POST INSULATORS



MAY406

NL12265 Fence insulator

- For attaching rope products to wood posts and trees
- With galvanized steel sheet wing easy for assembing



MAY408

NL12266 Vario classic ring insulator

- For metal or plastic posts up to 20 mm diameter
- Fast and tool-free installation, impact-resistant plastic



MAY407

NL12267 Tape insulator

- Tape insulator to screw for tapes up to 40mm, locking tab to secure tape in place
- For round posts up to ø12mm, for wires and ropes up to ø6mm



MAY409

NL12268 Vario classic ring insulator

- For metal or plastic posts from 7 to 19 mm diameter
- Easy to tighten / fix in place by winding the conductor material around the insulator

CORNER POST INSULATORS

MAY410



NL12211 Fence insulator

- For attaching rope products to wood posts and trees
- Allow for easy entry of conductor into smooth channel

MAY414



NL12217 Egg insulator individual

- It's made of nylon with UV additive
- Color of egg insulator individual is available

MAY411



NL12269 Slit insulator

- Excellent insulation qualities for polywire and wire
- Galvanized support and screws on wood

MAY415



NL12270 Strain insulator

- Strain insulator polyamide for steel wire with fibreglass reinforcement
- Suitable as corner and strain insulator impermanent fencing (plain wire)

MAY412



NL12271 Gate handle insulator

- Gate insulator for tapes profi, kit consists of: 4 insulators and 4 tape joiners
- Solid tape insulator with S.S tapejoiner for gate handle and fencer connection

MAY416



NL12272 Corner insulators

- Corner insulators with buckles for tapes 40 - 60 mm
- Screw-in or nail-on insulators, forks off in different directions

MAY413



NL12273 Corner insulator

- Corner insulators with pare buckle for tapes 40 - 60 mm
- Forks off in different directions, easy to hang in gate handles

MAY417



NL12274 Corner insulator

- Corner insulator for tapes 40 - 60 mm
- For tapes up to 40 mm, forks off in different directions

CORNER POST INSULATORS

MAY418



NL12275 Corner and distance insulator

- Anti-slip by alternating rubber pad structure, mounts easily and strains tapes
- Electrically conductive rubber inlays through carbon fibres secure the tape very gently but reliably

MAY422



NL12276 Classic insulator

- Classic pulley shape design with metal part reinforcement
- Strain insulator polyamide for steel wire
- Suitable as corner and strain insulator impermanent fencing (plain wire)

MAY419



NL12277 Head insulator

- Head Insulator suits all conventional tapes, ropes, polywires and wires
- Prevents animals from injuring themselves at the post top

MAY423



NL12278 Strain insulator

- Strain insulator polyamide for steel wire with metal part reinforcement
- Suitable as corner and strain insulator impermanent fencing (plain wire)

MAY420



NL12279 Porcelain corner insulators

- Regular duty porcelain corner and end post insulator
- Weight:72g

MAY424



NL12280 Porcelain corner insulators

- Professional corner insulator
- Weight:50g
- Withstands extreme tensile loads

MAY421



NL12281 Porcelain strain insulator

- Extremely durable starting and end insulator for fence wires
- Withstands extreme tensile loads
- Weight:98g

Animal system

MAY425



NL12108/NL12109 Galvanized high tensile wire

Description

- Class 3 galvanized wire

NL12108 Size: 14 gauge 16 gauge available 1000M/Roll
Economy packaging with pallet

NL12109 Size: 16 gauge 400M/Roll
With plastic spool packaging

MAY426



NL12226 Electric fence poly tape

Description

- Electric fence poly tape
- UV-stabilized
- Stainless steel wire or copper wire to choose
- Width 8mm-50mm to choose
- Normal length is 200m and 400m.
- Customized width, length, wire, and color are available

MAY427



NL12227 Electric fence poly rope

Description

- Made of high quality polyester and PE
- Stainless steel wire or copper wire to choose
- Normal diameter 2mm, 3mm, 6mm, 8.5mm
- Normal length is 200m and 400mm
- Customized diameter, length, wire and color are available

MAY428



NL12284 Fence reel

Description

- Non-geared ratio 1:1
- Light weight and strong
- Can be attached to Reel Stand
- Material: PP

MAY429



NL12285 Fence reel

Description

- Geared & Non-geared
- 50mm wide spool, can hold 750m poly wire or 300m tape
- Geared ratio 3:1 or non-geared ratio 1:1 available
- Galvanized steel frame, spool insulated
- With carry handle and steel locking system

FENCE ACCESSORIES

MAY430



NL12219 Clamp

- L shape clamp
- With hot dip galvanized
- Positive clamping action
- 20pcs per heavy polybag

MAY431



NL12220 Clamp

- Line clamp with screw easy for operation
- Hot dip galvanized
- 20pcs per heavy polybag



MAY432 MAY433 MAY434 MAY435 MAY436

NL12286-1 Fence tape connector

- Application:Fence wire
- Holder up to 40mm tape Packing

NL12286-2 Tape buckle

- Made of stainless steel, never rust
- For various tape application
- For tape up to 1 - 1/2"

NL12286-3 Rope connector single

- For a secured and durable connection of polywire and electrified rope
- Made in stainless steel or galvanized steel

NL12286-4 Rope connector duplex

- For a secured and durable connection of polywire and electrified rope
- Made in stainless steel or galvanized steel

NL12286-5 Tape gate buckle

- Connection with tape and gate handle
- Made in stainless steel wire
- For tape width 10, 20, 40 mm

MAY437



NL12221 Wire grip

- Wire grip is made of steel die-casting
- With hot drop galvanized
- Easy for wire tensioning device
- 25pcs per neuter box

MAY438



NL12225 Tension spings

- Material: stainless steel, hot-dip galvanized and zinc-plated to choose
- Size can be customized

FENCE ACCESSORIES

MAY439



NL12287/NL12288 White plastic tightener

- Molded of engineering grade polymer
- Tightens tape up to 1" wide tape

MAY443



NL12289/NL12290 Gate anchor & activator plate

- An anchor for gate handle, easily mounts using 2 nails on a wood post. Galvanized and stainless metal fittings for maximum life. 180 degree swivel for easy access.

MAY440



NL12291 Cut-out switch

- Heavy duty cut-out switch for fencers with over 12J output

MAY444



NL12292 Fence switch

- PP+UV resisitance,140g
- To switch current independently from the fence
- Two outlets can be controlled

MAY441



NL12293 Wire cutter

- Drop-forged jaws for cutting 12.5 gauge fence wire
- 8" in length, comfortably shaped handles

MAY445



NL12294 Strainer handle

- To tighten wire with strainer cog teeth or square protrusion
- Detachable pin with two positions on frame
- Electroplating or powder coating finish

MAY442



NL12295 Fence light tester 8-light 7k V

- Pocket size for convenience
- Rugged case design, with built-in earth probe
- 8 level indication to 7,000 V (600 – 1,000 – 2,000 – 3,000 – 4,000 – 5,000 V– 6,000 – 7,000 V)

MAY446



NL12301 Stainless steel treatment trolley

Description

- It's made of stainless steel SUS304 pipe
- With adjustable height wheels
- Two wheels with locker, two wheels are versatile
- Each trolley with two plastic cases
- Size: 145cm long X 46cm width X 93cm height

MAY447



NL12302 Galvanized treatment trolley

Description

- It's made of carbon steel squre pipe(25X25X1mm)
- Galvanized plating or powder coating is available
- Two wheels with locker, two wheels are versatile

MAY448



NL12303 Stainless steel transport trolley

Description

- For attaching rope products to wood posts and trees
- Prevents the possibility of the conductor escaping from the insul
- It's made of nylon with UV additive
- With galvanized steel sheet wing easy for assembing
- Packaging 50pcs per polybag

MAY449



NL12304 Dust cart

Description

- It's made of steel sheet
- With powder coating
- With two versatile tyres
- Size: 105cm long X 55cm width X85cm height

Animal system



NL12401 Female thread

NL12402 Male thread

MAY450 MAY451

NL12401/NL12402 Stainless steel hose adapters

Description

- ½" Female thread with different size braided hose barb

NL12401 / NL12402	1/8"
NL12401 / NL12402	1/4"
NL12401 / NL12402	3/8"
NL12401 / NL12402	½"
NL12401 / NL12402	3/4"
NL12401 / NL12402	1"
NL12401 / NL12402	1-1/4"
NL12401 / NL12402	1-1/2"
NL12401 / NL12402	2"

- Note: 3/4", 1".etc. Female thread with different size braided hose bard are available.



MAY459

NL12410 Stainless steel bushing

Description

NL12410-3/8"X1/4"
NL12410-1/2"X1/4"
NL12410-1/2"X3/8"
NL12410-1"X1/2"
NL12410-1"X3/4"
NL12410-1-1/4"X1"
NL12410- 2"X1"
NL12410-2"X1-1/4"
NL12410-2"X1-1/2"



NL12403
Stainless steel couplings

NL12404
Stainless steel Tee's

NL12405
Stainless steel crosses

NL12406
Stainless steel Unions

MAY452 MAY453 MAY454 MAY455

Description

NL12403-1/2"	L: 33mm	NL12404-1/2"	L: 25mm	NL12405-1/2"	L: 50mm	NL12406-1/2"	L: 43mm
NL12403-3/4"	L: 38mm	NL12404-3/4"	L: 29mm	NL12405-3/4"	L: 56mm	NL12406-3/4"	L: 48mm
NL12403-1"	L: 41mm	NL12404-1"	L: 34mm	NL12405-1"	L: 66mm	NL12406-1"	L: 50mm
NL12403-1-1/4"	L: 48mm	NL12404-1-1/4"	L: 40mm	NL12405-1-1/4"	L: 80mm	NL12406-1-1/4"	L: 56mm
NL12403-1-1/2"	L: 52mm	NL12404-1-1/2"	L: 44mm	NL12405-1-1/2"	L: 87mm	NL12406-1-1/2"	L: 59mm
Nl12403-2"	L: 58mm	Nl12404-2"	L: 52mm	NL12405-2"	L: 102mm	NL12406-2"	L: 65mm



NL12407
Stainless steel 90 street elbow



NL12408
Stainless steel reducing coupling



NL12409
Stainless steel street socket

MAY456 MAY457 MAY458

Description

NL12407-1/2"	L: 53mm	NL12408-1/2"X3/4"	NL12409- 1/2"
NL12407-3/4"	L: 60mm	NL12408-1/2"X1"	NL12409- 3/4"
NL12407-1"	L: 69mm	Nl12408-1/2"X2"	NL12409- 1"
		NL12408-3/4"X1"	
		NL12408-3/4"X2"	
		NL12408-1"X2	



NL12411
Stainless steel cap

NL12412
Stainless steel plug

NL12413
Stainless steel 45 degree elbow

NL12414
Stainless steel 90 degree elbow

MAY460 MAY461 MAY462 MAY463

Description

NL12411-1/2"	NL12412-1/2"	NL12413-1/2"	NL12414-1/2"
NL12411-3/4"	NL12412-3/4"	NL12413-3/4"	NL12414-3/4"
NL12411-1"	NL12412-1"	NL12413-1"	NL12414-1"
		NL12413-1-1/4"	NL12414-1-1/4"
		NL12413-1-1/2"	NL12414-1-1/2"
		NL12413-2"	NL12414-2"



NL12415
½" stainless steel 30 degree elbow

NL12416
Stainless steel close pipe nipple

NL12418
3/4"X3/4" Stainless steel bracket

NL12419
3/4"X1/2" Stainless steel bracket

MAY464 MAY465 MAY466 MAY467

Description

• G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable	½" stainless steel close pipe nipple 3/4" stainless steel close pipe nipple 1" stainless steel close pipe nipple	• G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable	• G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable

Animal system

MAY468



NL12417 Dust cart

Description

1/2" stainless steel pipe nipple	3/4" stainless steel pipe nipple	1" stainless steel pipe nipple
1/2"X2"	3/4"X2"	1"X2"
1/2"X2.5"	3/4"X2.5"	1"X2.5"
1/2"X3"	3/4"X3"	1"X3"
1/2"X3.5"	3/4"X3.5"	1"X3.5"
1/2"X4"	3/4"X4"	1"X4"
	3/4"X4.5"	1"X4.5"
	3/4"X5"	1"X5"
	3/4"X5.5"	1"X5.5"
	3/4"X6"	1"X6"

MAY469



NL12420
Nylon hose adapters

MAY470



NL12421
Nylon hose adapter

MAY471



NL12422
Nylon hose adapter

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is available
- Fitting with 3/8" tubing.

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- 1/2" male thread with 3/8" tubing connector (Tees and coupling)

- It's made of PA6
- With UV additive
- Fitting with 1/4" tubing

MAY472



NL12423
Stainless steel 3pcs ball valves

MAY473



NL12424
Stainless steel 2pcs ball valve

MAY474



NL12425
Stainless steel 1pc ball valve

Description

NL12423 ½" 3pcs ball valve	NL12424 ½" 2pcs ball valve	NL12425 ½" 1pc ball valve
NL12423 3/4" 3pcs ball valve	NL12424 3/4" 2pcs ball valve	NL12425 3/4" 1pc ball valve
NL12423 1" 3pcs ball valve	NL12424 1" 2pcs ball valve	NL12425 1" 1pc ball valve
NL12423 1-1/4" 3pcs ball valve	NL12424 1-1/4" 2pcs ball valve	NL12425 1-1/4" 1pc ball valve
NL12423 1-1/2" 3pcs ball valve	NL12424 1-1/2" 2pcs ball valve	NL12425 1-1/2" 1pc ball valve
NL12423 2" 3pcs ball valve	NL12424 2" 2pcs ball valve	NL12425 2" 1pc ball valve
NL12423 2-1/2" 3pcs ball valve	NL12424 2-1/2" 2pcs ball valve	NL12425 2-1/2" 1pc ball valve
NL12423 3" 3pcs ball valve	NL12424 3" 2pcs ball valve	NL12425 3" 1pc ball valve
NL12423 4" 3pcs ball valve	NL12424 4" 2pcs ball valve	NL12425 4" 1pc ball valv

MAY475



NL12426/NL12427 Stainless steel pipe

Description

- It's made from SUS304 stainless steel
- OD :21mm , Thickness 2.5mm; with polishing
- 1/2" outside thread for two sides G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- Each piece with blister bag , bulk packaging with the wooden case.

Length: 500m 750mm 1000mm 1200mm

MAY476



NL12428 Braided hose

Description

- It's made of PVC material
- With antifreeze additive
- Inside with strong braided polywire

ID	0.250"	0.375"	0.500"	0.675"	0.750"	1.000"	1.25"	1.5"	2"
OD	0.438"	0.594"	0.750"	0.875"	1.030"	1.300"	1.625"	1.937"	2.49"

MAY477



NL12429 1/2"X1/2" Stainless steel bracket

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable

NL12429-45	45 degree stainless steel bracket
NL12429-60	60 degree stainless steel bracket
NL12429-75	75 degree stainless steel bracket
NL12429-90	90 degree stainless steel bracket

MAY478



NL12430 1/2"X1/2" Stainless steel bracket

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (Amercian pipe thread) is favorable
- With 90 degree elbow
- Strong and thick stainless steel die-casting

Animal system

Animal system

HORSE PRODUCTS

MAY479 MAY480



NL13101 Horse adjustable padded halter

Description

- Made from PP webbing and fleece
- Specially woven in a unique soft webbing, heavy duty nylon yield a soft and flexible feel instead of a stiff and abrasive one
- Halter features a throat snap, an adjustable crown and an adjustable nose
- Alloy NP fittings
- Color:red,pink,black,blue,yellow or assorted color or as your required
- Size:P,C,F,X-F

NL13101-1 Fleece material
NL13101-2 Webbing material

MAY482



MAY481

NL13103 PP speckled horse lead rope

Description

- Made from PP with brass/nickel plated bolt snap end
- Dia:13mm
- Length:1.8M,2M or as customize
- Color:Multi color

NL13103-1 Dia:13mm x 1.8M
NL13103-2 Dia:13mm x 2M

MAY483



NL13105 Trailer tie

Description

- Elastic with two nickel plated snap,one adjustment buckle
- 1" Poly webbing

MAY484 MAY485 MAY486



NL13102 Horse mouth mask

Description

- Material:PU+PP braid,bottomrubber.
- Cover the head of horse prevent from horse biting, and protect the rider's
- Color: black/navy blue/brown
- Size:S.M.L

MAY488



MAY487

NL13104 Cotton horse lead rope

Description

- Made from cotton with brass/nickel plated bolt snap end
- Dia: 16mm
- Length:1.8M,2M or as customize
- Color:white,green,red or customize

NL13104-1 Dia:16mm x 1.8M
NL13104-2 Dia:16mm x 2M

MAY489



NL13106 Padded lead rein

Description

- Made from terylene
- Size:8M
- Package:1pc/zipper bag



NL13201 Horse fleece bandage

Description

- Made from fleece
- Width:10cm and 12cm
- Length:2M,3M,4M
- Package:4pc/zipper PVC bag

MAY490

NL13202 Acrylic bandage

Description

- Made from acrylic fibres
- Width:10cm and 12cm
- Length:2M,3M,4M
- Package:4pc/zipper PVC bag

MAY491





NL13203 Polyfill padded leg pad

Description

- Made from towel cloth and loop pile
- Size:40 x 30cm

MAY492

MAY493



NL13204 TPU tendon boots

Description

- Made of TPU and Neoprene
- Size: Pony,Full,Cob
- Protect horse tendon well

MAY494



NL13205 TPU over-reach boots

Description

- Made of TPU and Neoprene
- Size: Pony,Full,Cob
- Protect horse tendon well

MAY495



NL13206 PVC tendon boots

Description

- TPU moulded shell
- 5mm neoprene lined
- Velcro w/ elastic band
- Size:Pony,FULL
- Pair

MAY496



NL13207 PVC fetlock boots

Description

- TPU moulded shell
- 5mm neoprene lined
- Extra shock absorbing, Velcro fasten
- Size:Pony,FULL
- Pair

MAY497



NL13208 Rubber over-reach boots

Description

- Made of Rubber
- Size:S,M,L,XL or XXL
- With velcro closure

MAY498



NL13209 Rubber over-reach boots

Description

- Made of Rubber
- Size:S,M,L,XL or XXL

MAY499



NL13301 Horse saddle pad

Description

- Material: Outshell:polycotton
- Lining:Polycotton
- Comfortable for rider as well as for horse
- Size: 108cm x 63cm

MAY500



NL13302 Horse saddle pad

Description

- Material: Outshell:polycotton
- Lining:Polycotton
- Comfortable for rider as well as for horse
- Size: 107cm x 61.5cm

MAY501



NL13303 Neoprene waffle girth

Description

- Made from neoprene with elastic end and metal buckle
- With elastic band one side
- Size:90cm,95cm,100cm and as your requested

MAY502



NL13304 Neoprene waffle girth

Description

- Made from neoprene with elastic and metal buckle
- With elastic band one side
- Size:90cm,95cm,100cm and as your request

Animal system



MAY503

NL13401 Horse shoes

Description

- Made of Aluminum alloy or forged steel
- It is very safe and comfortable for horse
- They can be Use for Jumping horse,dancing horse,leisure horse, working Horse,army Horse, Wadged Horse racing plates or not wadged horse racing plate
- Rust preventive treatment
- Size: 3#,4#,5#,6#,7#
- Package: 2pcs of front, 2pcs of rear for a set. 1 set/box

Item number of Horseshoe		L x W x H(mm)	Weight(g)
NL13401-1(#3)	Front palm	120 x 110 x 8	75
	Rear palm	116 x 110 x 8	75
NL13401-2(#4)	Front palm	121 x 116 x 8.5	80
	Rear palm	116 x 118 x 8.5	80
NL13401-3(#5)	Front palm	129 x 120 x 8.8	95
	Rear palm	129 x 121 x 8.8	95
NL13401-4(#6)	Front palm	135 x 123 x 8.8	95
	Rear palm	132 x 127 x 8.8	100
NL13401-5(#7)	Front palm	142 x 130 x 8.8	105
	Rear palm	139 x 133 x 8.8	105



MAY504

NL13402 Horse shoe nails

Description

- Made of steel
- Length:37-65mm
- Logo:can make your own brand on nail head
- Type:E,VF styles.

Item	Length	G/PC	QTY/TON
E9	65mm	4.9	204082
E8	60.5mm	4.3	232558
E7	57mm	4	250000
E6	54mm	3.7	270270
E5	51mm	3	333333
E4	47.5mm	2.8	357143
E3	45mm	2.4	416667
E2	41mm	2.3	434783
E1	37mm	1.9	526316
Big head E4	47.5mm	4.1	243902

MAY505



NL13403 Driving hammer

Description

- Lightweight but solid
- Overal length 29cm
- Driving hammer with wooden handle

NL13131 S size: 362grams
NL13132 L size: 524grams



MAY506

NL13404 Rasps – Carbon Steel Straight

Description

- Made of carbon steel being coarse on one side and fine on the other
- Rasp is straight with no provision for a handle
- Length of rasp blade 35cm (14")



MAY507

NL13405 Rasps-Carbon steel with Optional handle

Description

- Made of carbon steel
  Rasp is coarse on one side and fine on the other side
- Plastic handle is not included and is an optional extra
- Length of rasp blade 35cm (14")

NL13405-1 With plastic handle
NL13405-2 With optional handle



MAY508

NL13406 Hoof Pick

Description

- Stainless steel with plastic handle
- Strong and durable
- A handy and affordable device to get stones etc out of hooves

NL134061 Plastic hook and handle
NL134062 S.S. hook with plastic handle
NL134063 S.S. hook with 2 in1 plastic handle
NL134064 S.S. hook with plastic dipping handle



MAY509

NL13407 Hoof pick with brush

Description

- Stainless steel with plastic handle and soft brush
- Strong and durable
- Flexible used by hand
- A handy and affordable device to get stones etc out of hooves
- Has the added advantage of a brush

NL13407-1 Flat head hook with 2 in 1 plastic handle
NL13407-2 Sharp head hook with plastic handle
NL13407-3 Sharp head hook with plastic handle
NL13407-4 Sharp head hook with plastic handle and shovel
NL13407-5 Flat head look with TPR handle

MAY509



NL13501 Head Mane comb

Description

- Aluminum material
- Useful for pulling and plaiting manes and tails
- Size: 12.7 x 6.3cm

MAY510



NL13502 Mane comb

Description

- Aluminum material
- Useful for pulling and plaiting manes and tails
- Size: 10 x 5.5cm

MAY511



NL13503 Mane comb

Description

- Aluminum material
- Useful for pulling and plaiting manes and tails
- Size: 9 x 2.5cm



MAY516

NL13508 Horse show comb

Description

- These show combs are excellent quality
- Useful for quick combing and superb hair separation
- An inexpensive comb you need for daily care and show day
- Length:6",9"

NL13508-1 Metal tooth with metal handle
NL13508-2 Metal tooth with wooden handle
NL13508-3 Plastic tooth with plastic handle



MAY512

NL13504 Aluminum pick&comb

Description

- Aluminum material
- Size:16cm long



MAY513

NL13505 Aluminum pulling comb with wooden handle

Description

- Aluminum material with wooden handle
- Size:19cm long



MAY517

NL13509 Horse fluffer comb

Description

- Alternating short and long tooth design which is ideal for use on thick hair coats
- Long needles fluff hairs close to the body with minimum pull and comb lines
- Short needles accentuate the guard hairs and help add body to the coat
- An ideal comb to use with a blower
- Length:6",9"

NL13509-1 Metal tooth with metal handle
NL13509-2 Metal tooth with wooden handle
NL13509-3 Plastic tooth with plastic handle



MAY514

NL13506 Mane comb with pick

Description

- Material: Made of ABS
- Useful for pulling and plaiting manes and tail
- Comfortable to hold.
- Size:20 x 7cm



MAY515

NL13507 Gripping mane&tail brush

Description

- Plastic material with steel pin
- Useful for pulling and plaiting manes and tails
- Size:back 20*6.1cm pin 2.4cm



MAY518


NL13510 Horse skip tooth comb

Description

- Skip tooth combs are designed to guide through the thickest hair to produce a quality professional look
- Reduce hair loss from grooming and working
- Adds fluff and pop
- Minimises matting with oils and dressings
- Length:6",9"

NL13510-1 Metal tooth with metal handle
NL13510-2 Metal tooth with wooden handle
NL13510-3 Plastic tooth with plastic handle

MAY518 MAY519 MAY520 MAY521





MAY522

NL13601 Wooden Body Brush

Description

- Made of wooden body
- Comfortable to hold.
- Length of soft PP hair: 2.5cm
- Various bristle available: Horsehair, Natural Bristles, Soft Nylon, Stiff PP
- Size: 6.5", 7.5", 8.5"

NL13601-1 With webbing handle
NL13601-2 Without webbing handle



MAY523

NL13602 Plastic Body Brush

Description

- Made from plastic body
- Comfortable to hold
- Color: different color available
- Length of soft PP hair: 3cm
- Various bristle available: Horsehair, Natural Bristles, Soft Nylon, Stiff PP
- Size: 5", 7"

NL13602-1 With webbing
NL13602-2 Without webbing



MAY524

NL13603 Wooden Grooming Dandy Brush

Description

- A classic brush with firm bristle, deep clean your horse
- Color: different color available
- Length of hard PP hair: 4cm
- Various bristle available: Horsehair, Natural Bristles, Soft Nylon, Stiff PP
- Size: 6.5", 8.5"



MAY525

NL13604 Plastic Grooming Dandy Brush

Description

- A classic brush with firm bristles, deep clean your horse.
- Color: different color available
- Length of hard PP hair: 4cm
- Various bristle available: Horsehair, Natural Bristles, Soft Nylon, Stiff PP
- Size: 6", 7", 8"

MAY526



NL13701 Plastic Sweat Scraper

Description

- Made of PP and PVC material
- An economical and good quality one handed sweat scraper
- With a curved rubber blade
- Color:blue,red,green,black or as your require

NL13701-1 Without tooth
NL13701-2 With tooth
NL13701-3 Without tooth one-piece

MAY527



NL13703 Reversible Metal Curry

Description

- Excellent for removing caked on mud or loose hair
- Round metal toothed comb 2 in 1 tool
- Material: Stainless steel
- Sure grip plastic handle

NL13703-1 Reversible Metal Curry 4 blade
NL13703-2 Reversible Metal Curry 5 blade

MAY528



NL13705 Plastic sweat scraper

Description

- Made of PP or ABS
- Size: 45 x 3.5cm

MAY529



NL13702 Sweat scraper

Description

- Size: 21.5 x 22.8cm,435g
- Staniless steel material
- With curved rubber blade and teeth on the top
- Has a large comfortable wooden handle

NL13702-1 Sweat scraper
NL13702-2 Sweat scraper with teeth

MAY530



NL13704 Horse Itch comb

Description

- With wooden handle
- With zink plated
- Size: 19 x 14cm,240g

MAY531



NL13706 Shedding blade

Description

- Size: 30 x 10cm
- Ideal to remove hair or as a sweat scraper
- Flexible spring tooth blade with comfortable handle

NL13706-1 Metal shedding blade
NL13706-2 Plastic shedding blade
NL13706-3 2 Double metal shedding blade

Animal system



MAY532

NL13707 Plastic Massage Curry Comb

Description

- Made of durable plastic
- Perfect for removing the most stubborn from your horse's coat
- Molds to the palm of your hand to aid in grooming
- Works deep to bring up loose hair and dirt
- An effective grooming tool Adjustable handle
- Easy and comfortable to use
- Color: different color available

NL13707-1 Plastic Massage Curry Comb Size: 7.0inch(18cm)
NL13707-2 Plastic Massage Curry Comb Size: 5.9inch(15cm)
NL13707-3 Plastic Massage Curry Comb Size: 5.1inch(13cm)
NL13707-4 Plastic massage curry comb but comes with a hose attachment for washing



MAY533

NL13708 Gripping currycomb

Description

- Made of PP &TPR
- Palm held design for perfect girp to keep your hand untired
- Size:9.7 x 11cm



MAY535

NL13709 Plastic curry comb

Description

- Oval curry comb with handle.
- Size: Large, small

NL13709-1 With textile hand loop Material: PP & TPE
NL13709-2 With textile hand loop Material: PP
NL13709-3 With plastic handle Material: PVC



MAY534

NL13710 Metal curry comb

Description

- Made from metal
- Size: 15.5 x 10.3cm



MAY536

NL13711 PVC Grooming glove

Description

- Size: 24 x 16.5cm
- Flexible grooming mitt
- Removing loose hair,dirt and grime



MAY537

NL13712 Groom and Scrub mitt

Description

- PP material,size is 18*13cm
- Double sided grooming mitt
- With soft nylon bristles on one side
- With rubber massaging prongs on the other

MAY538



NL13713 Horse tooling sets

Description

- 1 plastic box included sponge,body brush,sharp head grooming brush,massage curry comb,washer comb and mane comb.



NL13801 Horse whips

Description

- Refkectuib shafte
- Rubber wrapped handle & metal cap
- Color: black,purple,blue,red and assorted color or as your required
- Size:48",40"

NL13801-1 With metal with fabric pattern handle
NL13801-2 With rubber handle

MAY539

MAY540



NL13802 Plastic horse toy

Description

- Made from PE
- UV Stable for outdoor use
- Multilateral prismatic
- Color: Red,blue,purple and other color
- Package: 1pc/color box
- 9" Diameter Face to Face

MAY541



NL13803 Horse play ball

Description

- Made from EVA
- Color: red. blue, purple or as your require
- Packge: 1pc/box
- Size:D 26cm H36cm

Animal system

Animal system

MAY542



NL13901 Supreme Fork

Description

- Made from ABS or PC
- Features eighteen(17) well constructed tines
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as your required

MAY543



NL13902 Plastic Fork

Description

- Made of ABS or PC
- Features eighteen(17) well constructed tines Strong fork
- Color: red, blue, black, green or as your required

MAY544



NL13903 Supreme Fork

Description

- Made from ABS or PC
- Features eighteen(17) well constructed tines
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as your required

MAY545



NL13904 Plastic Fork

Description

- Made from ABS or PC
- Features eighteen(17) well constructed tines with reinforcing rib
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as your required

MAY546



NL13905 Plastic Fork

Description

- Made from ABS or PC
- Features eighteen(17) well constructed tines
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as your required

MAY547



NL13906 Plastic Fork

Description

- Made of ABS or PC
- Features twelve(12) well constructed tines Strong fork
- Color: red, blue, black, green or as your required




MAY548



MAY549

MAY550



NL13907 Metal 4 prong manure fork

Description

- Made of metal
- With powder coating
- Fork head with covers
- Total handle length:75cm
- Color: red, blue, black, green or as your required

MAY551



NL13909 Grass broom

- Handle length:110cm
- Grass length:25cm

NL13909-1 With 5 layer wires
NL13909-1 With 7 layer wires

MAY551

MAY551



NL13908 Stable mate pooper set

Description

- This set makes the job so much easier
- Generous size moulded polythene scoop
- Collect leaves and dropping while minimizing the collections of sawdust and shaving being left behind
- Metal handle with hasp for sets connect together
- Plastic handgrip easy for use
- Dimension;36cm(W) x 76cm(H)

NL13910 Grain shovel

Description

- Made of ABS or PP
- Wide mouth shovel useful for grain and landscaping
- Tough,strong,lightweight

NL1349-1 Plastic shovel with wooden handle Size:35cm x 120cm
NL1349-2 One piece plastic shovel Size:35cm x 110cm



MAY552



MAY553

NL13911 Over the door feed bucket

Description

- Made from PP
- The flat back fits more compactly against a wall or fence and makes hauling heavy loads of water or feed a lot easier.
- With metal wall hook and hanging handle
- Color: purple,blue,red,green,black or if your required
- Capacity: 15L



MAY554

NL13912 "D"shape bucket

Description

- Made from PP
- The flat back fits more compactly against a wall or fence and makes hauling heavy loads of water or feed a lot easier.
- With hanging handle
- Color: purple,blue,red,green,black or if your required

NL13912-1 8L
NL13912-2 21L



MAY555

NL13913 Round shape bucket

Description

- Made from PP
- Lightweight for easier handling, but still farm tough
- With hanging handle
- Color: purple,blue,red,green,black or if your required
- Capacity: 8L



MAY556

NL13914 Corner manger

Description

- Made from PP
- With bucket and metal support frame and handle
- Easy for carry
- Capacity: 30L



MAY557

NL13915 Feed Tub 12L/21L

Description

- Made from recycle rubber
- Tough&durable tub with thick recycled rubber walls
- Strong handles

NL13915-1 Capacity 12L 14cm(H) x 39cm(W) x 29cm(Base)
NL13915-2 Capacity 21L 18cm(H) x 49cm(W) x 37cm(Base)



MAY558

NL13917 Feed bucket with rail hanging hook 16L

Description

- Made from recycle rubber
- Tough & durable
- With rail hanging hook
- Capacity:16L 24cm(H) x 24cm(W) x 40cm(Base)



MAY559

NL13919 Feed tub 37L/40L

Description

- Made from recycle rubber
- Tough & durable buckets have a multitude of uses
- With thick recycled rubber walls and strong handles

NL13919-1 Capacity:37L(2handles) 27cm(H) x 44cm(W) x 37cm(Base)
NL13919-2 Capacity:40L(4handles) 31cm(H) x 48cm(W) x 31cm(Base)

MAY560



NL13916 Rubber bucket 10L/14L

Description

- Made from recycle rubber
- Tough&durable tub with thick recycled rubber walls
- Metal handles

NL13916-1 Capacity 10L 22cm(H) x 30cm(W) x 22cm(Base)
NL13916-2 Capacity 14L 27cm(H) x 30cm(W) x 22cm(Base)

MAY561



NL13918 Feed pan 10L/40L

Description

- Made from recycle rubber
- Useful pan style bucket
- Suitable for around the house,farm,stables or shows

NL13918-1 Capacity:10L 12cm(H) x 31cm(W) x 44cm(Base)
NL13918-2 Capacity:40L 20cm(H) x 48cm(W) x 68cm(Base)

MAY562



NL13920 Large rubber pail 60L/80L

Description

- Made from recycle rubber
- A high capacity deep dish rubber pail
- Tough & durable pail with thick walls

NL13920-1 Capacity:60L with handle 35cm(H) x 55cm(W) x 44cm(Base)
NL13920-2 Capacity:80L without handle 41cm(H) x 67cm(W) x 47cm(Base)



MAY563

NL13921 Horse hay nets

Description

- Hand made hay nets
- Material: PE/PP/Nylon
- Length: 40",43",45",47"
- 7knots or 10knors is available or customized
- Color: red,blue,black,purple and so on



MAY566

NL13922 Horse hay net with metal hook

Description

- Hand made,with matel hook
- Material: PE/PP/Nylon
- Length: 40",43",45",47"
- 7knots or 10knors is available or customized
- Color: mixed color



MAY564

NL13923 Tie up ring

Description

- Made of galvanized iron
- Thick and strong
- With 4 nails

NL13923-1 Tie up ring
NL13923-2 Tie up ring
NL13923-3 Swivel tie up ring



MAY567

NL13924 Bridle reck

Description

- Metal with powder coating or plastic material
- Strong for bridle

NL13924-1 Plastic type A
NL13924-2 Plastic type B
NL13924-3 Metal with powder coating



MAY565

NL13925 Pole folding saddle rack

Description

- Made of metal
- A plastic coated round tube saddle rack that folds down when not in use.
- The pole remains attached when folded down.
- Wall mounted



MAY568

NL13926 Bucket bush

Description

- Made from PP and rubber coating
- Length: Around 25cm



MAY569

NL13927 Salt lick holder

Description

- Made from PP
- Fit for 10cm x 6cm salt

Animal system